District I Tender Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes  $\boxtimes$  No  $\square$  Type of action: Registration of a pit or below-grade tank  $\square$  Closure of a pit or below-grade tank  $\boxtimes$ 

| Operator: <u>Burlington Resources</u> Tel Address: 3401 East 30th Street, Farmington, New Mexico, 87402   | lephone: (505) 326-9841 e-mail a  | address: <u>LHasely@br-</u> | inc.com            |  |
|---|---|-----------------------------|--------------------|--|
|   | 3004510723000 U/L or Qtr/Qtr_J_Sec  | 15 T 031N R 012             | W-7115 16 77 5     |  |
| County San Juan Latitude N36 53.809   | Longitude W108 4.823 NAD: 1927 ⊠  |                             | [12]               |  |
| Surface Owner: Federal ⊠ State □ Private □ Indian □   |   |                             | * A                |  |
| D:4   | Deleve grade tout   | TCC .                       | "88 x 5000         |  |
| Pit Type: Drilling □ Production □ Disposal □  | Below-grade tank Volume:60_bbl Type of fluid: Produced  | Water and Inclidental (     | Dill. J. Dill.     |  |
| Workover   Emergency  | Construction material: Fiberglass   |                             |                    |  |
| Lined □ Unlined □   | Construction material: Fiberglass  Double-walled, with leak detection? Yes   If not, explain whymot   No - Tank was installed prior to Rule 50. |                             |                    |  |
| Liner type: Synthetic   Thicknessmil Clay   | No - Tank was installed prior to Rule 50.   | 8.50                        | Die                |  |
| Pit Volumebbl   |   | <u> </u>                    | E P L DIC DC FIL   |  |
|   | 1 1 50 5 .  |                             | ELE LAIS DE GLASSE |  |
| Depth to ground water (vertical distance from bottom of pit to  | Less than 50 feet   | (20 points)                 | The Course         |  |
| seasonal high water elevation of ground water.)   | 50 feet or more, but less than 100 feet<br>100 feet or more   | (10 points)<br>( 0 points)  | 0                  |  |
|   | 100 feet of more  | ( o points)                 |                    |  |
| Wellhead protection area: (Less than 200 feet from a private  | Yes   | (20 points)                 |                    |  |
| domestic water source, or less than 1000 feet from all other  | No  | (20 points)                 | 0                  |  |
| water sources.)   | 110   | ( o points)                 | v                  |  |
| Distance to confece water (horizontal distance to all words dis   | Loss than 200 fact  | (20 mainta)                 |                    |  |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral  | Less than 200 feet 200 feet or more, but less than 1000 feet  | (20 points)<br>(10 points)  |                    |  |
| watercourses.)  | 1000 feet or more   | ( 0 points)                 | 0                  |  |
|   |   | ( o pointo)                 |                    |  |
|   | Ranking Score (Total Points)  |                             |                    |  |
|   | Ranking Score (Total Tollis)  |                             | 0                  |  |
| onsite box if your are burying in place) onsite $\Box$ offsite $\Box$ If offsite remediation start date and end date. (4) Groundwater encountered: (5) Attach soil sample results and a diagram of sample locations and | No $\boxtimes$ Yes $\square$ If yes, show depth below ground sud excavations.   |                             |                    |  |
| Additional Comments:  |   |                             |                    |  |
| Pir Location –87 feet, 45 degrees from the wellhead.  |   |                             |                    |  |
|   |   |                             |                    |  |
| Soil sample collected 3 feet below bottom of tank. Soils tested of  | clean and no soil remediation was required. Lab an  | alysis attached.            |                    |  |
|   |   |                             |                    |  |
|   |   |                             |                    |  |
| I hereby certify that the information above is true and complete to the below-grade tank has been/will be constructed or closed accordanged approved plan $\Box$ .  |   |                             |                    |  |
| Date: <u>03/13/06</u>   | 6111 D  |                             |                    |  |
| Printed Name/Title Ed Hasely, Environmental Advisor Signal  | ture 21/fas/7   |                             |                    |  |
| Your certification and NMOCD approval of this application/closure ground water or otherwise endanger public health or environment. I federal, state, or local laws and/or regulations.                                  | e does not relieve the operator of liability should the   |                             |                    |  |
|   |   |                             |                    |  |
|   |   |                             |                    |  |
| Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 61  | Signature Deny Fo   | Date                        | AR 1 4 2006        |  |



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

| Client:              | Burlington Resources | Project #:          | 92115-001-003 |
|----------------------|----------------------|---------------------|---------------|
| Sample ID:           | Richardson 7         | Date Reported:      | 10-13-04      |
| Laboratory Number:   | 30903 <u></u> იგე    | Date Sampled:       | 09-29-04      |
| Chain of Custody No: | 13007                | Date Received:      | 10-11-04      |
| Sample Matrix:       | Soil                 | Date Extracted:     | 10-12-04      |
| Preservative:        | Cool                 | Date Analyzed:      | 10-13-04      |
| Condition:           | Cool and Intact      | Analysis Requested: | 8015 TPH      |

| Parameter                    | Concentration<br>(mg/Kg) | Det.<br>Limit<br>(mg/Kg) |
|------------------------------|--------------------------|--------------------------|
| Gasoline Range (C5 - C10)    | ND                       | 0.2                      |
| Diesel Range (C10 - C28)     | ND                       | 0.1                      |
| Total Petroleum Hydrocarbons | ND                       | 0.2                      |

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Below Grade Tanks.

PID=2.2

Analyst

Review Malter