State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 June 1, 2004

1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🗹 No 🗔								
WF6 CLOSURE Type of action: Registration of a pit or below	r-grade tank Closure of a pit or below-grade tank	V						
Operator: CONOCOPHILLIPS COMPANY Telephone: e-mail address:								
Address: PO BOX 2197 HOUSTON, TX 77252								
Facility or well name: <u>SAN JUAN 30 5 UNIT #081</u> API #: <u>30-039-22709</u> U/L or Qtr/Qtr <u>L</u> SEC <u>27</u> T <u>30N</u>								
County: RIO ARRIBA Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	883 N Longitude 107 21.056 W	NAD: 1927 ☑ 1983 ☐						
<u>Pit</u>	Below-grade tank							
Type: Drilling ☐ Production ✔ Disposal ☐	Volume: bbl Type of fluid:							
Workover	Construction Material:							
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.							
Liner Type: Synthetic Thickness mil Clay Pit Volume 38 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) <u>0</u>						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite. If offsite, name of facility								
Additional Comments: Meter: 85609 FEB 2006 CONS. DIV.								
I hereby certify that the information above is true and complete to the bear of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelikes a general permit , or an (attached) alternative OCD-approved plan								
Date:10/3/05	Mr Zhuk, FOR WPS							
Printed Name/Title Mark Harvey for Williams Field Services Sig	nature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval: Printed Name/Title Printed Name/Title OEPUTY ON & GAS INSPECTOR, DIST. 41 Signature	ature Deny Josef	FEB 0 2 2006						

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 30 5 UNIT #081


API <u>30-039-22709</u>

Meter: 85609

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 12 Ft.

Width $\underline{12}$ Ft.

Depth <u>1.5</u> Ft.

Location of Pit Center

Latitude 36 46.850 N

Longitude 07 20.964 W

(NAD 1927)

Pit ID

856091

Pit Type

Glycol Dehydrator

Date Closure Started: 4/4/05

Closure Method:

Pushed In

Date Closure Completed: $\underline{4/4/05}$

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space BTEX Total (mg/kg) Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

111424JAN05

1/24/05

Н

0.46

에

110 ASSESS

Flr

2.5



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6091199 Client Project ID: NM Pits

Project Sample Number: 6091199-015 - Date Collected: 01/24/05-11:14

Lab Sample No: 607850096 Project Sample Number: 60917 Client Sample ID: 111424JAN05 Matrix: Soil

Date Received: 01/26/05 09:00

Client Sample ID: 111424JAN05			Matrix: Soil				nate Kecelhed: 01/50/02 03:00			
Parameters	Results	Units	Report Limit	DF	<u>Analyzed</u>	Ву	CAS No.	Qual	RegLmt	
GC Semivolatiles										
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2								
Mineral Spirits	ND	mg/kg	12.	1.2	02/02/05 06:09	5 RMN1				
Jet Fuel	ND	mg/kg	12.	1.2	02/02/05 06:09	5 RMN1				
Kerosene	ND	mg/kg	12.	1.2	02/02/05 06:09	5 RMN1				
Diesel Fuel	ND	mg/kg	12.		02/02/05 06:0					
Fuel Oil	ND	mg/kg	12.	1.2	02/02/05 06:0	5 RMN1	68334-30-5			
Motor Oil	ND	mg/kg	12.	1.2	02/02/05 06:0	5 RMN1				
Total Petroleum Hydrocarbons	110	mg/kg	12.	1.2	02/02/05 06:0	5 RMN1		4.		
n-Tetracosane (S)	107	*		1.0	02/02/05 06:0	5 RMN1	646-31-1			
p-Terphenyl (S)	105	*	•	1.0	02/02/05 06:0	5 RMN1	92-94-4			
Date Extracted	01/31/05				01/31/05					
Organics Prep										
Percent Moisture	Method: SM 2	540G								
Percent Moisture	16.9	*		1.0	01/31/05	ALJ1				
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / E	PA 802	1					
Benzene	ND	ug/kg	60.		01/28/05 02:0	3	71-43-2			
Ethylbenzene	ND	ug/kg	60.	1.2	01/28/05 02:0	3	100-41-4			
Toluene	ND	ug/kg	60.	1.2	01/28/05 02:0	3	108-88-3			
Xylene (Total)	460	ug/kg	160	1.2	01/28/05 02:0	3	1330-20-7			
a,a,a-Trifluorotoluene (S)	99	*		1.0	01/28/05 02:0	3	98-08-8			

Date: 02/02/05

Page: 15 of 29

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

