Form 3160-5 (August 2007)

### UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0137

,	BUREAU OF LAND MAI	NAGEMENT	IAM 2	Expires: Ju	aly 31, 2010	
			JAN 2	5. Lease Serial No.	25070242	
SUI	NDRY NOTICES AND REP	ORTS ON WELL	S		SF078343 me	
Do not us	e this form for proposals : well. Use Form 3160-3 (A	to drill or to re-e	Farmington F Inter an Teau of Land	Held Office Management		
			oposals.			
1. Type of Well	UBMIT IN TRIPLICATE - Other ins	tructions on page 2.		7. If Unit of CA/Agreement, Nan	ne and/or No.	
	X Gas Well Other			8. Well Name and No.		
					29-5 Unit 18C	
2. Name of Operator	Hilcorp Energy Compa	any		9. API Well No. <b>30-03</b>	9-29218	
3a. Address	NIBE OF 100		No. (include area code) 10. Field and Pool or Exploratory Area			
PO Box 4700, Farmingt		505-599	-3400		C/Blanco Mesaverde	
4. Location of Well (Footage, Sec., T., I  Surface Unit D (	NWNW) 885'FNL & 835' FV	VL, Sec. 5, T29N	, R05W	11. Country or Parish, State  Rio Arriba ,	New Mexico	
12. CHECK	THE APPROPRIATE BOX(ES)	TO INDICATE NA	TURE OF NO	TICE, REPORT OR OTHER	R DATA	
TYPE OF SUBMISSION		٦	TYPE OF AC	TION		
X Notice of Intent	Acidize	Deepen	P	roduction (Start/Resume)	Water Shut-Off	
0	Alter Casing	Fracture Treat	R	Reclamation	Well Integrity	
Subsequent Report	Casing Repair	New Construction	XR	Recomplete	Other	
4	Change Plans	Plug and Abandor		emporarily Abandon		
Final Abandonment Notice  13. Describe Proposed or Completed Op	Convert to Injection	Plug Back		Vater Disposal		
following completion of the involv Testing has been completed. Final determined that the site is ready for Hilcorp Energy Compar the existing Mesaverde	ny plans to recomplete the with the Pictured Cliffs.	in a multiple completion nly after all requiremen e subject well in Attached is the F	the Pictured	in a new interval, a Form 3160-4 r mation, have been completed and d Cliffs formation and d complete procedure & v	nust be filed once the operator has  ownhole commingle	
тпе впо аррпсацоп wi	OIL CONS. DIV DIST	CCD 24 hrs	BLI AC OP	M'S APPROVAL OR ACCERTION DOES NOT RELIEVE ERATOR FROM OBTAININ THORIZATION REQUIRE FEDERAL AND INDIAN L	E THE LESSEE AND NG ANY OTHER D FOR OPERATIONS	
14. I hereby certify that the foregoing is	true and correct. Name (Printed/Type	d)				
Tammy Jones		Title (	Operations/Re	egulatory Technician - Sr		
Signature / WMM	4 Imes	Date	1/24	12018		
C	THIS SPACE FO	R FEDERAL OR	STATE OFF	ICE USE		
Approved by  Conditions of approval, if any, are attach	Tambekou	varrant or certify	Title Fet	Proleum Enginee	r Date 1/25/2018	
approven, is any, and attack	Pp. v v nono uono avos not v				,	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person and false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any

entitle the applicant to conduct operations thereon.

that the applicant holds legal or equitable title to those rights in the subject lease which would

Office

FFO

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV** 

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division

August 1, 2011 Permit 247487

Form C-102

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

·								
1. API Number	2. Pool Code	3. Pool Name GOBERNADOR PICTURED CLIFFS (GAS)						
30-039-29218	77440							
4. Property Code	5. Property Name	6. Well No.						
318837	SAN JUAN 29 5 UNIT	018C						
7. OGRID No.	8. Operator Name	9. Elevation						
372171	HILCORP ENERGY COMPANY	6795						


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
D	5	29N	05W		885	N	835	w	′	RIO ARRIBA

11. Bottom Hole Location If Different From Surface

	THE DESCRIPTION OF THE DESCRIPTI										
UL - Lot	Section	Township	Range	Lot idn	Feet From	N/S Line	Feet From	E/W Line	County		
12. Dedicated Acres 321.00 W/2			13. Joint or Infill		14. Consolidatio	n Code	<u>L</u> .	15. Order No.			

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### **OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Tammy Jones

Title:

Operations/Regulatory Technician - Sr.

Date:

1/24/2018

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

Jason C. Edwards

Date of Survey:

6/9/2004

Certificate Number:

15269



## HILCORP ENERGY COMPANY SAN JUAN 29-5 UNIT 18C PICTURED CLIFFS RECOMPLETION SUNDRY

#### JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2 3/8" tubing set at 5,979'.

mossverde

- 3. Set a 4-1/2" cast iron bridge plug at +/- 3,950' to isolate the Dakota. Note: TOC at 3,400' by CBL.
- 4. Load the hole and pressure test the casing to frac pressure.
- 5. N/D BOP, N/U frac stack and test frac stack to frac pressure.
- 6. Perforate and frac the Pictured Cliffs in a single stage (Top Perforation @ 3,749'; Bottom Perforation @ 3,830').
- 7. Isolate frac stage with a composite bridge plug.
- 8. Nipple down frac stack, nipple up BOP and test.
- 9. TIH with a mill and drill out top Pictured Cliffs isolation plug.
- 10. Clean out to Mesa Verde isolation plug and, when water and sand rates are acceptable, flow test the Pictured Cliffs.
- 11. Drill out Mesa Verde isolation plug and cleanout to PBTD of 6,348'. TOOH.
- 12. TIH and land production tubing. Get a commingled Mesa Verde/Pictured Cliffs flow rate.



## HILCORP ENERGY COMPANY SAN JUAN 29-5 UNIT 18C PICTURED CLIFFS RECOMPLETION SUNDRY

