District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Proposed Alternative Method Permit or Closure Plan Application  Type of action:  Below grade tank registration  Permit of a pit or proposed alternative method  Closure of a pit, below-grade tank, or proposed alternative method  Modification to an existing permit/or registration  Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method  Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request  Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.    I. Operator: BP America Production Company OGRID #: 778
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
Pit:       Subsection F, G or J of 19.15.17.11 NMAC         Temporary:       □ Drilling       □ Workover         □ Permanent       □ Emergency       □ Cavitation       □ P&A       □ Multi-Well Fluid Management       Low Chloride Drilling Fluid       □ yes       □ no         □ Lined       □ Unlined       Liner type:       Thickness      mil       □ LLDPE       □ HDPE       □ PVC       □ Other          □ String-Reinforced       Liner Seams:       □ Welded       □ Factory       □ Other        volume:        bbl       Dimensions:       L
3.  Below-grade tank: Subsection I of 19.15.17.11 NMAC TANK A  Volume: 95 bbl Type of fluid: Produced Water  Tank Construction material: Steel  APR 1 3 2018
□ Secondary containment with leak detection □ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off STRICT □ Visible sidewalls and liner □ Visible sidewalls only ■ Other Single wall/ Double bottom; sidewalls-visible

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

5.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify\_\_\_\_\_\_\_

mil HDPE PVC Other



Liner type: Thickness

Alternative Method:

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other								
☐ Monthly inspections (If netting or screening is not physically feasible)								
7.  Signs: Subsection C of 19.15.17.11 NMAC  ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  ☐ Signed in compliance with 19.15.16.8 NMAC								
Variances and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.								
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source							
General siting								
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No							
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No							
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No							
Within the area overlying a subsurface mine. (Does not apply to below grade tanks)  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No							
Within an unstable area. (Does not apply to below grade tanks)  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No							
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No							
Below Grade Tanks								
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)								
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No							
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							

Within 100 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Temporary Pit Non-low chloride drilling fluid			
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No		
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 300 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Permanent Pit or Multi-Well Fluid Management Pit			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No		
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 Natural Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached.    Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC   Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC   Previously Approved Design (attach copy of design)   API Number: or Permit Number:	NMAC  15.17.9 NMAC		
11.  Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached.  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  A List of wells with approved application for permit to drill associated with the pit.  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC  Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Previously Approved Design (attach copy of design) API Number:  or Permit Number:	.15.17.9 NMAC		

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, the attached.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.19 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	hat the documents are
Proposed Closure: 19.15.17.13 NMAC	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi	-well Fluid Management Pit
☐ Alternative Proposed Closure Method: ☐ Waste Excavation and Removal	
Waste Removal (Closed-loop systems only)	
☐ On-site Closure Method (Only for temporary pits and closed-loop systems) ☐ In-place Burial ☐ On-site Trench Burial	
Alternative Closure Method	
14. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items m	oust he attached to the
closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NM  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	/AC
15.	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptal provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalents 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or pla lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	aya Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in exis at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	stence Yes No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordina	nce

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
16.	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.1  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards canno Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 5.17.11 NMAC
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believed.	ef.
Name (Print): Title:	
Timb (Tim).	
Signature: Date:	
e-mail address: Telephone:	
18.  OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) ☐ OCD Conditions (see attachment)  OCD Representative Signature. ☐ Approval Date: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	Trois
19.	
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting a The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not a section of the form until an approved closure plan has been obtained and the closure activities have been completed.	
Closure Completion Date: 2/15/2010	
Closure Completion Date: 2/15/2018	
20. Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loc If different from approved plan, please explain.	op systems only)

22.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with the	is closure report is true, accurate and complete to the best of my knowledge and
belief. I also certify that the closure complies with all applicable closu	re requirements and conditions specified in the approved closure plan.
Name (Print): Erin Garifalos	Title: Field Environmental Coordinator
Avia a avel A	
einstein suifalos	A
Signature:	Date: April 12, 2018
e-mail address: erin.garifalos@bp.com	Telephone: (832) 609-7048

# **BP AMERICA PRODUCTION COMPANY**

SAN JUAN BASIN, NORTHWEST NEW MEXICO

#### BELOW-GRADE TANK CLOSURE PLAN

#### **ARNAUD A 004**

API No. 3004528682

Unit Letter A Section 20 T 32N R 09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

#### General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

#### Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

#### Notice was provided and is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
  - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
  - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
  - c. Basin Disposal, Permit NM-01-0005 (Liquids)
  - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
  - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

# All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

## The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

## All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	<0.016
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.064
TPH	US EPA Method SW-846 418.1 or 8015 extended	. 100	<50
Chlorides	US EPA Method 300.0 or 4500B	620	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for chloride, TPH and BTEX with all concentrations below the stated limits. The field report and laboratory reports are attached.

7. BP shall notify the division District III office of its results on form C-141.

C-141 is attached.

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate a release has not occurred. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicate a release has not occurred. Attached is a laboratory report and field report. The location has been reclaimed as the well was plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The gas well was recently plugged & abandoned, BGT location's surface condition is clear.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The gas well was recently plugged & abandoned, BGT location's surface condition is clear.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The gas well was recently plugged & abandoned, BGT location's surface condition is clear.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The gas well was recently plugged & abandoned, BGT location's surface condition is clear.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The gas well was recently plugged & abandoned, BGT location's surface condition is clear.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
  - a. proof of closure notification (surface owner and NMOCD)
  - b. sampling analytical reports; information required by 19.15.17 NMAC;
  - c. disposal facility name and permit number
  - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
  - e. site reclamation, photo documentation.

Closure report on C-144 form is included including photos of reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised April 3, 2017 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

			Rele	ease Notific	eation	and Co	orrective A	ction	1					
						<b>OPERA</b>	ГOR		☐ Initia	al Report		Final Report		
				ion Compan		Contact Erin Garifalos								
			rmingto	n, NM 87401		Telephone No. (832) 609-7048								
Facility Nai	meARNA	UD A 004			Facility Type: Natural Gas Well									
Surface Ow	ner: Fede	eral		Mineral C	)wner:	Federal			API No	.300452	8682			
				LOCA	TIOI	OF RE	LEASE							
Unit Letter	Section	Township	Range	Feet from the	North	South Line	Feet from the	East/	West Line	County	,	1		
Α	20	32N	09W	1,180	Nor	th	1,100	Eas	st	5	san	Juan		
			Latitud	<sub>e</sub> 36.973834	L	ongitude -1	07.797592	NAD	83					
			200000			OF REL								
Type of Rele	ase:: none	)			UKE		Release:: unkno	own	Volume F	Recovered::	N/A			
Source of Re	lease: helo	w grade ta	nk - 95	obl		Date and H	Iour of Occurrence			Hour of Dis	covery:			
Was Immedi						n/a If YES, To	Whom?		n/a					
was minicul	ate Proffee (		Yes 🗸	No 🔲 Not Re	equired	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Whom:							
By Whom?						Date and H								
Was a Water	course Read		Yes 🗸	No		If YES, Vo	lume Impacting t	he Wat	ercourse.					
***			_											
II a waterco	irse was IIII	pacted, Descri	ibe Fully.											
Describe Cau	ise of Probl	em and Remed	dial Action	Taken.*	Tr.	f. 11 11	I	DOT				a val		
					_		beneath the				-			
					-		d for Chlorid Field reports	-	15					
D !!	1.00	1.01			16 310	iliualus. I	reid reports	anu	aborator	y results	s ale a	allacileu.		
Describe Are	a Affected	and Cleanup A	Action Tak	en.* No actio	n nec	essarv. F	inal laborate	orv a	nalvsis d	determin	ed no	)		
						n is requ		,	,					
I hereby cert	ify that the i	information gi	ven above	is true and comp	lete to the	ne best of my	knowledge and u	ndersta	nd that purs	uant to NM	OCD ru	les and		
							nd perform correc							
							arked as "Final Roon that pose a thro							
or the enviro	nment. In a	ddition, NMO	CD accep				e the operator of							
federal, state	or local lay	ws and/or regu	lations.				OIL CONS	CEDI	ATION	DIVISIO	)NI			
4	Trino	17:12-0-	1				OIL CON	SERV	ATION	DIVISIO	<u>/1N</u>			
Signature:	Jun 8	wiffalo												
- Ignature.	Frin G	arifalos				Approved by	Environmental S	pecialis	t:					
											-			
Title: Field	d Enviro	onmenta	I Coo	dinator		Approval Dat	e:		Expiration 1	Date:				
E-mail Addre	ess: erin.	garifalos	@bp.	com		Conditions of	Approval:							
										Attached				
Date: April	12, 2018	)	Phone:	(832) 609-70	140					1				

<sup>\*</sup> Attach Additional Sheets If Necessary



BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

February 2, 2018

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

#### VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: ARNAUD A 004

API #: 3004528682

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about February 8, 2018. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (832)-609-7048.

Sincerely,

Erin Garifalos

BP America Production Company

From:

Buckley, Farrah (CH2M HILL)

To:

Smith, Corv, EMNRD; Fields, Vanessa, EMNRD (Vanessa, Fields@state.nm.us)

Cc:

jeffcblagg@aol.com; blagg njv@yahoo.com; Garifalos, Erin; Beebe, Sabre; Moskal, Steven

Subject: Date:

BP Pit Close Notification - ARNAUD A 004 Friday, February 02, 2018 11:08:07 AM

> BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

## SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

February 2, 2018

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE:

Notice of Proposed Below-Grade Tank (BGT) Closure

ARNAUD A 004 API 30-045-28682 (A) Section 20 - T32N - R9WSan Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to two 95bbl BGT's that will no longer be operational at this well site. We anticipate this work to start on or around February 8, 2018.

Should you have any questions, please feel free to contact BP at our Durango office.

Sincerely,

Erin Garifalos

Field Environmental Coordinator - San Juan Cell: 832-609-7048

# Farrah Buckley BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

CLIENT: BP	P.O. BOX 87,	ENGINEERIN BLOOMFIEL 505) 632-1199	D, <b>NM</b> 8741	13	API #: 3004 TANK ID (if applicble):	45286 A	682
FIELD REPORT:	(circle one): BGT CONFIRMATIO	N / RELEASE INVESTIGA	ATION / OTHER:		PAGE#: 1	of	_1
SITE INFORMATION	SITE NAME: ARN	AUD A #4			DATE STARTED:	02/12	2/18
QUAD/UNIT: A SEC: 20 TWP:	32N RNG: 9W	PM: NM CNTY	SJ ST:	NM	DATE FINISHED:		
1/4 -1/4/FOOTAGE: 1,180'N / 1,10 LEASE #: SF078513	DO'E, NE/NE LEAS	SE TYPE: FEDERAL ST CONTRACTOR: BP	RIKE	IDIAN	ENVIRONMENTAL SPECIALIST(S):	NJ	IV
REFERENCE POINT	: WELL HEAD (W.H.) (	GPS COORD.:		7.79758	GL ELE\	/: <b>6.</b>	784'
1) 95 BGT (SW/DB)	GPS COORD.:				RING FROM W.H.:		
2)	GPS COORD.:			DISTANCE/BEAR	RING FROM W.H.:		
3)	GPS COORD.:			DISTANCE/BEAF	RING FROM W.H.:		
4)	GPS COORD.:			DISTANCE/BEAR	RING FROM W.H.:		
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S	) # OR LAB USED:	HALL	_			OVM READING (ppm)
1) SAMPLE ID: <b>5PC - TB @ 5'</b>	•				15B/8021B/300.0 (C	<b>)</b>	NA
SAMPLE ID:  3) SAMPLE ID:							
4) SAMPLE ID:							
5) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS	S:			
COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY CONSISTENCY (NON COHESIVE SOILS): LC MOISTURE: DRY/SLIGHTLY MOIST MOIST W SAMPLE TYPE: GRAB COMPOSITE # DISCOLORATION/STAINING OBSERVED: YES N	DOSE (FIRM) DENSE / VERY DENSET / SATURATED / SUPER SATURATE FOR PTS	SE HC ODOR DETECTED:	YES NO EXPLANATI	ION	STIFF / VERY STIFF / H		
SITE OBSERVATION APPARENT EVIDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA: OTHER: GAS WELL RECENTLY PLUGGE	D AND/OR OCCURRED: YES NO EYPLANATION -	EXPLANATION:		WITNESS	CONFIRMATION SA	MPLING	).
EXCAVATION DIMENSION ESTIMATION:	NA ft. XNA	ft. X <b>NA</b>	ft. EXCAV	ATION EST	TMATION (Cubic Yard	s):	NA
	EAREST WATER SOURCE: >1,0	000' NEAREST SURFAC	E WATER: >1,000	NMOC	D TPH CLOSURE STD:	5,00	0 ppm
SITE SKETCH	BGT Located: off on	site PLOT PLA	AN circle: attac	hedOVM	CALIB. READ. = NA	ppm	RF =1.00
,	TO 1				CALIB. GAS = NA		
	W.H. /			TIME	: NA am/pm DA	ΓΕ:	NA
				' [	MISCELL.	NOT	ES
s	PBGTL T.B. ~ 5' B.G.  FENCE	SEPARATOR		Al Si G	CD Appr. date(s): OVM = Organic \ ppm = parts per	G-E:R 07672 06/02 05/02 /apor Mete million	/10 /16
			v cr		BGT Sidewalls Visib		
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATIO T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL APPLICABLE OR NOT AVAILABLE; SW-SINGLE	OW-GRADE TANK LOCATION; SPD = SAMP	PLE POINT DESIGNATION; R.W. =	= RETAINING WALL; NA - N	HEAD;	BGT Sidewalls Visib	le: Y / N	ı
NOTES: GOOGLE EARTH IMAGE			02/12/18				

### **Analytical Report**

Lab Order 1802690

Date Reported: 2/15/2018

# Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Blagg Engineering

Lab ID:

Project: ARNAUD A 4

1802690-001

Client Sample ID: 5PC-TB @ 5' (95)

Collection Date: 2/12/2018 8:55:00 AM

Received Date: 2/13/2018 6:45:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	30	mg/Kg	20	2/13/2018 11:20:13 AM	36495
EPA METHOD 8015M/D: DIESEL RAN	GE ORGANICS	;			Analyst	TOM
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	2/13/2018 10:36:56 AM	36489
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	2/13/2018 10:36:56 AM	36489
Surr: DNOP	97.7	70-130	%Rec	1	2/13/2018 10:36:56 AM	36489
EPA METHOD 8015D: GASOLINE RAI	NGE				Analyst	NSB
Gasoline Range Organics (GRO)	ND	3.2	mg/Kg	1	2/13/2018 10:38:37 AM	G49081
Surr: BFB	93.2	15-316	%Rec	1	2/13/2018 10:38:37 AM	G49081
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.016	mg/Kg	1	2/13/2018 10:38:37 AM	B49081
Toluene	ND	0.032	mg/Kg	1	2/13/2018 10:38:37 AM	B49081
Ethylbenzene	ND	0.032	mg/Kg	1	2/13/2018 10:38:37 AM	B49081
Xylenes, Total	ND	0.064	mg/Kg	1	2/13/2018 10:38:37 AM	B49081
Surr: 4-Bromofluorobenzene	89.2	80-120	%Rec	1	2/13/2018 10:38:37 AM	B49081

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

#### Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 5
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Chain-of-Custody Record			Turn-Around	Time:	SAME	HALL ENVIRONMENTAL																
Client:	BLAG	G ENGR.	/ BP AMERICA	☐ Standard	Rush _	DAY													AT			
				Project Name							www	w.ha	llen	viro	nme	ntal	.con	1				
Mailing A	ddress:	P.O. BO	X 87		ARNAUD A	#4	4901 Hawkins NE - Albuquerque, NM 87109															
		BLOOM	FIELD, NM 87413	Project #:				Te	d. 50	05-34	15-3	975	1	Fax	505	-345	-410	7				
Phone #:		(505) 63	32-1199							47.		Д	nal	ysis	Red	ques	st				i je	37,
email or F	ax#:			Project Manag	ger:		(4)															
	QA/QC Package:  ☑ Standard ☐ Level 4 (Full Validation)			SABRE BEEBE			HD's (8021B)	only)	(MRO)			(S)		04,50	PCB's			er - 300.1)			9	
Accreditat	tion:			Sampler:	NELSON VI	ELEZ 977	₽ (8)	(Gas	RO /	1	7	SIN		102,1	3082			/ wat			mp	
□ NELAF				On ice:	⊠ Yes 💮	n No.	1	TPH	0/0	418	504	827	50	03,1	/ 55		(A)	0.00			e sa	S
□ EDD (1	□ EDD (Type)				erature: \./		#	3E +	(GR	por	bot	0	etal	N,	cide	(A)	i-V	il - 3		e e	osit	٥,
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL NO.	BTEX +	BTEX + MTBE + TPH (Gas	TPH 8015B (GRO / DRO / MRO)	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 8270SIMS)	RCRA 8 Metals	Anions (F,CI,NO3,NO2,PO4,SO4)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil - 300.0 / water		Grab sample	5 pt. composite sample	Air Bubbles (Y or N)
2/12/18	0855	SOIL	5PC-TB@ 5 '(95)	4 oz 1	Cool	-cu	٧		٧				_		-		-	7			٧	
				1					_				_			-			$\dashv$	1	$\dashv$	
																			$\dashv$			
															-				-	$\dashv$	-	
							-		_	$\vdash$									$\dashv$	$\dashv$	-	,
							-			$\vdash$									$\dashv$	$\dashv$	$\dashv$	
									_	$\vdash$						-			$\dashv$	$\dashv$	-	
							-		_					_	_	_		-		-	$\dashv$	•
				<del> </del>	<u> </u>	. 1990	-		_		-		_	_		_				-		_
		-															_	_		-		
Date:	Time:	Relinquishe	ed by:	Received by:	1,	Date Time	Rem	arks		BILLIP	IG IN	FORM	LATIO	N SH	מוווס	RF FC	PWA	PDFD	FROM	RP	IE NO	YT.
2/12/18	1325	20	luy	Mhs	Wald -	2/12/18 /325		iai ito				NTAC				DE TO	Music Control	NDLD	rkom	i pr.	ir ito	11.
Date: 2/12/19	Time: 2012	Relinguish	and by:	Received by:	an Indiana	Date Time 02/(3/18 - 04/5																

# **-QC SUMMARY REPORT**

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1802690

15-Feb-18

Client:

Blagg Engineering

Project:

ARNAUD A 4

Sample ID MB-36495

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID: PBS

Batch ID: 36495

RunNo: 49085

Prep Date: 2/13/2018

Analysis Date: 2/13/2018

SeqNo: 1583564

Units: mg/Kg

Analyte

PQL 1.5

**PQL** 

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD

**RPDLimit** 

Qual

Chloride

Result ND

SampType: Ics

TestCode: EPA Method 300.0: Anions

Sample ID LCS-36495

Client ID: LCSS

Batch ID: 36495

RunNo: 49085

SeqNo: 1583565

Units: mg/Kg

**RPDLimit** 

Analyte

Prep Date: 2/13/2018

Analysis Date: 2/13/2018

SPK value SPK Ref Val %REC

92.3

LowLimit 90 HighLimit

%RPD

Qual

Chloride

15.00

110

14

1.5

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- Ε Value above quantitation range
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Detection Limit Sample container temperature is out of limit as specified

Page 2 of 5

# **QC SUMMARY REPORT**

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1802690

15-Feb-18

Client: Project: Blagg Engineering ARNAUD A 4

Sample ID LCS-36489

SampType: LCS

TestCode: EPA Method 8015M/D: Diesel Range Organics

LowLimit

70

70

Client ID:

LCSS

Batch ID: 36489

**PQL** 

10

RunNo: 49069

%REC

91.4

87.3

Prep Date: 2/13/2018

Analysis Date: 2/13/2018

Result

Result

ND

ND

9.3

46

0

SPK value SPK Ref Val %REC LowLimit

SeqNo: 1579514

Units: mg/Kg

130

130

HighLimit

Qual

**RPDLimit** 

Diesel Range Organics (DRO) Surr: DNOP

Analyte

4.4

SampType: MBLK

SPK value SPK Ref Val

50.00

5.000

TestCode: EPA Method 8015M/D: Diesel Range Organics

%RPD

%RPD

Client ID: **PBS** 

Sample ID MB-36489

Batch ID: 36489

PQL

10

RunNo: 49069

Prep Date: 2/13/2018

Surr: DNOP

Analysis Date: 2/13/2018

SeqNo: 1579515

Units: mg/Kg

HighLimit

**RPDLimit** Qual

Analyte Diesel Range Organics (DRO) Motor Oil Range Organics (MRO)

50 10.00

93.0

70

130

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

В Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified

Page 3 of 5

# **-QC SUMMARY REPORT**

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1802690

15-Feb-18

Client:

Blagg Engineering

Project:

ARNAUD A 4

Sample ID RB

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

LowLimit

LowLimit

15

Client ID:

PBS

Batch ID: G49081

5.0

RunNo: 49081

Prep Date:

Result

Result

ND

Analysis Date: 2/13/2018 **PQL** 

SeqNo: 1581197

Units: mg/Kg

%RPD

**RPDLimit** 

Analyte

Gasoline Range Organics (GRO) Surr: BFB

940

94.4

%REC

316

HighLimit

Qual

Sample ID 2.5UG GRO LCS

SampType: LCS

RunNo: 49081

TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS

Batch ID: G49081

SPK value SPK Ref Val %REC

1000

SPK value SPK Ref Val

Prep Date: **Analyte** 

Analysis Date: 2/13/2018 **PQL** 

SeqNo: 1581198

Units: mg/Kg

HighLimit %RPD **RPDLimit** Qual

5.0 75.9 Gasoline Range Organics (GRO) 25 25.00 0 101 131 Surr: BFB 1100 1000 113 15 316

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- Practical Quanitative Limit PQL
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 4 of 5

# **QC SUMMARY REPORT**

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1802690

15-Feb-18

Qual

Client: Project: Blagg Engineering

ARNAUD A 4

Sample ID RB

SampType: MBLK

TestCode: EPA Method 8021B: Volatiles

80

TestCode: EPA Method 8021B: Volatiles

Client ID: Prep Date:

PBS

Batch ID: **B49081** 

RunNo: 49081

Analysis Date: 2/13/2018

SeqNo: 1581204

Units: mg/Kg

HighLimit

%RPD **RPDLimit** Qual

Analyte Benzene Toluene Ethylbenzene

Xylenes, Total

SPK value SPK Ref Val %REC LowLimit Result PQL ND 0.025 ND 0.050 ND 0.050 ND 0.10

0.94

1.000

94.3

120

Sample ID 100NG BTEX LCS Client ID: LCSS

Surr: 4-Bromofluorobenzene

SampType: LCS Batch ID: **B49081** 

RunNo: 49081

Pren Date:

Analysis Date: 2/13/2018

Prep Date:	Analysis D	oate: 2/	13/2018	S	581205	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit
Benzene	0.89	0.025	1.000	0	88.6	77.3	128		
Toluene	0.84	0.050	1.000	0	84.3	79.2	125		
Ethylbenzene	0.88	0.050	1.000	0	88.3	80.7	127		
Xylenes, Total	2.7	0.10	3.000	0	88.8	81.6	129		
Surr: 4-Bromofluorobenzene	1.0		1.000		101	80	120		

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit **PQL**
- % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit Sample container temperature is out of limit as specified

Page 5 of 5



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

# Sample Log-In Check List

Client Name: BLAGG	Work Order Number:	1802690		RcptNo: 1
Post of Post o			2 1	
Received By: Anne Thorne	2/13/2018 6:45:00 AM		ame In	•
Completed By: Anne Thorne	2/13/2018 7:03:03 AM		anne Am	
Reviewed By: No 2 18				
Chain of Custody				
1. Is Chain of Custody complete?		Yes 🗸	No 🗆	Not Present
2. How was the sample delivered?		Courier		
Log In				
3. Was an attempt made to cool the samples?		Yes 🗹	No 🗆	NA 🗆
4. Were all samples received at a temperature of	of >0° C to 6.0°C	Yes 🗹	No 🗆	NA 🗆
5. Sample(s) in proper container(s)?		Yes 🗸	No 🗆	
6. Sufficient sample volume for indicated test(s)	?	Yes 🗹	No 🗆	
7. Are samples (except VOA and ONG) properly		Yes 🗹	No 🗆	
8. Was preservative added to bottles?		Yes	No 🗹	NA 🗆
9. VOA vials have zero headspace?	,	Yes	No 🗆	No VOA Vials ✔
10. Were any sample containers received broker	1?	Yes	No 🗸	
				# of preserved bottles checked
11. Does paperwork match bottle labels?	1	Yes 🗹	No 🗆	for pH:
(Note discrepancies on chain of custody)	Puntadu?	Yes 🗸	No 🗆	(<2 or >12 unless noted) Adjusted?
12. Are matrices correctly identified on Chain of C 13. Is it clear what analyses were requested?	-	Yes ☑	No 🗆	
14. Were all holding times able to be met?		Yes ✓	No 🗆	Checked by:
(If no, notify customer for authorization.)			L	
Special Handling (if applicable)				
15. Was client notified of all discrepancies with the	nis order?	Yes	No .	NA ☑
Person Notified:	Date			į
By Whom:	Via:	eMail Phor	ne 🗌 Fax	☐ In Person
Regarding:			*	
Client Instructions:				
16. Additional remarks:				
17. Cooler Information Cooler No. Temp C. Condition Seal Intact Seal No. Seal Date Signed By				
1 1.0 Good Yes		The second secon	Addition of the second	,



