


Deviation Report



Name of Company Burlington Resources Oil & Gas Company	Address P.O. Box 4289, Farmington, NM 87499	
Lease Name and Number (API Number) SAN JUAN 29-7 UNIT #61M (30-039-29556)	Location -1225 FSL -1400 FWL	Sec. Twn. Rge. 34-029N-007W
Pool and Formation BLANCO MESAVERDE/BASIN DAKOTA	County RIO ARRIBA	State NEW MEXICO

(OH)

Root Coordinants

<u>TMD (ft)</u>	<u>Degrees</u>	<u>Azimuth</u>	<u>TVD (ft)</u>	<u>N/-S</u>	<u>E/-W</u>	<u>Dogleg</u>	<u>Vert. Section (ft)</u>
30	0.75	0.00	30.00	0.20	0.00	2.50	0.20
128	0.25	0.00	128.00	1.05	0.00	0.51	1.05
367	0.50	0.00	366.99	2.62	0.00	0.10	2.62
452	1.64	303.00	451.98	3.65	-1.02	1.68	3.65
483	2.40	294.99	482.96	4.16	-1.98	2.61	4.16
512	3.67	293.59	511.91	4.79	-3.38	4.39	4.79
542	4.98	287.27	541.83	5.56	-5.50	4.64	5.56
572	5.99	288.75	571.69	6.45	-8.23	3.40	6.45
602	6.93	285.48	601.50	7.44	-11.46	3.36	7.44
633	8.40	285.05	632.22	8.53	-15.45	4.75	8.53
664	9.41	282.51	662.85	9.66	-20.11	3.50	9.66
695	10.99	279.57	693.36	10.70	-25.50	5.36	10.70
726	12.50	277.39	723.71	11.63	-31.74	5.08	11.63
757	14.32	275.30	753.86	12.41	-38.88	6.07	12.41
788	15.10	268.97	783.85	12.69	-46.74	5.76	12.69
819	16.54	270.25	813.67	12.64	-55.19	4.78	12.64
848	18.29	270.35	841.34	12.69	-63.87	6.04	12.69
879	19.27	268.70	870.69	12.60	-73.84	3.60	12.60
909	19.92	268.10	898.95	12.32	-83.90	2.27	12.32
940	21.23	268.67	927.98	12.01	-94.79	4.27	12.01
971	22.02	268.28	956.79	11.71	-106.21	2.59	11.71
1,002	22.05	266.98	985.53	11.23	-117.83	1.58	11.23
1,033	22.62	267.25	1,014.20	10.63	-129.60	1.87	10.63
1,063	22.63	265.94	1,041.90	9.95	-141.12	1.68	9.95
1,094	23.22	265.84	1,070.45	9.08	-153.16	1.91	9.08
1,125	23.66	266.23	1,098.89	8.23	-165.46	1.50	8.23
1,156	24.00	266.36	1,127.25	7.42	-177.96	1.11	7.42
1,219	23.64	265.76	1,184.88	5.68	-203.34	0.69	5.68
1,250	23.82	265.68	1,213.26	4.74	-215.78	0.59	4.74
1,282	24.27	266.20	1,242.48	3.82	-228.79	1.55	3.82
1,312	23.51	268.03	1,269.91	3.21	-240.92	3.54	3.21
1,343	23.43	268.26	1,298.35	2.81	-253.26	0.39	2.81
1,375	23.62	268.61	1,327.69	2.46	-266.03	0.74	2.46
1,438	22.26	271.54	1,385.70	2.47	-290.58	2.82	2.47
1,469	22.22	273.30	1,414.40	2.97	-302.30	2.15	2.97
1,500	21.67	274.20	1,443.15	3.73	-313.86	2.08	3.73
1,531	21.90	274.59	1,471.94	4.61	-325.33	0.88	4.61
1,594	21.15	272.71	1,530.55	6.08	-348.40	1.62	6.08
1,656	21.20	271.39	1,588.36	6.89	-370.78	0.77	6.89
1,686	21.12	270.10	1,616.34	7.03	-381.60	1.57	7.03
1,749	21.76	271.19	1,674.98	7.29	-404.63	1.20	7.29
1,812	21.46	270.13	1,733.55	7.56	-427.83	0.78	7.56
1,843	21.40	269.75	1,762.41	7.55	-439.15	0.49	7.55

AD

Deviation Report

Name of Company	Address	
Burlington Resources Oil & Gas Company	P.O. Box 4289, Farmington, NM 87499	
Lease Name and Number (API Number)	Location	Sec. Twn. Rge.
SAN JUAN 29-7 UNIT #61M (30-039-29556)	-1225 FSL -1400 FWL	34-029N-007W
Pool and Formation	County	State
BLANCO MESAVERDE/BASIN DAKOTA	RIO ARriba	NEW MEXICO

(OH)

Root Coordinants

<u>TMD (ft)</u>	<u>Degrees</u>	<u>Azimuth</u>	<u>TVD (ft)</u>	<u>N/-S</u>	<u>E/-W</u>	<u>Dogleg</u>	<u>Vert. Section (ft)</u>
1,873	21.88	270.60	1,790.29	7.58	-450.22	1.91	7.58
1,905	21.46	269.39	1,820.03	7.58	-462.03	1.92	7.58
1,936	21.21	269.37	1,848.91	7.46	-473.31	0.81	7.46
1,999	21.20	267.68	1,907.64	6.87	-496.09	0.97	6.87
2,031	21.57	268.18	1,937.44	6.45	-507.75	1.29	6.45
2,062	21.88	267.75	1,966.24	6.04	-519.22	1.12	6.04
2,094	22.32	268.71	1,995.88	5.67	-531.25	1.78	5.67
2,125	21.11	268.82	2,024.68	5.42	-542.72	3.91	5.42
2,156	20.13	268.88	2,053.70	5.21	-553.63	3.16	5.21
2,188	20.89	268.25	2,083.67	4.92	-564.84	2.47	4.92
2,251	20.20	270.30	2,142.66	4.64	-586.94	1.58	4.64
2,314	20.92	270.75	2,201.65	4.84	-609.07	1.17	4.84
2,376	22.58	273.28	2,259.24	5.67	-632.02	3.07	5.67
2,436	22.72	272.43	2,314.61	6.82	-655.10	0.59	6.82
2,499	23.18	272.16	2,372.62	7.80	-679.64	0.75	7.80
2,562	23.00	269.53	2,430.58	8.17	-704.34	1.66	8.17
2,593	22.02	268.44	2,459.21	7.96	-716.21	3.44	7.96
2,654	22.80	266.55	2,515.61	6.94	-739.44	1.74	6.94
2,716	23.71	268.22	2,572.57	5.83	-763.89	1.81	5.83
2,779	23.43	268.20	2,630.31	5.04	-789.07	0.44	5.04
2,842	23.44	269.66	2,688.12	4.57	-814.12	0.92	4.57
2,903	23.67	272.57	2,744.04	5.05	-838.48	1.94	5.05
2,966	23.79	275.98	2,801.71	6.94	-863.76	2.19	6.94
3,029	23.04	274.74	2,859.53	9.28	-888.68	1.42	9.28
3,092	23.44	276.74	2,917.41	11.77	-913.41	1.40	11.77
3,153	22.62	276.29	2,973.55	14.48	-937.12	1.37	14.48
3,215	22.79	274.95	3,030.75	16.82	-960.93	0.88	16.82
3,276	22.60	276.83	3,087.03	19.24	-984.34	1.23	19.24
3,337	22.74	276.40	3,143.31	21.95	-1007.70	0.36	21.95
3,399	22.14	272.87	3,200.62	23.87	-1031.27	2.38	23.87
3,461	22.32	271.89	3,258.01	24.84	-1054.71	0.66	24.84
3,523	21.98	271.04	3,315.44	25.44	-1078.08	0.75	25.44
3,586	21.93	269.05	3,373.87	25.46	-1101.63	1.18	25.46
3,648	22.44	268.46	3,431.28	24.95	-1125.03	0.90	24.95
3,710	22.48	267.43	3,488.58	24.10	-1148.70	0.64	24.10
3,773	22.42	264.05	3,546.80	22.31	-1172.69	2.05	22.31
3,836	22.59	262.36	3,605.01	19.46	-1196.63	1.06	19.46
3,898	21.51	265.34	3,662.47	16.95	-1219.76	2.51	16.95
3,960	19.33	268.74	3,720.57	15.80	-1241.35	4.00	15.80
4,022	18.70	271.51	3,779.19	15.84	-1261.55	1.77	15.84
4,054	17.58	275.92	3,809.60	16.47	-1271.48	5.53	16.47
4,085	17.27	272.80	3,839.18	17.18	-1280.74	3.18	17.18
4,147	16.48	273.39	3,898.51	18.15	-1298.71	1.30	18.15

Deviation Report

Name of Company	Address		
Burlington Resources Oil & Gas Company	P.O. Box 4289, Farmington, NM 87499		
Lease Name and Number (API Number)	Location	Sec. Twn. Rge.	
SAN JUAN 29-7 UNIT #61M (30-039-29556)	-1225 FSL -1400 FWL	34-029N-007W	
Pool and Formation	County	State	
BLANCO MESAVERDE/BASIN DAKOTA	RIO ARRIBA	NEW MEXICO	


(OH)

Root Coordinants


<u>TMD (ft)</u>	<u>Degrees</u>	<u>Azimuth</u>	<u>TVD (ft)</u>	<u>N/-S</u>	<u>E/-W</u>	<u>Dogleg</u>	<u>Vert. Section (ft)</u>
4,210	14.73	273.84	3,959.19	19.21	-1315.62	2.78	19.21
4,242	12.66	271.87	3,990.28	19.60	-1323.18	6.63	19.60
4,305	10.32	270.48	4,052.01	19.87	-1335.73	3.74	19.87
4,336	9.18	268.20	4,082.56	19.82	-1340.98	3.88	19.82
4,366	8.71	274.19	4,112.20	19.91	-1345.64	3.48	19.91
4,398	8.06	278.05	4,143.85	20.40	-1350.27	2.69	20.40
4,430	7.15	283.15	4,175.57	21.17	-1354.43	3.54	21.17
4,462	6.32	282.64	4,207.35	22.01	-1358.09	2.60	22.01
4,492	4.88	285.26	4,237.21	22.70	-1360.93	4.87	22.70
4,510	4.49	290.70	4,255.15	23.15	-1362.33	3.28	23.15
4,555	3.52	304.30	4,300.04	24.56	-1365.12	3.00	24.56

Air Hammer Used? YES / NO

I, the undersigned, certify that I, acting in my capacity as Petroleum Engineer for Burlington Resources Oil & Gas Company, am authorized by said Company to make this report; and that this report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.



Subscribed and sworn to before me this 20th day of April, 2006.



Notary Public in and for San Juan County, New Mexico

My commission expires March 31, 2010.

BURLINGTON RESOURCES OIL & GAS - SJD

Deviation Summary

Legal Well Name: SAN JUAN 29-7 UNIT #61M Common Well Name: SAN JUAN 29-7 UNIT #61M Event Name: ORIG DRLG Contractor Name: AZTEC WELL SERVICE Rig Name: AZTEC Spud Date: 12/5/2005 Start: 12/2/2005 End: 12/24/2005 Rig Release: 12/24/2005 Rig Number: 673 Calculation Method: Minimum Curvature TVD: 4,300.04 (ft) TMD: 4,555.00 (ft)										S/T #	V.S. AZI (°)
										OH	0.00
S/T #	TMD (ft)	Angle (°)	Azimuth (°)	CTM	TVD (ft)	N-S (ft)	E-W (ft)	Section (ft)	DLS (°/100ft)	BUR (°/100ft)	Type
OH	0.00	0.000	0.000	NYN	0.00	0.00	0.00	0.00	0.00	0.00	IN
OH	30.00	0.750	0.000	YNN	30.00	0.20	0.00	0.20	2.50	2.50	IN
OH	128.00	0.250	0.000	YNN	128.00	1.05	0.00	1.05	0.51	-0.51	IN
OH	367.00	0.500	0.000	YNN	366.99	2.62	0.00	2.62	0.10	0.10	IN
OH	452.00	1.640	303.000	YNN	451.98	3.65	-1.02	3.65	1.68	1.34	MD
OH	483.00	2.400	294.990	YNN	482.96	4.16	-1.98	4.16	2.61	2.45	MD
OH	512.00	3.670	293.590	YNN	511.91	4.79	-3.38	4.79	4.39	4.38	MD
OH	542.00	4.980	287.270	YNN	541.83	5.56	-5.50	5.56	4.64	4.37	MD
OH	572.00	5.990	288.750	YNN	571.69	6.45	-8.23	6.45	3.40	3.37	MD
OH	602.00	6.930	285.480	YNN	601.50	7.44	-11.46	7.44	3.36	3.13	MD
OH	633.00	8.400	285.050	YNN	632.22	8.53	-15.45	8.53	4.75	4.74	MD
OH	664.00	9.410	282.510	YNN	662.85	9.66	-20.11	9.66	3.50	3.26	MD
OH	695.00	10.990	279.570	YNN	693.36	10.70	-25.50	10.70	5.36	5.10	MD
OH	726.00	12.500	277.390	YNN	723.71	11.63	-31.74	11.63	5.08	4.87	MD
OH	757.00	14.320	275.300	YNN	753.86	12.41	-38.88	12.41	6.07	5.87	MD
OH	788.00	15.100	268.970	YNN	783.85	12.69	-46.74	12.69	5.76	5.52	MD
OH	819.00	16.540	270.250	YNN	813.67	12.64	-55.19	12.64	4.78	4.65	MD
OH	848.00	18.290	270.350	YNN	841.34	12.69	-63.87	12.69	6.04	6.03	MD
OH	879.00	19.270	268.700	YNN	870.69	12.60	-73.84	12.60	3.60	3.16	MD
OH	909.00	19.920	268.100	YNN	898.95	12.32	-83.90	12.32	2.27	2.17	MD
OH	940.00	21.230	268.670	YNN	927.98	12.01	-94.79	12.01	4.27	4.23	MD
OH	971.00	22.020	268.280	YNN	956.79	11.71	-106.21	11.71	2.59	2.55	MD
OH	1,002.00	22.050	266.980	YNN	985.53	11.23	-117.83	11.23	1.58	0.10	MD
OH	1,033.00	22.620	267.250	YNN	1,014.20	10.63	-129.60	10.63	1.87	1.84	MD
OH	1,063.00	22.630	265.940	YNN	1,041.90	9.95	-141.12	9.95	1.68	0.03	MD
OH	1,094.00	23.220	265.840	YNN	1,070.45	9.08	-153.16	9.08	1.91	1.90	MD
OH	1,125.00	23.660	266.230	YNN	1,098.89	8.23	-165.46	8.23	1.50	1.42	MD
OH	1,156.00	24.000	266.360	YNN	1,127.25	7.42	-177.96	7.42	1.11	1.10	MD

BURLINGTON RESOURCES OIL & GAS - SJD

Page 2 of 4

Deviation Summary

Legal Well Name: SAN JUAN 29-7 UNIT #61M Common Well Name: SAN JUAN 29-7 UNIT #61M Event Name: ORIG DRLG Contractor Name: AZTEC WELL SERVICE Rig Name: AZTEC TMD: 4,555.00 (ft) Spud Date: 12/5/2005 Start: 12/2/2005 End: 12/24/2005 Rig Release: 12/24/2005 Rig Number: 673 Calculation Method: Minimum Curvature TVD: 4,300.04 (ft)													S/T #		V.S. AZI (°)	
													OH		0.00	
S/T #	TMD (ft)	Angle (°)	Azimuth (°)	CTM	TVD (ft)	N/S (ft)	E/W (ft)	Section (ft)	DLS (°/100ft)	BUR (°/100ft)	Type					
OH	1,219.00	23.640	265.760	YNN	1,184.88	5.68	-203.34	5.68	0.69	-0.57	MD					
OH	1,250.00	23.820	265.680	YNN	1,213.26	4.74	-215.78	4.74	0.59	0.58	MD					
OH	1,282.00	24.270	266.200	YNN	1,242.48	3.82	-228.79	3.82	1.55	1.41	MD					
OH	1,312.00	23.510	268.030	YNN	1,269.91	3.21	-240.92	3.21	3.54	-2.53	MD					
OH	1,343.00	23.430	268.260	YNN	1,298.35	2.81	-253.26	2.81	0.39	-0.26	MD					
OH	1,375.00	23.620	268.610	YNN	1,327.69	2.46	-266.03	2.46	0.74	0.59	MD					
OH	1,438.00	22.260	271.540	YNN	1,385.70	2.47	-290.58	2.47	2.82	-2.16	MD					
OH	1,469.00	22.220	273.300	YNN	1,414.40	2.97	-302.30	2.97	2.15	-0.13	MD					
OH	1,500.00	21.670	274.200	YNN	1,443.15	3.73	-313.86	3.73	2.08	-1.77	MD					
OH	1,531.00	21.900	274.590	YNN	1,471.94	4.61	-325.33	4.61	0.88	0.74	MD					
OH	1,594.00	21.150	272.710	YNN	1,530.55	6.08	-348.40	6.08	1.62	-1.19	MD					
OH	1,656.00	21.200	271.390	YNN	1,588.36	6.89	-370.78	6.89	0.77	0.08	MD					
OH	1,686.00	21.120	270.100	YNN	1,616.34	7.03	-381.60	7.03	1.57	-0.27	MD					
OH	1,749.00	21.760	271.190	YNN	1,674.98	7.29	-404.63	7.29	1.20	1.02	MD					
OH	1,812.00	21.460	270.130	YNN	1,733.55	7.56	-427.83	7.56	0.78	-0.48	MD					
OH	1,843.00	21.400	269.750	YNN	1,762.41	7.55	-439.15	7.55	0.49	-0.19	MD					
OH	1,873.00	21.880	270.600	YNN	1,790.29	7.58	-450.22	7.58	1.91	1.60	MD					
OH	1,905.00	21.460	269.390	YNN	1,820.03	7.58	-462.03	7.58	1.92	-1.31	MD					
OH	1,936.00	21.210	269.370	YNN	1,848.91	7.46	-473.31	7.46	0.81	-0.81	MD					
OH	1,999.00	21.200	267.680	YNN	1,907.64	6.87	-496.09	6.87	0.97	-0.02	MD					
OH	2,031.00	21.570	268.180	YNN	1,937.44	6.45	-507.75	6.45	1.29	1.16	MD					
OH	2,062.00	21.880	267.750	YNN	1,966.24	6.04	-519.22	6.04	1.12	1.00	MD					
OH	2,094.00	22.320	268.710	YNN	1,995.88	5.67	-531.25	5.67	1.78	1.38	MD					
OH	2,125.00	21.110	268.820	YNN	2,024.68	5.42	-542.72	5.42	3.91	-3.90	MD					
OH	2,156.00	20.130	268.880	YNN	2,053.70	5.21	-553.63	5.21	3.16	-3.16	MD					
OH	2,188.00	20.890	268.250	YNN	2,083.67	4.92	-564.84	4.92	2.47	2.38	MD					
OH	2,251.00	20.200	270.300	YNN	2,142.66	4.64	-586.94	4.64	1.58	-1.10	MD					
OH	2,314.00	20.920	270.750	YNN	2,201.65	4.84	-609.07	4.84	1.17	1.14	MD					

BURLINGTON RESOURCES OIL & GAS - SJD

Page 3 of 4

Deviation Summary

Legal Well Name: SAN JUAN 29-7 UNIT #61M Common Well Name: SAN JUAN 29-7 UNIT #61M Event Name: ORIG DRLG Contractor Name: AZTEC WELL SERVICE Rig Name: AZTEC Spud Date: 12/5/2005 Start: 12/2/2005 End: 12/24/2005 Rig Release: 12/24/2005 Rig Number: 673 Calculation Method: Minimum Curvature TVD: 4,300.04 (ft) TMD: 4,555.00 (ft)												SJT #		V.S. AZI (°)	
												OH			
SJT #	TMD (ft)	Angle (°)	Azimuth (°)	CTM	TVD (ft)	N/S (ft)	E/W (ft)	Section (ft)	DLS (°/100ft)	BUR (°/100ft)	Type				
OH	2,376.00	22.580	273.280	YNN	2,259.24	5.67	-632.02	5.67	3.07	2.68	MD				
OH	2,436.00	22.720	272.430	YNN	2,314.61	6.82	-655.10	6.82	0.59	0.23	MD				
OH	2,499.00	23.180	272.160	YNN	2,372.62	7.80	-679.64	7.80	0.75	0.73	MD				
OH	2,562.00	23.000	269.530	YNN	2,430.58	8.17	-704.34	8.17	1.66	-0.29	MD				
OH	2,593.00	22.020	268.440	YNN	2,459.21	7.96	-716.21	7.96	3.44	-3.16	MD				
OH	2,654.00	22.800	266.550	YNN	2,515.61	6.94	-739.44	6.94	1.74	1.28	MD				
OH	2,716.00	23.710	268.220	YNN	2,572.57	5.83	-763.89	5.83	1.81	1.47	MD				
OH	2,779.00	23.430	268.200	YNN	2,630.31	5.04	-789.07	5.04	0.44	-0.44	MD				
OH	2,842.00	23.440	269.660	YNN	2,688.12	4.57	-814.12	4.57	0.92	0.02	MD				
OH	2,903.00	23.670	272.570	YNN	2,744.04	5.05	-838.48	5.05	1.94	0.38	MD				
OH	2,966.00	23.790	275.980	YNN	2,801.71	6.94	-863.76	6.94	2.19	0.19	MD				
OH	3,029.00	23.040	274.740	YNN	2,859.53	9.28	-888.68	9.28	1.42	-1.19	MD				
OH	3,092.00	23.440	276.740	YNN	2,917.41	11.77	-913.41	11.77	1.40	0.63	MD				
OH	3,153.00	22.620	276.290	YNN	2,973.55	14.48	-937.12	14.48	1.37	-1.34	MD				
OH	3,215.00	22.790	274.950	YNN	3,030.75	16.82	-960.93	16.82	0.88	0.27	MD				
OH	3,276.00	22.600	276.830	YNN	3,087.03	19.24	-984.34	19.24	1.23	-0.31	MD				
OH	3,337.00	22.740	276.400	YNN	3,143.31	21.95	-1,007.70	21.95	0.36	0.23	MD				
OH	3,399.00	22.140	272.870	YNN	3,200.62	23.87	-1,031.27	23.87	2.38	-0.97	MD				
OH	3,461.00	22.320	271.890	YNN	3,258.01	24.84	-1,054.71	24.84	0.66	0.29	MD				
OH	3,523.00	21.980	271.040	YNN	3,315.44	25.44	-1,078.08	25.44	0.75	-0.55	MD				
OH	3,586.00	21.930	269.050	YNN	3,373.87	25.46	-1,101.63	25.46	1.18	-0.08	MD				
OH	3,648.00	22.440	268.460	YNN	3,431.28	24.95	-1,125.03	24.95	0.90	0.82	MD				
OH	3,710.00	22.480	267.430	YNN	3,488.58	24.10	-1,148.70	24.10	0.64	0.06	MD				
OH	3,773.00	22.420	264.050	YNN	3,546.80	22.31	-1,172.69	22.31	2.05	-0.10	MD				
OH	3,836.00	22.590	262.360	YNN	3,605.01	19.46	-1,196.63	19.46	1.06	0.27	MD				
OH	3,898.00	21.510	265.340	YNN	3,662.47	16.95	-1,219.76	16.95	2.51	-1.74	MD				
OH	3,960.00	19.330	268.740	YNN	3,720.57	15.80	-1,241.35	15.80	4.00	-3.52	MD				
OH	4,022.00	18.700	271.510	YNN	3,779.19	15.84	-1,261.55	15.84	1.77	-1.02	MD				

BURLINGTON RESOURCES OIL & GAS - SJD

Page 4 of 4

Deviation Summary

Legal Well Name: SAN JUAN 29-7 UNIT #61M
 Common Well Name: SAN JUAN 29-7 UNIT #61M
 Event Name: ORIG DRLG
 Contractor Name: AZTEC WELL SERVICE
 Rig Name: AZTEC

Spud Date: 12/5/2005
 Start: 12/2/2005
 End: 12/24/2005
 Rig Release: 12/24/2005
 Rig Number: 673

S/T # OH
 V.S. AZI (°) 0.00

Calculation Method: Minimum Curvature

TVD: 4,300.04 (ft)

TMD: 4,555.00 (ft)

S/T #	TMD (ft)	Angle (°)	Azimuth (°)	CTM	TVD (ft)	N/S (ft)	E/W (ft)	Section (ft)	DLS (°/100ft)	BUR (°/100ft)	Type
OH	4,054.00	17.580	275.920	YNN	3,809.60	16.47	-1,271.48	16.47	5.53	-3.50	MD
OH	4,085.00	17.270	272.800	YNN	3,839.18	17.18	-1,280.74	17.18	3.18	-1.00	MD
OH	4,147.00	16.480	273.390	YNN	3,898.51	18.15	-1,298.71	18.15	1.30	-1.27	MD
OH	4,210.00	14.730	273.840	YNN	3,959.19	19.21	-1,315.62	19.21	2.78	-2.78	MD
OH	4,242.00	12.660	271.870	YNN	3,990.28	19.60	-1,323.18	19.60	6.63	-6.47	MD
OH	4,305.00	10.320	270.480	YNN	4,052.01	19.87	-1,335.73	19.87	3.74	-3.71	MD
OH	4,336.00	9.180	268.200	YNN	4,082.56	19.82	-1,340.98	19.82	3.88	-3.68	MD
OH	4,366.00	8.710	274.190	YNN	4,112.20	19.91	-1,345.64	19.91	3.48	-1.57	MD
OH	4,398.00	8.060	278.050	YNN	4,143.85	20.40	-1,350.27	20.40	2.69	-2.03	MD
OH	4,430.00	7.150	283.150	YNN	4,175.57	21.17	-1,354.43	21.17	3.54	-2.84	MD
OH	4,462.00	6.320	282.640	YNN	4,207.35	22.01	-1,358.09	22.01	2.60	-2.59	MD
OH	4,492.00	4.880	285.260	YNN	4,237.21	22.70	-1,360.93	22.70	4.87	-4.80	MD
OH	4,510.00	4.490	290.700	YNN	4,255.15	23.15	-1,362.33	23.15	3.28	-2.17	MD
OH	4,555.00	3.520	304.300	YNN	4,300.04	24.56	-1,365.12	24.56	3.00	-2.16	MD