State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

Ken McQueen Cabinet Secretary

Matthlas Sayer Deputy Cabinet Secretary Heather Riley, Division Director Oil Conservation Division



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-5 form.

Operator Signature Date: Original APD 4/1/2016

Sundry Extension Date 4/16/2018

WELL INFORMATION: API WELL #	Well Name	Well #	Operator Name	Туре	Stat	County	Surf_Owner	UL	Sec	Twp	N/S	Rng	W/E
30-045-35675-00-00	GALLEGOS CANYON UNIT 247E COM		BP AMERICA PRODUCTION COMPANY	G		San Juan	F	P	5	27	N	12	w

Conditions of Approval: (See the below checked and handwritten conditions) Notify Aztec OCD 24hrs prior to casing & cement. Hold C-104 for directional survey & "As Drilled" Plat O Hold C-104 for NSL, NSP, DHC, O Spacing rule violation. Operator must follow up with change of status notification on other well to be shut in or abandoned Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable: A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string

Submit Gas Capture Plan form prior to spudding or initiating recompletions operations.

NMOCD Approved by Signature

✓	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.
✓	Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.
✓	Comply with current regulations at time of spud
	Prior to production operator needs to be in compliance with RULE 19.15.5.9
: Kash	Luce Below
1	5/23/18

Date

Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM AF	PROVED
OMB NO.	1004-0137
Expires: Janu	jary 31, 2015

	OTICES AND REPO			1	NMSF078902			
Do not use this abandoned well.	form for proposals to Use form 3160-3 (APL	drill or to re- D) for such p	enter an roposals.		6. If Indian, Allottee o	r Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well					8. Well Name and No. GCU 247E COM			
Oil Well Gas Well Other						211		
Name of Operator BP AMERICA PRODUCTION C	Contact: COMPAN-Mail: Toya.Colvin	TOYA COLVI	N		9. API Well No. 30-045-35675			
3a. Address 1515 ARAPAHOE STREET TO DENVER, CO 80202	WER 1, SUITE 700	3b. Phone No. Ph: 281-89	(include area code) 2-5369		10. Field and Pool or BASIN MANCO	Exploratory Area S/GALLUP		
4. Location of Well (Footage, Sec., T., I	R., M., or Survey Description,)			11. County or Parish,	State		
Sec 5 T27N R12W SESE 1000F 36.599754 N Lat, 108.129860 V					SAN JUAN CO	UNTY, NM		
12. CHECK THE APP	PROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	HER DATA		
TYPE OF SUBMISSION			TYPE OF	ACTION				
S Nation of Late	☐ Acidize	□ Deep	oen	☐ Producti	on (Start/Resume)	☐ Water Shut-Off		
■ Notice of Intent	☐ Alter Casing	☐ Hyd	raulic Fracturing	☐ Reclama	ation	☐ Well Integrity		
☐ Subsequent Report	☐ Casing Repair		Construction	Recomp		☑ Other		
	☐ Change Plans	☐ Plug	and Abandon	☐ Tempora	arily Abandon			
☐ Final Abandonment Notice		- ni	Dools	□ Water D	isposal			
	operations. If the operation residence indonment Notices must be file	sults in a multiple	ing estimated starting locations and measu file with BLM/BIA e completion or reco	g date of any pred and true ver Required subsympletion in a n	roposed work and appro- rtical depths of all pertir sequent reports must be ew interval, a Form 316	0-4 must be filed once		
13. Describe Proposed or Completed Opera If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Abardetermined that the site is ready for final Due to other wells being prioritize extend the APD on the subject was	ation: Clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices must be file al inspection.	nt details, including give subsurface the Bond No. on sults in a multiplied only after all i	ing estimated starting locations and measure in file with BLM/BIA e completion or recorrequirements, included	g date of any pred and true ver Required sub- impletion in a n ing reclamation	roposed work and approroposed work and approroposed the perting a perting sequent reports must be ew interval, a Form 316 a, have been completed a	0.4 must be filed once and the operator has		
13. Describe Proposed or Completed Opera If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Abard determined that the site is ready for final Due to other wells being prioritize	ation: Clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices must be file al inspection.	nt details, including give subsurface the Bond No. on sults in a multiplied only after all i	ing estimated starting locations and measure in file with BLM/BIA e completion or recorrequirements, included	g date of any pred and true ver Required sub- impletion in a n ing reclamation	roposed work and apprortical depths of all pertir sequent reports must be ew interval, a Form 316 that have been completed a NM (MAY 0)	0.4 must be filed once and the operator has		
13. Describe Proposed or Completed Opera If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Abardetermined that the site is ready for final Due to other wells being prioritize extend the APD on the subject was	ation: Clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices must be file al inspection.	nt details, including give subsurface the Bond No. on sults in a multiplied only after all i	ing estimated starting locations and measure in file with BLM/BIA e completion or recorrequirements, included	g date of any pred and true ver Required sub- impletion in a n ing reclamation	roposed work and approroposed work and approroposed the perting a perting sequent reports must be ew interval, a Form 316 a, have been completed a	0.4 must be filed once and the operator has		
13. Describe Proposed or Completed Opera If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Abardetermined that the site is ready for final Due to other wells being prioritize extend the APD on the subject was	ation: Clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices must be file al inspection.	nt details, including give subsurface the Bond No. on sults in a multiplied only after all i	ing estimated starting locations and measure in file with BLM/BIA e completion or recorrequirements, included	g date of any pred and true ver Required sub- impletion in a n ing reclamation	roposed work and apprortical depths of all pertir sequent reports must be ew interval, a Form 316 that have been completed a NM (MAY 0)	0.4 must be filed once and the operator has		
13. Describe Proposed or Completed Opera If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Abardetermined that the site is ready for final Due to other wells being prioritize extend the APD on the subject was	ation: Clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices must be file al inspection.	nt details, including ive subsurface the Bond No. on sults in a multipled only after all in the time, BP results time, BP results in a multiple time, BP results time, BP result	ing estimated startin locations and measu if file with BLM/BIA e completion or reco requirements, includ espectfully reque	g date of any prired and true ver Required sub- impletion in a ning reclamation	roposed work and apprortical depths of all pertir sequent reports must be ew interval, a Form 316 that have been completed a NM (MAY 0)	0.4 must be filed once and the operator has		
13. Describe Proposed or Completed Opera If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Abardetermined that the site is ready for final Due to other wells being prioritize extend the APD on the subject with 1149IND8479	ation: Clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation re- ndonment Notices must be file al inspection. Zed in our schedule at the well.	nt details, including yes subsurface the Bond No. on sults in a multiplied only after all in this time, BP reserved.	ing estimated startin, locations and measure file with BLM/BIA e completion or recordequirements, includes expectfully reques the best of	g date of any priced and true versus Required subsimpletion in a ning reclamation ests to	moposed work and apprortical depths of all pertinsequent reports must be ew interval, a Form 316 a, have been completed a MMAY O DISTRIC	0.4 must be filed once and the operator has		
13. Describe Proposed or Completed Opera If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Abardetermined that the site is ready for final Due to other wells being prioritize extend the APD on the subject with 1149IND8479	ation: Clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation rendonment Notices must be file al inspection. Zed in our schedule at the well. The and correct. Electronic Submission #For BP AMERICA PR Committed to AFMSS for	nt details, including yes subsurface the Bond No. on sults in a multiplied only after all in this time, BP reserved.	d by the BLM Wel	g date of any priced and true versus Required subsimpletion in a ning reclamation ests to	moposed work and apprortical depths of all pertinsequent reports must be ew interval, a Form 316 and have been completed at MMAY OUTSTRIC	0.4 must be filed once and the operator has		
13. Describe Proposed or Completed Opera If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Abard determined that the site is ready for final Due to other wells being prioritiz extend the APD on the subject of 1149IND8479 14. I hereby certify that the foregoing is tr	ation: Clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation rendonment Notices must be file al inspection. Zed in our schedule at the well. The and correct. Electronic Submission #For BP AMERICA PR Committed to AFMSS for	nt details, including yes subsurface the Bond No. on sults in a multiplied only after all in this time, BP reserved.	d by the BLM Wel	g date of any priced and true versus Required subsimpletion in a ning reclamation ests to	moposed work and apprortical depths of all pertinsequent reports must be ew interval, a Form 316 and have been completed at MMAY OUTSTRIC	0.4 must be filed once and the operator has		
13. Describe Proposed or Completed Opera If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Abard determined that the site is ready for final Due to other wells being prioritiz extend the APD on the subject of 1149IND8479	ation: Clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation rendonment Notices must be fill all inspection. Zed in our schedule at the well. True and correct. Electronic Submission # For BP AMERICA PR Committed to AFMSS fo	nt details, including the subsurface the Bond No. on sults in a multiple donly after all this time, BP results the Bond No. on the subsurface the Bond No. on	d by the BLM Wel OMPANY, sent to by VIRGINIA BARI	g date of any progred and true versus Required subsimpletion in a ning reclamation sets to Il Information the Farming BER on 05/02 ATORY ANA	moposed work and apprortical depths of all pertinsequent reports must be ew interval, a Form 316 and the pertinsequent reports must be ew interval, a Form 316 and the pertinsequent reports must be ew interval, a Form 316 and MAY 0 and DISTRIC System ston (J2018 () ALYST	0.4 must be filed once and the operator has		
13. Describe Proposed or Completed Opera If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Abardetermined that the site is ready for final Due to other wells being prioritize extend the APD on the subject with the APD on the Subject w	ation: Clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation rendonment Notices must be fill all inspection. It is considered to the operation rendonment Notices must be fill all inspection. It is considered to the operation rendoment Notices must be fill all inspection. It is considered to the operation rendoment of the operation re	nt details, including the subsurface the Bond No. on sults in a multiple of only after all this time, BP results to the Bond No. on sults in a multiple of only after all this time, BP results to the Bond No. on processing the Bond No. on the Bond No. on processing the Bond No. on processing the Bond	d by the BLM Wel OMPANY, sent to by VIRGINIA BARI	g date of any progred and true versus Required subsimpletion in a ning reclamation sets to Il Information the Farming BER on 05/02 ATORY ANA	moposed work and apprortical depths of all pertinsequent reports must be ew interval, a Form 316 and the pertinsequent reports must be ew interval, a Form 316 and the pertinsequent reports must be ew interval, a Form 316 and MAY 0 and DISTRIC System ston (J2018 () ALYST	0.4 must be filed once and the operator has		
13. Describe Proposed or Completed Opera If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved of testing has been completed. Final Abardetermined that the site is ready for final Due to other wells being prioritize extend the APD on the subject with 149IND8479 14. Thereby certify that the foregoing is to Name (Printed/Typed) TOYA COLYMINIST TOYA C	ation: Clearly state all pertine by or recomplete horizontally, will be performed or provide operations. If the operation rendonment Notices must be fill all inspection. Zed in our schedule at the well. True and correct. Electronic Submission # For BP AMERICA PR Committed to AFMSS fo	nt details, including the subsurface the Bond No. on sults in a multiple of only after all this time, BP results to the Bond No. on sults in a multiple of only after all this time, BP results to the Bond No. on processing the Bond No. on the Bond No. on processing the Bond No. on processing the Bond	d by the BLM WellomPany, sent to y VIRGINIA BAR Title REGUL Date 04/16/2	g date of any progred and true versus Required subsimpletion in a ning reclamation sets to Il Information the Farming BER on 05/02 ATORY ANA	roposed work and apprortical depths of all pertinsequent reports must be ew interval, a Form 316 a, have been completed a NMAY O DISTRIC System aton (22018 () ALYST	0.4 must be filed once and the operator has		

(Instructions on page 2)

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

