



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Hilcorp 3401 30th Street Farmington NM, 87401	Project: Braden Head Project Name / Number: Asset: South Project Manager: David Bounds	Reported: 09/13/18 12:45
---	--	-----------------------------

Whan Jones 1 *API # 30-045-05660*
Area 6

1809031-04 (Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Chloride*	16.9	25.0	4.82	mg/L	25	09/06/18	EPA300.0		AES
pH*	10.4			pH Units	1	09/07/18	EPA150.1	H1	JDU
Total Dissolved Solids*	680	10.0		mg/L	1	09/07/18	EPA160.1		JDU
Sulfate*	106	25.0	7.38	mg/L	25	09/06/18	EPA300.0		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.