

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Amended

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM03358

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 27. If Unit or CA/Agreement, Name and/or No.
NMNM138729

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other8. Well Name and No.
NEBU 605 COM 2H

2. Name of Operator

BP AMERICA PRODUCTION COMPANY

Contact: NAOMI AZULAI

Email: Naomi.Azulai@bpx.com

9. API Well No.
30-045-35857-00-X1

3a. Address

380 AIRPORT RD
DURANGO, CO 81303

3b. Phone No. (include area code)

Ph: 970-232-1439

10. Field and Pool or Exploratory Area
BASIN MANCOS

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 11 T31N R7W SESE 457FSL 796FEL
36.908039 N Lat, 107.534035 W Lon

11. County or Parish, State

SAN JUAN COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

5/13/2018 - 6/3/2018: 56 stages perforated and 55 fracture stimulated - see detailed report attached.

Tubing has not been run in the well. A request to delay tubing installation will be provided separately.

The As Drilled surface location for the subject well is: Sec 11 T31N R7W SESE 457 FSL & 796 FEL

As Built C-102 attached.

6/4/2018 ? RIH with Kill Plug set at 6,517?.

6/5/2018 ? MIRU CTU.

NMOC
05 2018
DISTRICT III

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #433773 verified by the BLM Well Information System
For BP AMERICA PRODUCTION COMPANY, sent to the Farmington
Committed to AFMSS for processing by WILLIAM TAMBEKOU on 09/05/2018 (18WMT1158SE)

Name (Printed/Typed) NAOMI AZULAI

Title WELL PERMITTING ANALYST

Signature (Electronic Submission)

Date 09/04/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USEApproved By **ACCEPTED**WILLIAM TAMBEKOU
Title PETROLEUM ENGINEER

Date 09/05/2018

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Farmington

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

NMOC

14

Additional data for EC transaction #433773 that would not fit on the form

32. Additional remarks, continued

6/6/2018 ? Continue MIRU. RIH tagged and drilled out Kill Plug at 6,517?. CIR, CO and DO frac plugs.

6/7/2018-6/10/2018 ? Continue CIR, CO and DO frac plugs. CO to 17,870?.

6/14/2018 - Gas delivery.

RECEIVED

12/18/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone (575) 393-6161 Fax (575) 393-0720

District II
611 S. First St., Artesia, NM 88210
Phone (505) 746-1233 Fax (505) 746-9720

District III
1099 Rio Brazos Road, Aztec, NM 87410
Phone (505) 334-6172 Fax (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3460 Fax (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
AS-DRILLED

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-35857		² Pool Code 97232		³ Pool Name Mancos Gas	
⁴ Property Code 319806		⁵ Property Name Northeast Blanco Unit 605 Com			⁶ Well Number 2H
⁷ OGRID No. 000778		⁸ Operator Name BP America Production Company			⁹ Elevation 6471


10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	11	31N	07W		457	South	796	East	San Juan

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	07	31N	06W		2131	South	59	East	San Juan

¹² Dedicated Acres 960.00 - S/2 - SEC. 11, T31N, R07W S/2 - SEC. 12, T31N, R07W S/2 - SEC. 07, T31N, R06W		¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.				



LEGEND
FOUND MONUMENT ○
AS-DRILLED SURFACE HOLE LOCATION ●
AS-DRILLED BOTTOM HOLE LOCATION x

NEBU 605 COM 2H	NW 2/4 NAD'83	NAD'83	TIES
AS-DRILLED SURFACE HOLE LOCATION (SHL)	N (Y) = 2,149,989.99' E (X) = 2,810,595.05'	LAT. = 36.90803828°N LON. = 107.53403299°W	FSL = 457' FEL = 796'
AS-DRILLED ENTRY POINT (EP)/FIRST TAKE POINT (FTP)	N (Y) = 2,151,722.10' E (X) = 2,810,201.50'	LAT. = 36.91279932°N LON. = 107.53536059°W	FSL = 2191' FEL = 1186'
AS-DRILLED LAST TAKE POINT (LTP)	N (Y) = 2,151,688.78' E (X) = 2,821,651.12'	LAT. = 36.91260311°N LON. = 107.49619636°W	FSL = 2130' FEL = 267'
AS-DRILLED BOTTOM HOLE LOCATION (BHL)	N (Y) = 2,151,689.86' E (X) = 2,821,859.44'	LAT. = 36.91260405°N LON. = 107.49548377°W	FSL = 2131' FEL = 59'

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and correct to the best of my knowledge and belief, and that the organization either owns a working interest or a leased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

R Marshall 06/05/2018
Signature Date

Randall Marshall

Printed Name

randall.marshall@bpx.com

E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

6-13-17
Date of Survey

Signature and Seal of Professional Surveyor

Marshall W. Lindeen
MARSHALL W. LINDEEN
NEW MEXICO
17078
6-5-18
PROFESSIONAL SURVEYOR
Certificate Number 17078

NEBU 605 COM 2H
Completion Frac Report

Interval 1 5/16/2018	(18902-19098):	With 1000 gal 15% HCL Acid, 10450 bbls Treated Slick Water, 84741 lbs Common White - 100 Mesh proppant, 337000 lbs Premium White - 40/70 proppant. Max rate of 91.0 bpm, average rate of 82.0 bpm with max pressure of 8303 psi and average pressure of 6357 psi.
Interval 2 5/17/2018	(18698-18867):	With 1000 gal 15% HCL Acid, 11591 bbls Treated Slick Water, 83500 lbs Common White - 100 Mesh proppant, 365500 lbs Premium White - 40/70 proppant. Max rate of 93.0 bpm, average rate of 90.0 bpm with max pressure of 7645 psi and average pressure of 6898 psi.
Interval 3 5/17/2018	(18492-18662):	With 1000 gal 15% HCL Acid, 14031 bbls Treated Slick Water, 99100 lbs Common White - 100 Mesh proppant, 385697 lbs Premium White - 40/70 proppant. Max rate of 92.9 bpm, average rate of 73.1 bpm with max pressure of 8401 psi and average pressure of 6447 psi.
Interval 4 5/17/2018	(18287-18457):	With 1000 gal 15% HCL Acid, 13431 bbls Treated Slick Water, 100622 lbs Common White - 100 Mesh proppant, 402225 lbs Premium White - 40/70 proppant. Max rate of 91.5 bpm, average rate of 85.2 bpm with max pressure of 7819 psi and average pressure of 6759 psi.
Interval 5 5/17/2018	(18082-18249):	With 1000 gal 15% HCL Acid, 13710 bbls Treated Slick Water, 95840 lbs Common White - 100 Mesh proppant, 402292 lbs Premium White - 40/70 proppant. Max rate of 90.3 bpm, average rate of 89.3 bpm with max pressure of 8398 psi and average pressure of 6869 psi.
Interval 6 5/18/2018	(17877-18047):	With 1000 gal 15% HCL Acid, 14161 bbls Treated Slick Water, 99740 lbs Common White - 100 Mesh proppant, 402707 lbs Premium White - 40/70 proppant. Max rate of 91.4 bpm, average rate of 89.7 bpm with max pressure of 7315 psi and average pressure of 6665 psi.
Interval 7 5/18/2018	(17672-17842):	With 1000 gal 15% HCL Acid, 13911 bbls Treated Slick Water, 97566 lbs Common White - 100 Mesh proppant, 406724 lbs Premium White - 40/70 proppant. Max rate of 90.3 bpm, average rate of 84.3 bpm with max pressure of 7898 psi and average pressure of 6632 psi.
Interval 8 5/18/2018	(17467-17637):	With 1000 gal 15% HCL Acid, 13597 bbls Treated Slick Water, 93947 lbs Common White - 100 Mesh proppant, 403210 lbs Premium White - 40/70 proppant. Max rate of 90.8 bpm, average rate of 83.0 bpm with max pressure of 7582 psi and average pressure of 6517 psi.
Interval 9 5/18/2018	(17262-17432):	With 1000 gal 15% HCL Acid, 13567 bbls Treated Slick Water, 94547 lbs Common White - 100 Mesh proppant, 398109 lbs Premium White - 40/70 proppant. Max rate of 92.4 bpm, average rate of 89.9 bpm with max pressure of 8244 psi and average pressure of 7099 psi.
Interval 10 5/19/2018	(17057-17225):	With 1000 gal 15% HCL Acid, 14107 bbls Treated Slick Water, 95636 lbs Common White - 100 Mesh proppant, 409790 lbs Premium White - 40/70 proppant. Max rate of 91.6 bpm, average rate of 86.5 bpm with max pressure of 8643 psi and average pressure of 6873 psi.
Interval 11 5/20/2018	(16852-17022):	With 1000 gal 15% HCL Acid, 14799 bbls Treated Slick Water, 103794 lbs Common White - 100 Mesh proppant, 402741 lbs Premium White - 40/70 proppant. Max rate of 91.1 bpm, average rate of 76.8 bpm with max pressure of 7968 psi and average pressure of 6983 psi.
Interval 12 5/20/2018	(16647-16817):	With 1000 gal 15% HCL Acid, 12571 bbls Treated Slick Water, 91422 lbs Common White - 100 Mesh proppant, 406092 lbs Premium White - 40/70 proppant. Max rate of 90.4 bpm, average rate of 87.0 bpm with max pressure of 7504 psi and average pressure of 6723 psi.
Interval 13 5/20/2018	(16442-16612):	With 1000 gal 15% HCL Acid, 13903 bbls Treated Slick Water, 98650 lbs Common White - 100 Mesh proppant, 355745 lbs Premium White - 40/70 proppant. Max rate of 91.1 bpm, average rate of 89.9 bpm with max pressure of 8430 psi and average pressure of 6851 psi.
Interval 14 5/20/2018	(16237-16407):	With 1000 gal 15% HCL Acid, 14305 bbls Treated Slick Water, 100005 lbs Common White - 100 Mesh proppant, 398168 lbs Premium White - 40/70 proppant. Max rate of 90.3 bpm, average rate of 88.5 bpm with max pressure of 8681 psi and average pressure of 7020 psi.
Interval 15 5/21/2018	(16032-16202):	With 1000 gal 15% HCL Acid, 14001 bbls Treated Slick Water, 98597 lbs Common White - 100 Mesh proppant, 398200 lbs Premium White - 40/70 proppant. Max rate of 90.9 bpm, average rate of 84.0 bpm with max pressure of 8197 psi and average pressure of 6682 psi.
Interval 16 5/21/2018	(15827.5-15997):	With 1000 gal 15% HCL Acid, 13967 bbls Treated Slick Water, 110027 lbs Common White - 100 Mesh proppant, 396644 lbs Premium White - 40/70 proppant. Max rate of 90.4 bpm, average rate of 86.0 bpm with max pressure of 7271 psi and average pressure of 6669 psi.

NEBU 605 COM 2H
Completion Frac Report

Interval 17 5/21/2018	(15622.5-15792): With 1000 gal 15% HCL Acid, 13336 bbls Treated Slick Water, 101335 lbs Common White - 100 Mesh proppant, 393625 lbs Premium White - 40/70 proppant. Max rate of 90.7 bpm, average rate of 89.9 bpm with max pressure of 7866 psi and average pressure of 7079 psi.
Interval 18 5/22/2018	(15417.5-15587): With 1000 gal 15% HCL Acid, 13263 bbls Treated Slick Water, 95012 lbs Common White - 100 Mesh proppant, 417083 lbs Premium White - 40/70 proppant. Max rate of 91.0 bpm, average rate of 83.0 bpm with max pressure of 8836 psi and average pressure of 6984 psi.
Interval 19 5/22/2018	(15212.5-15382): With 1000 gal 15% HCL Acid, 13464 bbls Treated Slick Water, 101629 lbs Common White - 100 Mesh proppant, 402797 lbs Premium White - 40/70 proppant. Max rate of 90.1 bpm, average rate of 88.7 bpm with max pressure of 7843 psi and average pressure of 7028 psi.
Interval 20 5/22/2018	(15007.5-15177): With 1000 gal 15% HCL Acid, 13398 bbls Treated Slick Water, 100250 lbs Common White - 100 Mesh proppant, 401561 lbs Premium White - 40/70 proppant. Max rate of 91.1 bpm, average rate of 89.9 bpm with max pressure of 7789 psi and average pressure of 7146 psi.
Interval 21 5/22/2018	(14802.5-14972): With 1007 gal 15% HCL Acid, 13092 bbls Treated Slick Water, 98689 lbs Common White - 100 Mesh proppant, 402321 lbs Premium White - 40/70 proppant. Max rate of 91.0 bpm, average rate of 86.4 bpm with max pressure of 8557 psi and average pressure of 7135 psi.
Interval 22 5/23/2018	(14597.5-14767): With 1000 gal 15% HCL Acid, 13694 bbls Treated Slick Water, 100021 lbs Common White - 100 Mesh proppant, 403027 lbs Premium White - 40/70 proppant. Max rate of 91.4 bpm, average rate of 89.9 bpm with max pressure of 8086 psi and average pressure of 6980 psi.
Interval 23 5/24/2018	(14392.5-14562): With 1000 gal 15% HCL Acid, 13510 bbls Treated Slick Water, 98936 lbs Common White - 100 Mesh proppant, 401150 lbs Premium White - 40/70 proppant. Max rate of 90.7 bpm, average rate of 89.9 bpm with max pressure of 7922 psi and average pressure of 7095 psi.
Interval 24 5/24/2018	(14187.5-14357): With 1000 gal 15% HCL Acid, 13433 bbls Treated Slick Water, 99888 lbs Common White - 100 Mesh proppant, 401307 lbs Premium White - 40/70 proppant. Max rate of 90.9 bpm, average rate of 90.0 bpm with max pressure of 7671 psi and average pressure of 6943 psi.
Interval 25 5/24/2018	(13982.5-14152): With 1000 gal 15% HCL Acid, 13203 bbls Treated Slick Water, 101154 lbs Common White - 100 Mesh proppant, 400234 lbs Premium White - 40/70 proppant. Max rate of 90.5 bpm, average rate of 89.7 bpm with max pressure of 7815 psi and average pressure of 6561 psi.
Interval 26 5/25/2018	(13777.5-13947): With 1000 gal 15% HCL Acid, 12928 bbls Treated Slick Water, 99228 lbs Common White - 100 Mesh proppant, 400558 lbs Premium White - 40/70 proppant. Max rate of 91.0 bpm, average rate of 90.5 bpm with max pressure of 7161 psi and average pressure of 6729 psi.
Interval 27 5/25/2018	(13572.5-13742): With 1000 gal 15% HCL Acid, 13330 bbls Treated Slick Water, 102045 lbs Common White - 100 Mesh proppant, 399194 lbs Premium White - 40/70 proppant. Max rate of 91.2 bpm, average rate of 88.6 bpm with max pressure of 8053 psi and average pressure of 6155 psi.
Interval 28 5/25/2018	(13367.5-13537): With 1000 gal 15% HCL Acid, 13074 bbls Treated Slick Water, 100795 lbs Common White - 100 Mesh proppant, 400557 lbs Premium White - 40/70 proppant. Max rate of 91.5 bpm, average rate of 90.7 bpm with max pressure of 7160 psi and average pressure of 6256 psi.
Interval 29 5/26/2018	(13162.5-13332): With 1000 gal 15% HCL Acid, 13883 bbls Treated Slick Water, 99797 lbs Common White - 100 Mesh proppant, 400772 lbs Premium White - 40/70 proppant. Max rate of 94.0 bpm, average rate of 87.3 bpm with max pressure of 8795 psi and average pressure of 6559 psi.
Interval 30 5/26/2018	(12960.5-13127): With 1000 gal 15% HCL Acid, 13223 bbls Treated Slick Water, 99466 lbs Common White - 100 Mesh proppant, 401304 lbs Premium White - 40/70 proppant. Max rate of 91.3 bpm, average rate of 89.4 bpm with max pressure of 8509 psi and average pressure of 6810 psi.
Interval 31 5/26/2018	(12752.5-12922): With 1000 gal 15% HCL Acid, 12989 bbls Treated Slick Water, 98144 lbs Common White - 100 Mesh proppant, 401411 lbs Premium White - 40/70 proppant. Max rate of 95.9 bpm, average rate of 90.3 bpm with max pressure of 8555 psi and average pressure of 6356 psi.
Interval 32 5/27/2018	(12547.5-12717): With 1000 gal 15% HCL Acid, 13171 bbls Treated Slick Water, 99673 lbs Common White - 100 Mesh proppant, 401385 lbs Premium White - 40/70 proppant. Max rate of 90.8 bpm, average rate of 89.8 bpm with max pressure of 8532 psi and average pressure of 6655 psi.

NEBU 605 COM 2H
Completion Frac Report

Interval 33 5/27/2018	(12342.5-12512): With 1000 gal 15% HCL Acid, 13008 bbls Treated Slick Water, 101966 lbs Common White - 100 Mesh proppant, 401205 lbs Premium White - 40/70 proppant. Max rate of 91.3 bpm, average rate of 89.8 bpm with max pressure of 7728 psi and average pressure of 6184 psi.
Interval 34 5/27/2018	(12137.5-12307): With 1000 gal 15% HCL Acid, 12941 bbls Treated Slick Water, 99195 lbs Common White - 100 Mesh proppant, 402479 lbs Premium White - 40/70 proppant. Max rate of 90.8 bpm, average rate of 90.4 bpm with max pressure of 7448 psi and average pressure of 6339 psi.
Interval 35 5/28/2018	(11935.5-12102): With 1000 gal 15% HCL Acid, 11745 bbls Treated Slick Water, 99794 lbs Common White - 100 Mesh proppant, 408320 lbs Premium White - 40/70 proppant. Max rate of 91.1 bpm, average rate of 90.0 bpm with max pressure of 7971 psi and average pressure of 6592 psi.
Interval 36 5/28/2018	(11727.5-11897): With 1000 gal 15% HCL Acid, 12823 bbls Treated Slick Water, 102169 lbs Common White - 100 Mesh proppant, 401106 lbs Premium White - 40/70 proppant. Max rate of 92.0 bpm, average rate of 89.8 bpm with max pressure of 7633 psi and average pressure of 6187 psi.
Interval 37 5/28/2018	(11522.5-11692): With 1000 gal 15% HCL Acid, 13034 bbls Treated Slick Water, 99425 lbs Common White - 100 Mesh proppant, 401787 lbs Premium White - 40/70 proppant. Max rate of 90.8 bpm, average rate of 90.1 bpm with max pressure of 7020 psi and average pressure of 6101 psi.
Interval 38 SKIPPED	(11314.5-11487):
Interval 39 5/29/2018	(11112.5-11282): With 1000 gal 15% HCL Acid, 12723 bbls Treated Slick Water, 103882 lbs Common White - 100 Mesh proppant, 401531 lbs Premium White - 40/70 proppant. Max rate of 92.3 bpm, average rate of 89.7 bpm with max pressure of 7361 psi and average pressure of 6185 psi.
Interval 40 5/29/2018	(10907.5-11077): With 1000 gal 15% HCL Acid, 12841 bbls Treated Slick Water, 100970 lbs Common White - 100 Mesh proppant, 401809 lbs Premium White - 40/70 proppant. Max rate of 90.3 bpm, average rate of 89.7 bpm with max pressure of 7530 psi and average pressure of 6787 psi.
Interval 41 5/30/2018	(10705.5-10865.5): With 1000 gal 15% HCL Acid, 12642 bbls Treated Slick Water, 100672 lbs Common White - 100 Mesh proppant, 401778 lbs Premium White - 40/70 proppant. Max rate of 90.8 bpm, average rate of 86.0 bpm with max pressure of 8442 psi and average pressure of 6537 psi.
Interval 42 5/30/2018	(10497.5-10667): With 1000 gal 15% HCL Acid, 13283 bbls Treated Slick Water, 98580 lbs Common White - 100 Mesh proppant, 410918 lbs Premium White - 40/70 proppant. Max rate of 91.3 bpm, average rate of 89.3 bpm with max pressure of 7549 psi and average pressure of 6258 psi.
Interval 43 5/30/2018	(10292.5-10462): With 1000 gal 15% HCL Acid, 13057 bbls Treated Slick Water, 113262 lbs Common White - 100 Mesh proppant, 404362 lbs Premium White - 40/70 proppant. Max rate of 91.4 bpm, average rate of 89.6 bpm with max pressure of 7037 psi and average pressure of 6153psi.
Interval 44 5/30/2018	(10087.5-10257): With 1000 gal 15% HCL Acid, 14542 bbls Treated Slick Water, 127204 lbs Common White - 100 Mesh proppant, 407241 lbs Premium White - 40/70 proppant. Max rate of 90.0 bpm, average rate of 89.3 bpm with max pressure of 7738 psi and average pressure of 6361 psi.
Interval 45 5/31/2018	(9882.5-10052): With 1000 gal 15% HCL Acid, 12726 bbls Treated Slick Water, 94746 lbs Common White - 100 Mesh proppant, 403457 lbs Premium White - 40/70 proppant. Max rate of 90.1 bpm, average rate of 85.3 bpm with max pressure of 8125 psi and average pressure of 6542 psi.
Interval 46 6/1/2018	(9677.5-9847): With 1000 gal 15% HCL Acid, 12346 bbls Treated Slick Water, 99903 lbs Common White - 100 Mesh proppant, 399790 lbs Premium White - 40/70 proppant. Max rate of 91.0 bpm, average rate of 86.7 bpm with max pressure of 8008 psi and average pressure of 6640 psi.
Interval 47 6/1/2018	(9475.5-9642): With 1000 gal 15% HCL Acid, 13027 bbls Treated Slick Water, 102953 lbs Common White - 100 Mesh proppant, 397638 lbs Premium White - 40/70 proppant. Max rate of 90.6 bpm, average rate of 88.6 bpm with max pressure of 8379 psi and average pressure of 5990 psi.
Interval 48 6/2/2018	(9267-9436.5): With 1000 gal 15% HCL Acid, 12528 bbls Treated Slick Water, 98553 lbs Common White - 100 Mesh proppant, 402666 lbs Premium White - 40/70 proppant. Max rate of 90.9 bpm, average rate of 87.0 bpm with max pressure of 6685 psi and average pressure of 6047 psi.

NEBU 605 COM 2H
Completion Frac Report

Interval 49 6/2/2018	(9062-9231.5):	With 1000 gal 15% HCL Acid, 12923 bbls Treated Slick Water, 103650 lbs Common White - 100 Mesh proppant, 400836 lbs Premium White - 40/70 proppant. Max rate of 90.5 bpm, average rate of 89.9 bpm with max pressure of 8012 psi and average pressure of 6009 psi.
Interval 50 6/2/2018	(8857-9026.5):	With 1000 gal 15% HCL Acid, 12804 bbls Treated Slick Water, 103698 lbs Common White - 100 Mesh proppant, 397599 lbs Premium White - 40/70 proppant. Max rate of 90.5 bpm, average rate of 87.0 bpm with max pressure of 7150 psi and average pressure of 6040 psi.
Interval 51 6/3/2018	(8650-8819.5):	With 1000 gal 15% HCL Acid, 11446 bbls Treated Slick Water, 97139 lbs Common White - 100 Mesh proppant, 404209 lbs Premium White - 40/70 proppant. Max rate of 91.3 bpm, average rate of 87.1 bpm with max pressure of 6370 psi and average pressure of 5801 psi.
Interval 52 6/3/2018	(8444-8611.5):	With 1000 gal 15% HCL Acid, 12790 bbls Treated Slick Water, 99959 lbs Common White - 100 Mesh proppant, 398568 lbs Premium White - 40/70 proppant. Max rate of 90.6 bpm, average rate of 89.7 bpm with max pressure of 7455 psi and average pressure of 6010 psi.
Interval 53 6/3/2018	(8242-8413.5):	With 1000 gal 15% HCL Acid, 12929 bbls Treated Slick Water, 101732 lbs Common White - 100 Mesh proppant, 400087 lbs Premium White - 40/70 proppant. Max rate of 91.1 bpm, average rate of 90.0 bpm with max pressure of 6927 psi and average pressure of 6027 psi.
Interval 54 6/3/2018	(8037-8206.5):	With 1000 gal 15% HCL Acid, 13046 bbls Treated Slick Water, 102695 lbs Common White - 100 Mesh proppant, 401188 lbs Premium White - 40/70 proppant. Max rate of 90.9 bpm, average rate of 87.0 bpm with max pressure of 8204 psi and average pressure of 6246 psi.
Interval 55 6/3/2018	(7832-8001.5):	With 1000 gal 15% HCL Acid, 11732 bbls Treated Slick Water, 99698 lbs Common White - 100 Mesh proppant, 409407 lbs Premium White - 40/70 proppant. Max rate of 91.6 bpm, average rate of 88.3 bpm with max pressure of 6840 psi and average pressure of 5953 psi.
Interval 56 6/4/2018	(7650-7796.5):	With 1000 gal 15% HCL Acid, 12922 bbls Treated Slick Water, 116566 lbs Common White - 100 Mesh proppant, 399048 lbs Premium White - 40/70 proppant. Max rate of 91.7 bpm, average rate of 87.5 bpm with max pressure of 6904 psi and average pressure of 5920 psi.

NEBU 605 COM 2H
30-045-35857

Stage	Cluster #1	Cluster #2	Cluster #3	Cluster #4	Cluster #5	Cluster #6	Cluster #7	Cluster #8	Holes/ Stage								
1	Toe Sleeve @	19,098.00	19,048.00	19,046.00	19,024.00	19,022.00	19,000.00	18,998.00	18,976.00	18,974.00	18,952.00	18,950.00	18,928.00	18,926.00	18,904.00	18,902.00	56
2	18,867.00	18,865.00	18,843.00	18,841.00	18,819.00	18,817.00	18,795.00	18,793.00	18,771.00	18,769.00	18,747.00	18,745.00	18,723.00	18,721.00	18,700.00	18,698.00	64
3	18,662.00	18,660.00	18,638.00	18,636.00	18,614.00	18,612.00	18,590.00	18,588.00	18,566.00	18,564.00	18,542.00	18,540.00	18,522.00	18,520.00	18,494.00	18,492.00	64
4	18,457.00	18,455.00	18,433.00	18,431.00	18,409.00	18,407.00	18,385.00	18,383.00	18,361.00	18,359.00	18,337.00	18,335.00	18,313.00	18,311.00	18,289.00	18,287.00	64
5	18,249.00	18,247.00	18,228.00	18,226.00	18,204.00	18,202.00	18,180.00	18,178.00	18,156.00	18,154.00	18,132.00	18,130.00	18,108.00	18,106.00	18,084.00	18,082.00	64
6	18,047.00	18,045.00	18,023.00	18,021.00	17,999.00	17,997.00	17,975.00	17,973.00	17,951.00	17,949.00	17,927.00	17,925.00	17,903.00	17,901.00	17,879.00	17,877.00	64
7	17,842.00	17,840.00	17,818.00	17,816.00	17,794.00	17,792.00	17,770.00	17,768.00	17,746.00	17,744.00	17,722.00	17,720.00	17,698.00	17,696.00	17,674.00	17,672.00	64
8	17,637.00	17,635.00	17,613.00	17,611.00	17,589.00	17,587.00	17,565.00	17,563.00	17,541.00	17,539.00	17,517.00	17,515.00	17,496.00	17,494.00	17,469.00	17,467.00	64
9	17,432.00	17,430.00	17,408.00	17,406.00	17,384.00	17,382.00	17,362.00	17,360.00	17,338.00	17,336.00	17,310.00	17,308.00	17,288.00	17,286.00	17,264.00	17,262.00	64
10	17,225.00	17,223.00	17,203.00	17,201.00	17,178.00	17,176.00	17,155.00	17,153.00	17,131.00	17,129.00	17,107.00	17,105.00	17,083.00	17,081.00	17,059.00	17,057.00	64
11	17,022.00	17,020.00	16,998.00	16,996.00	16,974.00	16,972.00	16,950.00	16,948.00	16,926.00	16,924.00	16,902.00	16,900.00	16,878.00	16,876.00	16,854.00	16,852.00	64
12	16,817.00	16,815.00	16,793.00	16,791.00	16,769.00	16,767.00	16,745.00	16,743.00	16,721.00	16,719.00	16,697.00	16,695.00	16,673.00	16,671.00	16,649.00	16,647.00	64
13	16,612.00	16,610.00	16,588.00	16,586.00	16,564.00	16,562.00	16,540.00	16,538.00	16,516.00	16,514.00	16,492.00	16,490.00	16,470.00	16,468.00	16,444.00	16,442.00	64
14	16,407.00	16,405.00	16,383.00	16,381.00	16,359.00	16,357.00	16,335.00	16,333.00	16,311.00	16,309.00	16,287.00	16,285.00	16,263.00	16,261.00	16,239.00	16,237.00	64
15	16,202.00	16,200.00	16,178.00	16,176.00	16,154.00	16,152.00	16,130.00	16,128.00	16,106.00	16,104.00	16,082.00	16,080.00	16,058.00	16,056.00	16,034.00	16,032.00	64
16	15,997.00	15,995.00	15,973.00	15,971.00	15,949.00	15,947.00	15,925.00	15,923.00	15,901.00	15,899.00	15,877.00	15,875.00	15,853.00	15,851.00	15,829.00	15,827.00	64
17	15,792.00	15,790.00	15,768.00	15,766.00	15,741.00	15,740.00	15,720.00	15,718.00	15,696.00	15,694.00	15,672.00	15,670.00	15,648.00	15,646.00	15,624.00	15,622.00	48
18	15,587.00	15,585.00	15,563.00	15,561.00	15,539.00	15,537.00	15,515.00	15,513.00	15,491.00	15,489.00	15,467.00	15,465.00	15,445.00	15,443.00	15,419.00	15,417.00	48
19	15,382.00	15,380.00	15,358.00	15,356.00	15,334.00	15,332.00	15,310.00	15,308.00	15,286.00	15,284.00	15,262.00	15,260.00	15,238.00	15,236.00	15,214.00	15,212.00	48
20	15,177.00	15,175.00	15,153.00	15,151.00	15,129.00	15,127.00	15,105.00	15,103.00	15,081.00	15,079.00	15,057.00	15,055.00	15,033.00	15,031.00	15,009.00	15,007.00	48
21	14,972.00	14,970.00	14,948.00	14,946.00	14,924.00	14,922.00	14,900.00	14,898.00	14,876.00	14,874.00	14,852.00	14,850.00	14,828.00	14,826.00	14,804.00	14,802.00	48
22	14,767.00	14,765.00	14,743.00	14,741.00	14,719.00	14,717.00	14,695.00	14,693.00	14,671.00	14,669.00	14,647.00	14,645.00	14,623.00	14,621.00	14,599.00	14,597.00	48
23	14,562.00	14,560.00	14,538.00	14,536.00	14,514.00	14,512.00	14,490.00	14,488.00	14,466.00	14,464.00	14,442.00	14,440.00	14,421.00	14,419.00	14,394.00	14,392.00	48
24	14,357.00	14,355.00	14,333.00	14,331.00	14,309.00	14,307.00	14,285.00	14,283.00	14,261.00	14,259.00	14,237.00	14,235.00	14,213.00	14,211.00	14,189.00	14,187.00	48
25	14,152.00	14,150.00	14,128.00	14,126.00	14,104.00	14,102.00	14,080.00	14,078.00	14,056.00	14,054.00	14,032.00	14,030.00	14,008.00	14,006.00	13,984.00	13,982.00	48
26	13,947.00	13,945.00	13,923.00	13,921.00	13,899.00	13,897.00	13,875.00	13,873.00	13,851.00	13,849.00	13,827.00	13,825.00	13,803.00	13,801.00	13,779.00	13,777.00	48
27	13,742.00	13,740.00	13,718.00	13,716.00	13,694.00	13,692.00	13,670.00	13,668.00	13,646.00	13,644.00	13,622.00	13,620.00	13,598.00	13,596.00	13,574.00	13,572.00	48
28	13,537.00	13,535.00	13,513.00	13,511.00	13,489.00	13,487.00	13,465.00	13,463.00	13,441.00	13,439.00	13,417.00	13,415.00	13,393.00	13,391.00	13,369.00	13,367.00	48
29	13,332.00	13,330.00	13,308.00	13,306.00	13,284.00	13,282.00	13,260.00	13,258.00	13,236.00	13,234.00	13,212.00	13,210.00	13,188.00	13,186.00	13,164.00	13,162.00	48
30	13,127.00	13,125.00	13,099.00	13,098.00	13,079.00	13,077.00	13,055.00	13,053.00	13,031.00	13,029.00	13,007.00	13,005.00	12,983.00	12,981.00	12,962.00	12,960.00	48
31	12,922.00	12,920.00	12,896.00	12,894.00	12,874.00	12,872.00	12,850.00	12,848.00	12,826.00	12,824.00	12,802.00	12,800.00	12,778.00	12,776.00	12,754.00	12,752.00	48
32	12,717.00	12,715.00	12,691.00	12,689.00	12,669.00	12,667.00	12,645.00	12,643.00	12,621.00	12,619.00	12,597.00	12,595.00	12,573.00	12,571.00	12,549.00	12,547.00	48
33	12,512.00	12,510.00	12,486.00	12,484.00	12,464.00	12,462.00	12,440.00	12,438.00	12,416.00	12,414.00	12,392.00	12,390.00	12,368.00	12,366.00	12,344.00	12,342.00	48
34	12,307.00	12,305.00	12,281.00	12,279.00	12,259.00	12,257.00	12,235.00	12,233.00	12,211.00	12,209.00	12,187.00	12,185.00	12,163.00	12,161.00	12,139.00	12,137.00	48
35	12,102.00	12,100.00	12,074.00	12,073.00	12,054.00	12,052.00	12,030.00	12,028.00	12,006.00	12,004.00	11,982.00	11,980.00	11,959.00	11,958.00	11,934.00	11,932.00	48
36	11,897.00	11,895.00	11,875.00	11,873.00	11,849.00	11,847.00	11,825.00	11,823.00	11,801.00	11,799.00	11,777.00	11,775.00	11,753.00	11,751.00	11,729.00	11,727.00	48
37	11,692.00	11,690.00	11,664.00	11,662.00	11,644.00	11,642.00	11,620.00	11,618.00	11,596.00	11,594.00	11,572.00	11,570.00	11,548.00	11,546.00	11,524.00	11,522.00	48
38	11,487.00	11,485.00	11,461.00	11,459.00	11,439.00	11,437.00	11,415.00	11,413.00	11,391.00	11,389.00	11,367.00	11,365.00	11,343.00	11,341.00	11,316.00	11,314.00	48
39	11,282.00	11,280.00	11,256.00	11,254.00	11,234.00	11,232.00	11,210.00	11,208.00	11,186.00	11,184.00	11,160.00	11,158.00	11,138.00	11,136.00	11,114.00	11,112.00	48
40	11,077.00	11,075.00	11,051.00	11,049.00	11,029.00	11,027.00	11,005.00	11,003.00	10,981.00	10,979.00	10,957.00	10,955.00	10,933.00	10,931.00	10,909.00	10,907.00	48
41	10,865.00	10,864.00	10,848.00	10,846.00	10,824.00	10,822.00	10,800.00	10,798.00	10,776.00	10,774.00	10,752.00	10,750.00	10,728.00	10,726.00	10,706.00	10,705.00	48
42	10,667.00	10,665.00	10,641.00	10,639.00	10,616.00	10,615.00	10,595.00	10,593.00	10,571.00	10,569.00	10,547.00	10,545.00	10,531.00	10,529.00	10,499.00	10,497.00	48
43	10,462.00	10,460.00	10,436.00	10,434.00	10,416.00	10,414.00	10,390.00	10,388.00	10,366.00	10,364.00	10,342.00	10,340.00	10,326.00	10,324.00	10,294.00	10,292.00	48
44	10,257.00	10,255.00	10,231.00	10,229.00	10,209.00	10,207.00	10,185.00	10,183.00	10,162.00	10,160.00	10,137.00	10,135.00	10,121.00	10,119.00	10,089.00	10,087.00	48
45	10,052.00	10,050.00	10,026.00	10,024.00	10,004.00	10,002.00	9,980.00	9,978.00	9,956.00	9,954.00	9,932.00	9,930.00	9,908.00	9,906.00	9,884.00	9,882.00	48
46	9,847.00	9,845.00	9,821.00	9,819.00	9,799.00	9,797.00	9,775.00	9,773.00	9,751.00	9,749.00	9,727.00	9,725.00	9,703.00	9,701.00	9,679.00	9,677.00	48
47	9,642.00	9,640.00	9,619.00	9,617.00	9,594.00	9,592.00	9,569.00	9,567.00	9,546.00	9,544.00	9,522.00	9,520.00	9,498.00	9,496.00	9,474.00	9,472.00	48
48	9,436.00	9,435.00	9,412.00	9,411.00	9,388.00	9,387.00	9,364.00	9,363.00	9,340.00	9,339.00	9,316.00	9,315.00	9,292.00	9,291.00	9,268.00	9,267.00	48
49	9,231.00	9,230.00	9,205.00	9,204.00	9,183.00	9,182.00	9,169.00	9,168.00	9,135.00	9,134.00	9,111.00	9,110.00	9,083.00	9,082.00	9,063.00	9,062.00	48
50	9,026.00	9,025.00	9,000.00	8,999.00	8,978.00	8,977.00	8,954.00	8,953.00	8,930.00	8,929.00	8,909.00	8,908.00	8,882.00	8,881.00	8,858.00	8,857.00	48
51	8,819.00	8,818.00	8,797.00	8,796.00	8,773.00	8,772.00	8,749.00	8,748.00	8,725.00	8,724.00	8,701.00	8,700.00					

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM03358

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 27. If Unit or CA/Agreement, Name and/or No.
NMNM138729

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other8. Well Name and No.
NEBU 605 COM 2H

2. Name of Operator

BP AMERICA PRODUCTION COMPANY

Contact: NAOMI AZULAI

Email: Naomi.Azulai@bpx.com

9. API Well No.
30-045-35857-00-X1

3a. Address

380 AIRPORT RD
DURANGO, CO 81303

3b. Phone No. (include area code)

Ph: 970-232-1439

10. Field and Pool or Exploratory Area
BASIN MANCOS

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 11 T31N R7W SESE 458FSL 796FEL
36.908039 N Lat, 107.534035 W Lon

11. County or Parish, State

SAN JUAN COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

5/13/2018 - 6/3/2018: 56 stages perforated and 55 fracture stimulated.

See detailed completion operation reports attached for the subject well.

Tubing has not been run in the well. A request to delay tubing installation will be provided separately.

The As Drilled surface location for the subject well is:
Sec 11 T31N R7W SESE 457 FSL & 796 FEL

As Built C-102 attached.

NMOC
AUG 29 2018
DISTRICT III

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #432693 verified by the BLM Well Information System
For BP AMERICA PRODUCTION COMPANY, sent to the Farmington
Committed to AFMSS for processing by JACK SAVAGE on 08/28/2018 (18JWS0200SE)**

Name (Printed/Typed) NAOMI AZULAI

Title WELL PERMITTING ANALYST

Signature (Electronic Submission)

Date 08/24/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTED

JACK SAVAGE
Title PETROLEUM ENGINEER

Date 08/28/2018

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Farmington

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

NMOC

NEBU 60S COM 2H
30-045-35857

Stage	Cluster #1	Cluster #2	Cluster #3	Cluster #4	Cluster #5	Cluster #6	Cluster #7	Cluster #8	Holes/ Stage							
1	Toe Sleeve @ 19,098.00	19,048.00	19,046.00	19,024.00	19,022.00	19,000.00	18,998.00	18,976.00	18,974.00	18,952.00	18,950.00	18,928.00	18,926.00	18,904.00	18,902.00	56
2	18,867.00	18,865.00	18,843.00	18,841.00	18,819.00	18,817.00	18,795.00	18,793.00	18,771.00	18,769.00	18,747.00	18,745.00	18,723.00	18,721.00	18,700.00	64
3	18,662.00	18,660.00	18,638.00	18,636.00	18,614.00	18,612.00	18,590.00	18,588.00	18,566.00	18,564.00	18,542.00	18,540.00	18,522.00	18,520.00	18,494.00	64
4	18,457.00	18,455.00	18,433.00	18,431.00	18,409.00	18,407.00	18,385.00	18,383.00	18,361.00	18,359.00	18,337.00	18,335.00	18,313.00	18,311.00	18,289.00	64
5	18,249.00	18,247.00	18,228.00	18,226.00	18,204.00	18,202.00	18,180.00	18,178.00	18,156.00	18,154.00	18,132.00	18,130.00	18,108.00	18,106.00	18,084.00	64
6	18,047.00	18,045.00	18,023.00	18,021.00	17,999.00	17,997.00	17,975.00	17,973.00	17,951.00	17,949.00	17,927.00	17,925.00	17,903.00	17,901.00	17,879.00	64
7	17,842.00	17,840.00	17,818.00	17,816.00	17,794.00	17,792.00	17,770.00	17,768.00	17,746.00	17,744.00	17,722.00	17,720.00	17,698.00	17,696.00	17,674.00	64
8	17,637.00	17,635.00	17,613.00	17,611.00	17,589.00	17,587.00	17,565.00	17,563.00	17,541.00	17,539.00	17,517.00	17,515.00	17,496.00	17,494.00	17,469.00	64
9	17,432.00	17,430.00	17,408.00	17,406.00	17,384.00	17,382.00	17,362.00	17,360.00	17,336.00	17,334.00	17,310.00	17,308.00	17,288.00	17,286.00	17,264.00	64
10	17,225.00	17,223.00	17,203.00	17,201.00	17,178.00	17,176.00	17,155.00	17,153.00	17,131.00	17,129.00	17,107.00	17,105.00	17,083.00	17,081.00	17,059.00	64
11	17,022.00	17,020.00	16,998.00	16,996.00	16,974.00	16,972.00	16,950.00	16,948.00	16,926.00	16,924.00	16,902.00	16,900.00	16,878.00	16,876.00	16,854.00	64
12	16,817.00	16,815.00	16,793.00	16,791.00	16,769.00	16,767.00	16,745.00	16,743.00	16,721.00	16,719.00	16,697.00	16,695.00	16,673.00	16,671.00	16,649.00	64
13	16,612.00	16,610.00	16,588.00	16,586.00	16,564.00	16,562.00	16,540.00	16,538.00	16,516.00	16,514.00	16,492.00	16,490.00	16,470.00	16,468.00	16,444.00	64
14	16,407.00	16,405.00	16,383.00	16,381.00	16,359.00	16,357.00	16,335.00	16,333.00	16,311.00	16,309.00	16,287.00	16,285.00	16,263.00	16,261.00	16,239.00	64
15	16,202.00	16,200.00	16,178.00	16,176.00	16,154.00	16,152.00	16,130.00	16,128.00	16,106.00	16,104.00	16,082.00	16,080.00	16,058.00	16,056.00	16,034.00	64
16	15,997.00	15,995.00	15,973.00	15,971.00	15,949.00	15,947.00	15,925.00	15,923.00	15,901.00	15,899.00	15,877.00	15,875.00	15,853.00	15,851.00	15,829.00	64
17	15,792.00	15,790.00	15,768.00	15,766.00	15,741.50	15,740.00	15,720.00	15,718.50	15,696.00	15,694.50	15,672.00	15,670.50	15,648.00	15,646.50	15,624.00	48
18	15,587.00	15,585.00	15,563.00	15,561.00	15,539.00	15,537.00	15,515.00	15,513.50	15,491.00	15,489.50	15,467.00	15,465.50	15,445.00	15,443.50	15,419.00	48
19	15,382.00	15,380.00	15,358.00	15,356.00	15,334.00	15,332.00	15,310.00	15,308.50	15,286.00	15,284.50	15,262.00	15,260.50	15,238.00	15,236.50	15,214.00	48
20	15,177.00	15,175.00	15,153.00	15,151.00	15,129.00	15,127.00	15,105.00	15,103.50	15,081.00	15,079.50	15,057.00	15,055.50	15,033.00	15,031.50	15,009.00	48
21	14,972.00	14,970.00	14,948.00	14,946.00	14,924.00	14,922.00	14,900.00	14,898.50	14,876.00	14,874.50	14,852.00	14,850.50	14,828.00	14,818.50	14,804.00	48
22	14,767.00	14,765.00	14,743.00	14,741.00	14,719.00	14,717.00	14,695.00	14,693.50	14,671.00	14,669.50	14,647.00	14,645.50	14,623.00	14,621.50	14,599.00	48
23	14,562.00	14,560.00	14,538.00	14,536.00	14,514.00	14,512.00	14,490.00	14,488.50	14,466.00	14,464.50	14,442.00	14,440.50	14,418.00	14,419.50	14,394.00	48
24	14,357.00	14,355.00	14,333.00	14,331.00	14,309.00	14,307.00	14,285.00	14,283.50	14,261.00	14,259.50	14,237.00	14,235.50	14,213.00	14,211.50	14,189.00	48
25	14,152.00	14,150.00	14,128.00	14,126.00	14,104.00	14,102.00	14,080.00	14,078.50	14,056.00	14,054.50	14,032.00	14,030.50	14,008.00	14,006.50	13,984.00	48
26	13,947.00	13,945.00	13,923.00	13,921.00	13,899.00	13,897.00	13,875.00	13,873.50	13,851.00	13,849.50	13,827.00	13,825.50	13,803.00	13,801.50	13,779.00	48
27	13,742.00	13,740.00	13,718.00	13,716.00	13,694.00	13,692.00	13,672.00	13,670.50	13,646.00	13,644.50	13,622.00	13,620.50	13,598.00	13,596.50	13,574.00	48
28	13,537.00	13,535.00	13,513.00	13,511.00	13,489.00	13,487.00	13,465.00	13,463.50	13,441.00	13,439.50	13,417.00	13,415.50	13,393.00	13,391.50	13,369.00	48
29	13,332.00	13,330.00	13,308.00	13,306.00	13,284.00	13,282.00	13,260.00	13,258.50	13,236.00	13,234.50	13,212.00	13,210.50	13,188.00	13,186.50	13,164.00	48
30	13,127.00	13,125.00	13,099.00	13,097.00	13,079.00	13,077.00	13,055.00	13,053.50	13,031.00	13,029.50	13,007.00	13,005.50	12,983.00	12,981.50	12,960.00	48
31	12,922.00	12,920.00	12,896.00	12,894.00	12,874.00	12,872.00	12,850.00	12,848.50	12,826.00	12,824.50	12,802.00	12,800.50	12,778.00	12,776.50	12,754.00	48
32	12,717.00	12,715.00	12,691.00	12,689.00	12,669.00	12,667.00	12,645.00	12,643.50	12,621.00	12,619.50	12,597.00	12,595.50	12,573.00	12,571.50	12,549.00	48
33	12,512.00	12,510.00	12,486.00	12,484.00	12,464.00	12,462.00	12,440.00	12,438.50	12,416.00	12,414.50	12,392.00	12,390.50	12,368.00	12,366.50	12,344.00	48
34	12,307.00	12,305.00	12,281.00	12,279.00	12,259.00	12,257.00	12,235.00	12,233.50	12,211.00	12,209.50	12,187.00	12,185.50	12,163.00	12,161.50	12,139.00	48
35	12,102.00	12,100.00	12,074.00	12,072.00	12,054.00	12,052.00	12,030.00	12,028.50	12,006.00	12,004.50	11,982.00	11,980.50	11,959.00	11,958.50	11,934.00	48
36	11,897.00	11,895.00	11,875.00	11,873.00	11,849.00	11,847.00	11,825.00	11,823.50	11,801.00	11,799.50	11,777.00	11,775.50	11,753.00	11,751.50	11,729.00	48
37	11,692.00	11,690.00	11,664.00	11,662.00	11,644.00	11,642.00	11,620.00	11,618.50	11,596.00	11,594.50	11,572.00	11,570.50	11,548.00	11,546.50	11,524.00	48
38	11,487.00	11,485.00	11,461.00	11,459.00	11,439.00	11,437.00	11,415.00	11,413.50	11,391.00	11,389.50	11,367.00	11,365.50	11,343.00	11,341.50	11,316.00	48
39	11,282.00	11,280.00	11,256.00	11,254.00	11,234.00	11,232.00	11,210.00	11,208.50	11,186.00	11,184.50	11,160.00	11,158.50	11,138.00	11,136.50	11,114.00	48
40	11,077.00	11,075.00	11,051.00	11,049.00	11,029.00	11,027.00	11,005.00	11,003.50	10,981.00	10,979.50	10,957.00	10,955.50	10,933.00	10,931.50	10,909.00	48
41	10,865.00	10,864.00	10,848.00	10,846.00	10,824.00	10,822.00	10,800.00	10,798.50	10,776.00	10,774.50	10,752.00	10,750.50	10,728.00	10,726.50	10,706.00	48
42	10,667.00	10,665.00	10,641.00	10,639.00	10,616.00	10,615.00	10,595.00	10,593.50	10,571.00	10,569.50	10,547.00	10,545.50	10,523.00	10,521.50	10,499.00	48
43	10,462.00	10,460.00	10,436.00	10,434.00	10,416.00	10,414.00	10,390.00	10,388.50	10,366.00	10,364.50	10,342.00	10,340.50	10,326.00	10,324.50	10,294.00	48
44	10,257.00	10,255.00	10,231.00	10,229.00	10,209.00	10,207.00	10,185.00	10,183.50	10,162.00	10,160.50	10,137.00	10,135.50	10,121.00	10,119.50	10,089.00	48
45	10,052.00	10,050.00	10,026.00	10,024.00	10,004.00	10,002.00	9,980.00	9,978.50	9,956.00	9,954.50	9,932.00	9,930.50	9,908.00	9,906.50	9,884.00	48
46	9,847.00	9,845.00	9,821.00	9,819.00	9,799.00	9,797.00	9,775.00	9,773.50	9,751.00	9,749.50	9,727.00	9,725.50	9,703.00	9,701.50	9,679.00	48
47	9,642.00	9,640.00	9,619.00	9,617.00	9,594.00	9,592.00	9,569.00	9,567.50	9,546.00	9,544.50	9,522.00	9,520.50	9,498.00	9,496.50	9,474.00	48
48	9,436.00	9,435.00	9,412.00	9,411.00	9,388.00	9,387.00	9,364.00	9,363.00	9,340.00	9,339.00	9,316.00	9,315.00	9,292.00	9,291.00	9,268.00	48
49	9,231.00	9,230.00	9,205.00	9,204.00	9,183.00	9,182.00	9,169.00	9,168.00	9,135.00	9,134.00	9,111.00	9,110.00	9,083.00	9,082.00	9,063.00	48
50	9,026.00	9,025.00	9,000.00	8,999.00	8,978.00	8,977.00	8,954.00	8,953.00	8,930.00	8,929.00	8,909.00	8,908.00	8,882.00	8,881.00	8,858.00	48
51	8,819.00	8,818.00	8,797.00	8,796.00	8,773.00	8,772.00	8,749.00	8,748.00	8,725.00	8,724.00	8,701.00	8,700.00	8,677.00	8,676.00	8,651.00	48
52	8,611.00	8,610.00	8,590.00	8,589.00	8,568.00	8,567.00	8,544.00	8,543.00	8,520.00	8,519.00	8,496.00	8,495.00	8,472.00	8,471.00	8,445.00	64
53	8,413.00	8,412.00	8,385.00	8,384.00	8,361.00	8,360.00	8,339.00	8,338.00	8,315.00	8,314.00	8,291.00	8,290.00	8,267.00	8,266.00	8,243.00	48
54	8,206.00	8,205.00	8,180.00	8,179.00	8,158.00	8,157.00	8,134.00	8,133.00	8,108.00	8,107.00	8,086.00	8,085.00	8,062.00	8,061.00	8,038.00	

NEBU 605 COM 2H
Completion Frac Report

Interval 1 5/16/2018	(18902-19098):	With 1000 gal 15% HCL Acid, 10450 bbls Treated Slick Water, 84741 lbs Common White - 100 Mesh proppant, 337000 lbs Premium White - 40/70 proppant. Max rate of 91.0 bpm, average rate of 82.0 bpm with max pressure of 8303 psi and average pressure of 6357 psi.
Interval 2 5/17/2018	(18698-18867):	With 1000 gal 15% HCL Acid, 11591 bbls Treated Slick Water, 83500 lbs Common White - 100 Mesh proppant, 365500 lbs Premium White - 40/70 proppant. Max rate of 93.0 bpm, average rate of 90.0 bpm with max pressure of 7645 psi and average pressure of 6898 psi.
Interval 3 5/17/2018	(18492-18662):	With 1000 gal 15% HCL Acid, 14031 bbls Treated Slick Water, 99100 lbs Common White - 100 Mesh proppant, 385697 lbs Premium White - 40/70 proppant. Max rate of 92.9 bpm, average rate of 73.1 bpm with max pressure of 8401 psi and average pressure of 6447 psi.
Interval 4 5/17/2018	(18287-18457):	With 1000 gal 15% HCL Acid, 13431 bbls Treated Slick Water, 100622 lbs Common White - 100 Mesh proppant, 402225 lbs Premium White - 40/70 proppant. Max rate of 91.5 bpm, average rate of 85.2 bpm with max pressure of 7819 psi and average pressure of 6759 psi.
Interval 5 5/17/2018	(18082-18249):	With 1000 gal 15% HCL Acid, 13710 bbls Treated Slick Water, 95840 lbs Common White - 100 Mesh proppant, 402292 lbs Premium White - 40/70 proppant. Max rate of 90.3 bpm, average rate of 89.3 bpm with max pressure of 8398 psi and average pressure of 6869 psi.
Interval 6 5/18/2018	(17877-18047):	With 1000 gal 15% HCL Acid, 14161 bbls Treated Slick Water, 99740 lbs Common White - 100 Mesh proppant, 402707 lbs Premium White - 40/70 proppant. Max rate of 91.4 bpm, average rate of 89.7 bpm with max pressure of 7315 psi and average pressure of 6665 psi.
Interval 7 5/18/2018	(17672-17842):	With 1000 gal 15% HCL Acid, 13911 bbls Treated Slick Water, 97566 lbs Common White - 100 Mesh proppant, 406724 lbs Premium White - 40/70 proppant. Max rate of 90.3 bpm, average rate of 84.3 bpm with max pressure of 7898 psi and average pressure of 6632 psi.
Interval 8 5/18/2018	(17467-17637):	With 1000 gal 15% HCL Acid, 13597 bbls Treated Slick Water, 93947 lbs Common White - 100 Mesh proppant, 403210 lbs Premium White - 40/70 proppant. Max rate of 90.8 bpm, average rate of 83.0 bpm with max pressure of 7582 psi and average pressure of 6517 psi.
Interval 9 5/18/2018	(17262-17432):	With 1000 gal 15% HCL Acid, 13567 bbls Treated Slick Water, 94547 lbs Common White - 100 Mesh proppant, 398109 lbs Premium White - 40/70 proppant. Max rate of 92.4 bpm, average rate of 89.9 bpm with max pressure of 8244 psi and average pressure of 7099 psi.
Interval 10 5/19/2018	(17057-17225):	With 1000 gal 15% HCL Acid, 14107 bbls Treated Slick Water, 95636 lbs Common White - 100 Mesh proppant, 409790 lbs Premium White - 40/70 proppant. Max rate of 91.6 bpm, average rate of 86.5 bpm with max pressure of 8643 psi and average pressure of 6873 psi.
Interval 11 5/20/2018	(16852-17022):	With 1000 gal 15% HCL Acid, 14799 bbls Treated Slick Water, 103794 lbs Common White - 100 Mesh proppant, 402741 lbs Premium White - 40/70 proppant. Max rate of 91.1 bpm, average rate of 76.8 bpm with max pressure of 7968 psi and average pressure of 6983 psi.
Interval 12 5/20/2018	(16647-16817):	With 1000 gal 15% HCL Acid, 12571 bbls Treated Slick Water, 91422 lbs Common White - 100 Mesh proppant, 406092 lbs Premium White - 40/70 proppant. Max rate of 90.4 bpm, average rate of 87.0 bpm with max pressure of 7504 psi and average pressure of 6723 psi.
Interval 13 5/20/2018	(16442-16612):	With 1000 gal 15% HCL Acid, 13903 bbls Treated Slick Water, 98650 lbs Common White - 100 Mesh proppant, 355745 lbs Premium White - 40/70 proppant. Max rate of 91.1 bpm, average rate of 89.9 bpm with max pressure of 8430 psi and average pressure of 6851 psi.
Interval 14 5/20/2018	(16237-16407):	With 1000 gal 15% HCL Acid, 14305 bbls Treated Slick Water, 100005 lbs Common White - 100 Mesh proppant, 398168 lbs Premium White - 40/70 proppant. Max rate of 90.3 bpm, average rate of 88.5 bpm with max pressure of 8681 psi and average pressure of 7020 psi.
Interval 15 5/21/2018	(16032-16202):	With 1000 gal 15% HCL Acid, 14001 bbls Treated Slick Water, 98597 lbs Common White - 100 Mesh proppant, 398200 lbs Premium White - 40/70 proppant. Max rate of 90.9 bpm, average rate of 84.0 bpm with max pressure of 8197 psi and average pressure of 6682 psi.
Interval 16 5/21/2018	(15827.5-15997):	With 1000 gal 15% HCL Acid, 13967 bbls Treated Slick Water, 110027 lbs Common White - 100 Mesh proppant, 396644 lbs Premium White - 40/70 proppant. Max rate of 90.4 bpm, average rate of 86.0 bpm with max pressure of 7271 psi and average pressure of 6669 psi.

NEBU 605 COM 2H
Completion Frac Report

Interval 17 5/21/2018	(15622.5-15792): With 1000 gal 15% HCL Acid, 13336 bbls Treated Slick Water, 101335 lbs Common White - 100 Mesh proppant, 393625 lbs Premium White - 40/70 proppant. Max rate of 90.7 bpm, average rate of 89.9 bpm with max pressure of 7866 psi and average pressure of 7079 psi.
Interval 18 5/22/2018	(15417.5-15587): With 1000 gal 15% HCL Acid, 13263 bbls Treated Slick Water, 95012 lbs Common White - 100 Mesh proppant, 417083 lbs Premium White - 40/70 proppant. Max rate of 91.0 bpm, average rate of 83.0 bpm with max pressure of 8836 psi and average pressure of 6984 psi.
Interval 19 5/22/2018	(15212.5-15382): With 1000 gal 15% HCL Acid, 13464 bbls Treated Slick Water, 101629 lbs Common White - 100 Mesh proppant, 402797 lbs Premium White - 40/70 proppant. Max rate of 90.1 bpm, average rate of 88.7 bpm with max pressure of 7843 psi and average pressure of 7028 psi.
Interval 20 5/22/2018	(15007.5-15177): With 1000 gal 15% HCL Acid, 13398 bbls Treated Slick Water, 100250 lbs Common White - 100 Mesh proppant, 401561 lbs Premium White - 40/70 proppant. Max rate of 91.1 bpm, average rate of 89.9 bpm with max pressure of 7789 psi and average pressure of 7146 psi.
Interval 21 5/22/2018	(14802.5-14972): With 1007 gal 15% HCL Acid, 13092 bbls Treated Slick Water, 98689 lbs Common White - 100 Mesh proppant, 402321 lbs Premium White - 40/70 proppant. Max rate of 91.0 bpm, average rate of 86.4 bpm with max pressure of 8557 psi and average pressure of 7135 psi.
Interval 22 5/23/2018	(14597.5-14767): With 1000 gal 15% HCL Acid, 13694 bbls Treated Slick Water, 100021 lbs Common White - 100 Mesh proppant, 403027 lbs Premium White - 40/70 proppant. Max rate of 91.4 bpm, average rate of 89.9 bpm with max pressure of 8086 psi and average pressure of 6980 psi.
Interval 23 5/24/2018	(14392.5-14562): With 1000 gal 15% HCL Acid, 13510 bbls Treated Slick Water, 98936 lbs Common White - 100 Mesh proppant, 401150 lbs Premium White - 40/70 proppant. Max rate of 90.7 bpm, average rate of 89.9 bpm with max pressure of 7922 psi and average pressure of 7095 psi.
Interval 24 5/24/2018	(14187.5-14357): With 1000 gal 15% HCL Acid, 13433 bbls Treated Slick Water, 99888 lbs Common White - 100 Mesh proppant, 401307 lbs Premium White - 40/70 proppant. Max rate of 90.9 bpm, average rate of 90.0 bpm with max pressure of 7671 psi and average pressure of 6943 psi.
Interval 25 5/24/2018	(13982.5-14152): With 1000 gal 15% HCL Acid, 13203 bbls Treated Slick Water, 101154 lbs Common White - 100 Mesh proppant, 400234 lbs Premium White - 40/70 proppant. Max rate of 90.5 bpm, average rate of 89.7 bpm with max pressure of 7815 psi and average pressure of 6561 psi.
Interval 26 5/25/2018	(13777.5-13947): With 1000 gal 15% HCL Acid, 12928 bbls Treated Slick Water, 99228 lbs Common White - 100 Mesh proppant, 400558 lbs Premium White - 40/70 proppant. Max rate of 91.0 bpm, average rate of 90.5 bpm with max pressure of 7161 psi and average pressure of 6729 psi.
Interval 27 5/25/2018	(13572.5-13742): With 1000 gal 15% HCL Acid, 13330 bbls Treated Slick Water, 102045 lbs Common White - 100 Mesh proppant, 399194 lbs Premium White - 40/70 proppant. Max rate of 91.2 bpm, average rate of 88.6 bpm with max pressure of 8053 psi and average pressure of 6155 psi.
Interval 28 5/25/2018	(13367.5-13537): With 1000 gal 15% HCL Acid, 13074 bbls Treated Slick Water, 100795 lbs Common White - 100 Mesh proppant, 400557 lbs Premium White - 40/70 proppant. Max rate of 91.5 bpm, average rate of 90.7 bpm with max pressure of 7160 psi and average pressure of 6256 psi.
Interval 29 5/26/2018	(13162.5-13332): With 1000 gal 15% HCL Acid, 13883 bbls Treated Slick Water, 99797 lbs Common White - 100 Mesh proppant, 400772 lbs Premium White - 40/70 proppant. Max rate of 94.0 bpm, average rate of 87.3 bpm with max pressure of 8795 psi and average pressure of 6559 psi.
Interval 30 5/26/2018	(12960.5-13127): With 1000 gal 15% HCL Acid, 13223 bbls Treated Slick Water, 99466 lbs Common White - 100 Mesh proppant, 401304 lbs Premium White - 40/70 proppant. Max rate of 91.3 bpm, average rate of 89.4 bpm with max pressure of 8509 psi and average pressure of 6810 psi.
Interval 31 5/26/2018	(12752.5-12922): With 1000 gal 15% HCL Acid, 12989 bbls Treated Slick Water, 98144 lbs Common White - 100 Mesh proppant, 401411 lbs Premium White - 40/70 proppant. Max rate of 95.9 bpm, average rate of 90.3 bpm with max pressure of 8555 psi and average pressure of 6356 psi.
Interval 32 5/27/2018	(12547.5-12717): With 1000 gal 15% HCL Acid, 13171 bbls Treated Slick Water, 99673 lbs Common White - 100 Mesh proppant, 401385 lbs Premium White - 40/70 proppant. Max rate of 90.8 bpm, average rate of 89.8 bpm with max pressure of 8532 psi and average pressure of 6655 psi.

NEBU 605 COM 2H
Completion Frac Report

Interval 33 5/27/2018	(12342.5-12512): With 1000 gal 15% HCL Acid, 13008 bbls Treated Slick Water, 101966 lbs Common White - 100 Mesh proppant, 401205 lbs Premium White - 40/70 proppant. Max rate of 91.3 bpm, average rate of 89.8 bpm with max pressure of 7728 psi and average pressure of 6184 psi.
Interval 34 5/27/2018	(12137.5-12307): With 1000 gal 15% HCL Acid, 12941 bbls Treated Slick Water, 99195 lbs Common White - 100 Mesh proppant, 402479 lbs Premium White - 40/70 proppant. Max rate of 90.8 bpm, average rate of 90.4 bpm with max pressure of 7448 psi and average pressure of 6339 psi.
Interval 35 5/28/2018	(11935.5-12102): With 1000 gal 15% HCL Acid, 11745 bbls Treated Slick Water, 99794 lbs Common White - 100 Mesh proppant, 408320 lbs Premium White - 40/70 proppant. Max rate of 91.1 bpm, average rate of 90.0 bpm with max pressure of 7971 psi and average pressure of 6592 psi.
Interval 36 5/28/2018	(11727.5-11897): With 1000 gal 15% HCL Acid, 12823 bbls Treated Slick Water, 102169 lbs Common White - 100 Mesh proppant, 401106 lbs Premium White - 40/70 proppant. Max rate of 92.0 bpm, average rate of 89.8 bpm with max pressure of 7633 psi and average pressure of 6187 psi.
Interval 37 5/28/2018	(11522.5-11692): With 1000 gal 15% HCL Acid, 13034 bbls Treated Slick Water, 99425 lbs Common White - 100 Mesh proppant, 401787 lbs Premium White - 40/70 proppant. Max rate of 90.8 bpm, average rate of 90.1 bpm with max pressure of 7020 psi and average pressure of 6101 psi.
Interval 38 SKIPPED	(11314.5-11487):
Interval 39 5/29/2018	(11112.5-11282): With 1000 gal 15% HCL Acid, 12723 bbls Treated Slick Water, 103882 lbs Common White - 100 Mesh proppant, 401531 lbs Premium White - 40/70 proppant. Max rate of 92.3 bpm, average rate of 89.7 bpm with max pressure of 7361 psi and average pressure of 6185 psi.
Interval 40 5/29/2018	(10907.5-11077): With 1000 gal 15% HCL Acid, 12841 bbls Treated Slick Water, 100970 lbs Common White - 100 Mesh proppant, 401809 lbs Premium White - 40/70 proppant. Max rate of 90.3 bpm, average rate of 89.7 bpm with max pressure of 7530 psi and average pressure of 6787 psi.
Interval 41 5/30/2018	(10705.5-10865.5): With 1000 gal 15% HCL Acid, 12642 bbls Treated Slick Water, 100672 lbs Common White - 100 Mesh proppant, 401778 lbs Premium White - 40/70 proppant. Max rate of 90.8 bpm, average rate of 86.0 bpm with max pressure of 8442 psi and average pressure of 6537 psi.
Interval 42 5/30/2018	(10497.5-10667): With 1000 gal 15% HCL Acid, 13283 bbls Treated Slick Water, 98580 lbs Common White - 100 Mesh proppant, 410918 lbs Premium White - 40/70 proppant. Max rate of 91.3 bpm, average rate of 89.3 bpm with max pressure of 7549 psi and average pressure of 6258 psi.
Interval 43 5/30/2018	(10292.5-10462): With 1000 gal 15% HCL Acid, 13057 bbls Treated Slick Water, 113262 lbs Common White - 100 Mesh proppant, 404362 lbs Premium White - 40/70 proppant. Max rate of 91.4 bpm, average rate of 89.6 bpm with max pressure of 7037 psi and average pressure of 6153psi.
Interval 44 5/30/2018	(10087.5-10257): With 1000 gal 15% HCL Acid, 14542 bbls Treated Slick Water, 127204 lbs Common White - 100 Mesh proppant, 407241 lbs Premium White - 40/70 proppant. Max rate of 90.0 bpm, average rate of 89.3 bpm with max pressure of 7738 psi and average pressure of 6361 psi.
Interval 45 5/31/2018	(9882.5-10052): With 1000 gal 15% HCL Acid, 12726 bbls Treated Slick Water, 94746 lbs Common White - 100 Mesh proppant, 403457 lbs Premium White - 40/70 proppant. Max rate of 90.1 bpm, average rate of 85.3 bpm with max pressure of 8125 psi and average pressure of 6542 psi.
Interval 46 6/1/2018	(9677.5-9847): With 1000 gal 15% HCL Acid, 12346 bbls Treated Slick Water, 99903 lbs Common White - 100 Mesh proppant, 399790 lbs Premium White - 40/70 proppant. Max rate of 91.0 bpm, average rate of 86.7 bpm with max pressure of 8008 psi and average pressure of 6640 psi.
Interval 47 6/1/2018	(9475.5-9642): With 1000 gal 15% HCL Acid, 13027 bbls Treated Slick Water, 102953 lbs Common White - 100 Mesh proppant, 397638 lbs Premium White - 40/70 proppant. Max rate of 90.6 bpm, average rate of 88.6 bpm with max pressure of 8379 psi and average pressure of 5990 psi.
Interval 48 6/2/2018	(9267-9436.5): With 1000 gal 15% HCL Acid, 12528 bbls Treated Slick Water, 98553 lbs Common White - 100 Mesh proppant, 402666 lbs Premium White - 40/70 proppant. Max rate of 90.9 bpm, average rate of 87.0 bpm with max pressure of 6685 psi and average pressure of 6047 psi.

NEBU 605 COM 2H
Completion Frac Report

Interval 49 6/2/2018	(9062-9231.5):	With 1000 gal 15% HCL Acid, 12923 bbls Treated Slick Water, 103650 lbs Common White - 100 Mesh proppant, 400836 lbs Premium White - 40/70 proppant. Max rate of 90.5 bpm, average rate of 89.9 bpm with max pressure of 8012 psi and average pressure of 6009 psi.
Interval 50 6/2/2018	(8857-9026.5):	With 1000 gal 15% HCL Acid, 12804 bbls Treated Slick Water, 103698 lbs Common White - 100 Mesh proppant, 397599 lbs Premium White - 40/70 proppant. Max rate of 90.5 bpm, average rate of 87.0 bpm with max pressure of 7150 psi and average pressure of 6040 psi.
Interval 51 6/3/2018	(8650-8819.5):	With 1000 gal 15% HCL Acid, 11446 bbls Treated Slick Water, 97139 lbs Common White - 100 Mesh proppant, 404209 lbs Premium White - 40/70 proppant. Max rate of 91.3 bpm, average rate of 87.1 bpm with max pressure of 6370 psi and average pressure of 5801 psi.
Interval 52 6/3/2018	(8444-8611.5):	With 1000 gal 15% HCL Acid, 12790 bbls Treated Slick Water, 99959 lbs Common White - 100 Mesh proppant, 398568 lbs Premium White - 40/70 proppant. Max rate of 90.6 bpm, average rate of 89.7 bpm with max pressure of 7455 psi and average pressure of 6010 psi.
Interval 53 6/3/2018	(8242-8413.5):	With 1000 gal 15% HCL Acid, 12929 bbls Treated Slick Water, 101732 lbs Common White - 100 Mesh proppant, 400087 lbs Premium White - 40/70 proppant. Max rate of 91.1 bpm, average rate of 90.0 bpm with max pressure of 6927 psi and average pressure of 6027 psi.
Interval 54 6/3/2018	(8037-8206.5):	With 1000 gal 15% HCL Acid, 13046 bbls Treated Slick Water, 102695 lbs Common White - 100 Mesh proppant, 401188 lbs Premium White - 40/70 proppant. Max rate of 90.9 bpm, average rate of 87.0 bpm with max pressure of 8204 psi and average pressure of 6246 psi.
Interval 55 6/3/2018	(7832-8001.5):	With 1000 gal 15% HCL Acid, 11732 bbls Treated Slick Water, 99698 lbs Common White - 100 Mesh proppant, 409407 lbs Premium White - 40/70 proppant. Max rate of 91.6 bpm, average rate of 88.3 bpm with max pressure of 6840 psi and average pressure of 5953 psi.
Interval 56 6/4/2018	(7650-7796.5):	With 1000 gal 15% HCL Acid, 12922 bbls Treated Slick Water, 116566 lbs Common White - 100 Mesh proppant, 399048 lbs Premium White - 40/70 proppant. Max rate of 91.7 bpm, average rate of 87.5 bpm with max pressure of 6904 psi and average pressure of 5920 psi.