



Hilcorp 3401 30th Street Farmington NM, 87401	Project: Braden Head Project Name / Number: Asset: South Project Manager: David Bounds	Reported: 08/31/18 10:01
---	--	-----------------------------

Schwerdtfeger A22 30-045-11728

Area 6

1808220-03 (Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Chloride*	59.6	100	19.3	mg/L	100	08/24/18	EPA300.0		AES
pH*	10.0			pH Units	1	08/21/18	EPA150.1	H1, Q1	JDU
Total Dissolved Solids*	4940	10.0		mg/L	1	08/24/18	EPA160.1		JDU
Sulfate*	3260	100	29.5	mg/L	100	08/24/18	EPA300.0		AES

Green Analytical Laboratories

Jeremy D Allen For Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.