State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

Ken McQueen Cabinet Secretary

Heather Riley, Division Director Oil Conservation Division



Matthias Sayer Deputy Cabinet Secretary

New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-4 or 3160-5 form.

Operator Signature Date: 11-6-18 Well information:
HILCORP ENERGY COMPANY, SAN JUAN 28 6 UNIT #126, API# 30-039-20065
Application Type: P&A Drilling/Casing Change Location Change
Recomplete/DHC (For hydraulic fracturing operations review EPA Underground injection control Guidance #84; Submit Gas Capture Plan form prior to spudding or initiating recompletion operations)
Other:

Conditions of Approval:

- Notify the OCD 24hrs prior to beginning operations.
- Submit the cement bond log (CBL) to the Agencies for review and approval prior to perforating the formation.
- If needed, submit proposed remediation plan to the Agencies for review and approval prior to starting remediation.

NMOCD Approved by Signature

11-16-18 Date Form 3160-5 (August 2007)


UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

5. Lease Serial No.

			NMSF079192				
SUN	IDRY NOTICES AND REPORTS	.S	6. If Indian, Allottee or Trib	e Name			
	e this form for proposals to dril						
abandoned	well. Use Form 3160-3 (APD) f	or such pi	oposals.				
	IBMIT IN TRIPLICATE - Other instruction	ns on page 2.		7. If Unit of CA/Agreement, Name and/or No.			
1. Type of Well					n Juan 28-6 Unit		
Oil Well	X Gas Well Other			8. Well Name and No.	ion 20 6 Unit 126		
2. Name of Operator				9. API Well No.	ıan 28-6 Unit 126		
2. Name of Operator	Hilcorp Energy Company				-039-20065		
3a. Address		one No. (inclu	de area code)	10. Field and Pool or Explor	ratory Area		
382 Road 3100, Aztec, N	IM 87410	505-599	9-3400	Blanco Mes	saverde/Basin Dakota		
4. Location of Well (Footage, Sec., T., L. Surface Unit N (S	R.,M., or Survey Description) SESW) 800'FSL & 1770'FWL, Se	c. 16, T28	N, R06W	11. Country or Parish, State Rio Arriba	, New Mexico		
12. CHECK	THE APPROPRIATE BOX(ES) TO IN	IDICATE NA	ATURE OF NO	TICE, REPORT OR OT	HER DATA		
TYPE OF SUBMISSION			TYPE OF AC	CTION	¥		
X Notice of Intent	Acidize D	eepen		Production (Start/Resume)	Water Shut-Off		
	Alter Casing Fr	racture Treat		Reclamation	Well Integrity		
Subsequent Report	Casing Repair N	ew Construction	on X	Recomplete	Other		
	Change Plans Pl	lug and Aband	on .	Temporarily Abandon			
Final Abandonment Notice	Convert to Injection	lug Back		Water Disposal			
existing Dakota with the application will be subr	ny plans to recomplete the subject Mesaverde. Attached is the Monited and approved before the formed after surface disturbing	IV C102, re work proc	ecomplete p eeds. A clos	rocedure & wellbore	schematic. The DHC		
	nding approval of well density			PLD C104 FOR O	ensity exception		
	MMOCB		BLM'S APPRO	OVAL OR ACCEPTANCE	AWTING		
	0013		ACTION DOE	S NOT RELIEVE THE L	ESSEE AND		
	NOV 15 2018		OPERATOR F	ROM OBTAINING ANY	OTHER		
	DISTRICT III		ON FEDERAL	TION REQUIRED FOR (AND INDIAN LANDS	PERATIONS		
14. I hereby certify that the foregoing i	s true and correct. Name (Printed/Typed)						
					5		
Etta Trujillo		Title	Operations/I	Regulatory Technician	- Sr.		
Signature	FILE	Date		11/6/20	18		
1	THIS SPACE FOR FE	DERAL OF	R STATE OF	FICE USE			
Approved by	7						
					/ / / /		
Stock!	gw a		Title	PE	Date ////4//8		
	hed. Approval of this notice does not warran		Office		/ /		
entitle the applicant holds legal or equitar	le title to those rights in the subject lease which thereon.	cii woulu	Office	FFO	/		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 259458



WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-20065	2. Pool Code 72319	3. Pool Name BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code 318710	5. Property Name SAN JUAN 28 6 UNIT	6. Well No. 126
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6554

10. Surface Location

UL - Lot N	Section 16	Township 28N	Range 06W	Lot Idn	Feet From 800	N/S Line S	Feet From 1770	E/W Line W	County RIO ARRI	ва

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A	Acres 0.00 W/2		13. Joint or Infill		14. Consolidation	n Code	1	15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Etta Trujilla

Title: Operations/Regulatory Tech Sr

Date: 11/6/2018

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

David Kilven

Date of Survey:

4/3/1967

Certificate Number:

1760



HILCORP ENERGY COMPANY SAN JUAN 28-6 UNIT 126 MESA VERDE RECOMPLETION SUNDRY

JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2-3/8" tubing set at 7,624'.
- 3. Set a 4-1/2" plug at +/- 5,950' to isolate the Dakota.
- 4. RU Wireline. Run CBL. Record Top of Cement.
- 5. Load the hole and pressure test the casing.
- 6. N/D BOP, N/U frac stack and pressure test frac stack.
- 7. Perforate and frac the Mesa Verde formation (Top Perforation @ 4,900"; Bottom Perforation @ 5,700").
- 8. Isolate frac stages with a plug.
- 9. Nipple down frac stack, nipple up BOP and test.
- 10. TIH with a mill and drill out top isolation plug and Mesa Verde frac plugs.
- 11. Clean out to Dakota isolation plug.
- 12. Drill out Dakota isolation plug and cleanout to PBTD of 7,889'. TOOH.
- 13. TIH and land production tubing. Get a commingled Dakota/Mesa Verde flow rate.



HILCORP ENERGY COMPANY SAN JUAN 28-6 UNIT 126 MESA VERDE RECOMPLETION SUNDRY

NOV 15 2018

DISTRICT III

