

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-045-25709
1. Type of Well: Oil Well ☐ Gas Well ☒ Other		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator BP America Production Company- L48		6. State Oil & Gas Lease No.
3. Address of Operator 380 Airport Road Durango, CO 81303		7. Lease Name or Unit Agreement Name Northeast Blanco Unit
4. Well Location Unit Letter <u>D</u> : <u>990</u> feet from the <u>North</u> line and <u>990</u> feet from the <u>West</u> line Section <u>13</u> Township <u>31N</u> Range <u>7W</u> NMPM San Juan County		8. Well Number 218
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6638' GR		9. OGRID Number 000778
		10. Pool name or Wildcat BASIN FRUITLAND COAL - POW

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: Annual POW Report ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

BP is submitting the pressure test and MIT chart for the NEBU 218 POW well. The casing passed a MIT at approximately 500 psi, and the pressure and temperature readings on 8/15/18 were 1333 psia and 105 degrees F at 3075'.

Spud Date:

Rig Release Date:

NMOC D TA Expires 8-15-2023

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE P. Campbell TITLE Regulatory Analyst DATE 10/18/2018

Type or print name Patti Campbell E-mail address: patti.campbell@bpx.com PHONE: 970-712-5997

For State Use Only

APPROVED BY: [Signature] TITLE Deputy Oil & Gas Inspector, District #3 DATE 11/16/18

Conditions of Approval (if any):

AY

NMOC D

OCT 26 2018

DISTRICT III

15

NEBU 218
30-045-25709
Pressure Temp Data

Time	Delta Time	Pressure (PSIa)	Temperature (F)	Depth
12:11:42	0.00000	9.86	79.79	
12:11:51	0.00250	9.86	79.83	
12:12:01	0.00528	9.89	79.87	
12:12:11	0.00806	9.87	79.91	
12:12:21	0.01083	9.85	79.97	
12:12:31	0.01361	9.82	80.03	
12:12:41	0.01639	9.83	80.09	
12:12:51	0.01917	9.82	80.10	
12:13:01	0.02194	9.83	80.12	
12:13:11	0.02472	9.82	80.14	
12:13:21	0.02750	9.80	80.15	
12:13:31	0.03028	9.77	80.16	
12:13:41	0.03306	9.80	80.18	
12:13:51	0.03583	9.78	80.19	
12:14:01	0.03861	9.74	80.22	
12:14:11	0.04139	9.73	80.24	
12:14:21	0.04417	9.73	80.25	
12:14:31	0.04694	9.72	80.28	
12:14:41	0.04972	9.72	80.29	
12:14:51	0.05250	9.83	80.28	
12:15:01	0.05528	9.89	80.19	
12:15:11	0.05806	21.68	78.29	0
12:15:21	0.06083	32.57	71.90	
12:15:31	0.06361	43.29	66.48	
12:15:41	0.06639	53.88	62.66	
12:15:51	0.06917	64.42	60.01	
12:16:01	0.07194	74.99	58.22	
12:16:11	0.07472	86.13	57.03	
12:16:21	0.07750	99.30	56.24	
12:16:31	0.08028	112.07	55.79	
12:16:41	0.08306	125.13	55.62	
12:16:51	0.08583	138.63	55.64	
12:17:01	0.08861	152.09	55.79	
12:17:11	0.09139	166.27	56.03	
12:17:21	0.09417	180.75	56.32	
12:17:31	0.09694	195.21	56.64	
12:17:41	0.09972	209.92	56.99	500
12:17:51	0.10250	225.58	57.37	

NEBU 218
30-045-25709
Pressure Temp Data

12:18:01	0.10528	240.46	57.80	
12:18:11	0.10806	256.40	58.23	
12:18:21	0.11083	272.32	58.70	
12:18:31	0.11361	288.68	59.17	
12:18:41	0.11639	305.25	59.67	
12:18:51	0.11917	322.01	60.21	
12:19:01	0.12194	339.26	60.73	
12:19:11	0.12472	357.23	61.28	
12:19:21	0.12750	374.50	61.81	
12:19:31	0.13028	393.08	62.34	
12:19:41	0.13306	410.19	62.89	
12:19:51	0.13583	427.37	63.44	
12:20:01	0.13861	445.63	63.98	1000
12:20:11	0.14139	463.93	64.55	
12:20:21	0.14417	482.09	65.16	
12:20:31	0.14694	501.14	65.80	
12:20:41	0.14972	520.15	66.49	
12:20:51	0.15250	539.22	67.19	
12:21:01	0.15528	553.95	67.91	
12:21:11	0.15806	569.41	68.60	
12:21:21	0.16083	584.45	69.28	
12:21:31	0.16361	599.62	69.93	
12:21:41	0.16639	615.54	70.56	
12:21:51	0.16917	631.62	71.18	
12:22:01	0.17194	647.95	71.80	1500
12:22:11	0.17472	663.94	72.43	
12:22:21	0.17750	679.76	73.06	
12:22:31	0.18028	695.74	73.65	
12:22:41	0.18306	711.55	74.23	
12:22:51	0.18583	728.36	74.81	
12:23:01	0.18861	745.77	75.44	
12:23:11	0.19139	762.12	76.09	
12:23:21	0.19417	779.59	76.75	
12:23:31	0.19694	796.51	77.44	
12:23:41	0.19972	814.20	78.17	
12:23:51	0.20250	832.35	78.89	
12:24:01	0.20528	850.00	79.63	
12:24:11	0.20806	866.60	80.36	
12:24:21	0.21083	884.13	81.09	2000

NEBU 218
30-045-25709
Pressure Temp Data

12:24:31	0.21361	901.64	81.80	
12:24:41	0.21639	918.97	82.49	
12:24:51	0.21917	936.95	83.21	
12:25:01	0.22194	954.64	83.92	
12:25:11	0.22472	972.79	84.64	
12:25:21	0.22750	991.89	85.41	
12:25:31	0.23028	1011.01	86.20	
12:25:41	0.23306	1029.80	87.07	
12:25:51	0.23583	1048.59	88.00	
12:26:01	0.23861	1066.63	88.91	
12:26:11	0.24139	1086.70	89.75	
12:26:21	0.24417	1104.40	90.55	2500
12:26:31	0.24694	1121.47	91.39	
12:26:41	0.24972	1139.75	92.25	
12:26:51	0.25250	1157.90	93.12	
12:27:01	0.25528	1175.80	94.01	
12:27:11	0.25806	1194.14	94.89	
12:27:21	0.26083	1212.76	95.79	
12:27:31	0.26361	1231.23	96.69	
12:27:41	0.26639	1247.46	97.61	
12:27:51	0.26917	1263.25	98.52	
12:28:01	0.27194	1279.44	99.38	
12:28:11	0.27472	1294.36	100.24	
12:28:21	0.27750	1303.56	101.10	3000
12:28:31	0.28028	1314.56	101.84	
12:28:41	0.28306	1326.24	102.54	
12:28:51	0.28583	1331.45	103.20	
12:29:01	0.28861	1331.46	103.76	3075
12:29:11	0.29139	1331.94	104.11	
12:29:21	0.29417	1332.60	104.34	
12:29:31	0.29694	1331.67	104.51	
12:29:41	0.29972	1332.23	104.65	
12:29:51	0.30250	1332.62	104.74	
12:30:01	0.30528	1332.41	104.83	
12:30:11	0.30806	1332.17	104.88	
12:30:21	0.31083	1332.24	104.94	
12:30:31	0.31361	1332.37	104.99	
12:30:41	0.31639	1332.39	105.03	
12:30:51	0.31917	1332.31	105.06	

NEBU 218
30-045-25709
Pressure Temp Data

12:31:01	0.32194	1332.34	105.09
12:31:11	0.32472	1332.38	105.11
12:31:21	0.32750	1332.32	105.12
12:31:31	0.33028	1332.57	105.15
12:31:41	0.33306	1332.28	105.16
12:31:51	0.33583	1332.20	105.17
12:32:01	0.33861	1332.33	105.18
12:32:11	0.34139	1332.40	105.20
12:32:21	0.34417	1332.38	105.20
12:32:31	0.34694	1332.32	105.21
12:32:41	0.34972	1332.29	105.22
12:32:51	0.35250	1332.34	105.23
12:33:01	0.35528	1332.36	105.25
12:33:11	0.35806	1332.32	105.24
12:33:21	0.36083	1332.33	105.25
12:33:31	0.36361	1332.32	105.25
12:33:41	0.36639	1332.32	105.26
12:33:51	0.36917	1332.34	105.26
12:34:01	0.37194	1332.32	105.26
12:34:11	0.37472	1332.33	105.27
12:34:21	0.37750	1332.36	105.28
12:34:31	0.38028	1332.34	105.28
12:34:41	0.38306	1332.34	105.28
12:34:51	0.38583	1332.33	105.29
12:35:01	0.38861	1332.36	105.30
12:35:11	0.39139	1332.35	105.29
12:35:21	0.39417	1332.34	105.30
12:35:31	0.39694	1332.32	105.30
12:35:41	0.39972	1332.32	105.30
12:35:51	0.40250	1332.35	105.32
12:36:01	0.40528	1332.33	105.31
12:36:11	0.40806	1332.34	105.32
12:36:21	0.41083	1332.36	105.32
12:36:31	0.41361	1332.36	105.32
12:36:41	0.41639	1332.34	105.33
12:36:51	0.41917	1332.35	105.34
12:37:01	0.42194	1332.37	105.34
12:37:11	0.42472	1332.35	105.32
12:37:21	0.42750	1332.41	105.34

Start Pumping

NEBU 218
30-045-25709
Pressure Temp Data

12:37:31	0.43028	1332.45	105.34
12:37:41	0.43306	1332.44	105.34
12:37:51	0.43583	1332.49	105.35
12:38:01	0.43861	1332.82	105.34
12:38:11	0.44139	1332.56	105.35
12:38:21	0.44417	1332.45	105.35
12:38:31	0.44694	1332.56	105.35
12:38:41	0.44972	1332.56	105.36
12:38:51	0.45250	1332.57	105.36
12:39:01	0.45528	1332.57	105.36
12:39:11	0.45806	1331.96	105.36
12:39:21	0.46083	1332.23	105.36
12:39:31	0.46361	1332.95	105.36
12:39:41	0.46639	1332.81	105.37
12:39:51	0.46917	1332.69	105.36
12:40:01	0.47194	1332.62	105.36
12:40:11	0.47472	1332.66	105.36
12:40:21	0.47750	1332.69	105.36
12:40:31	0.48028	1332.68	105.36
12:40:41	0.48306	1332.67	105.37
12:40:51	0.48583	1332.66	105.37
12:41:01	0.48861	1332.68	105.36
12:41:11	0.49139	1332.68	105.37
12:41:21	0.49417	1332.65	105.36
12:41:31	0.49694	1332.68	105.37
12:41:41	0.49972	1332.66	105.37
12:41:51	0.50250	1332.65	105.37
12:42:01	0.50528	1332.69	105.37
12:42:11	0.50806	1332.65	105.36
12:42:21	0.51083	1332.65	105.37
12:42:31	0.51361	1332.65	105.37
12:42:41	0.51639	1332.67	105.38
12:42:51	0.51917	1332.67	105.38
12:43:01	0.52194	1332.67	105.37
12:43:11	0.52472	1332.68	105.37
12:43:21	0.52750	1332.66	105.37
12:43:31	0.53028	1332.70	105.38
12:43:41	0.53306	1332.64	105.38

500 PSI on CSG,
Start of 30 Min

NEBU 218
30-045-25709
Pressure Temp Data

12:43:51	0.53583	1332.66	105.38
12:44:01	0.53861	1332.69	105.38
12:44:11	0.54139	1332.68	105.38
12:44:21	0.54417	1332.68	105.38
12:44:31	0.54694	1332.68	105.38
12:44:41	0.54972	1332.67	105.38
12:44:51	0.55250	1332.69	105.38
12:45:01	0.55528	1332.68	105.38
12:45:11	0.55806	1332.69	105.38
12:45:21	0.56083	1332.68	105.38
12:45:31	0.56361	1332.68	105.39
12:45:41	0.56639	1332.68	105.38
12:45:51	0.56917	1332.68	105.38
12:46:01	0.57194	1332.69	105.39
12:46:11	0.57472	1332.69	105.39
12:46:21	0.57750	1332.67	105.38
12:46:31	0.58028	1332.68	105.38
12:46:41	0.58306	1332.70	105.39
12:46:51	0.58583	1332.70	105.38
12:47:01	0.58861	1332.70	105.38
12:47:11	0.59139	1332.71	105.40
12:47:21	0.59417	1332.71	105.40
12:47:31	0.59694	1332.70	105.39
12:47:41	0.59972	1332.72	105.40
12:47:51	0.60250	1332.67	105.39
12:48:01	0.60528	1332.69	105.39
12:48:11	0.60806	1332.70	105.40
12:48:21	0.61083	1332.69	105.40
12:48:31	0.61361	1332.71	105.40
12:48:41	0.61639	1332.70	105.39
12:48:51	0.61917	1332.71	105.40
12:49:01	0.62194	1332.70	105.40
12:49:11	0.62472	1332.71	105.39
12:49:21	0.62750	1332.72	105.39
12:49:31	0.63028	1332.70	105.39
12:49:41	0.63306	1332.70	105.40
12:49:51	0.63583	1332.71	105.39
12:50:01	0.63861	1332.70	105.39
12:50:11	0.64139	1332.71	105.39

NEBU 218
30-045-25709
Pressure Temp Data

12:50:21	0.64417	1332.72	105.40
12:50:31	0.64694	1332.73	105.40
12:50:41	0.64972	1332.74	105.39
12:50:51	0.65250	1332.71	105.40
12:51:01	0.65528	1332.71	105.39
12:51:11	0.65806	1332.72	105.39
12:51:21	0.66083	1332.69	105.40
12:51:31	0.66361	1332.72	105.40
12:51:41	0.66639	1332.75	105.40
12:51:51	0.66917	1332.73	105.40
12:52:01	0.67194	1332.73	105.39
12:52:11	0.67472	1332.72	105.40
12:52:21	0.67750	1332.74	105.40
12:52:31	0.68028	1332.74	105.40
12:52:41	0.68306	1332.74	105.40
12:52:51	0.68583	1332.75	105.41
12:53:01	0.68861	1332.75	105.40
12:53:11	0.69139	1332.74	105.40
12:53:21	0.69417	1332.73	105.39
12:53:31	0.69694	1332.74	105.40
12:53:41	0.69972	1332.74	105.40
12:53:51	0.70250	1332.75	105.41
12:54:01	0.70528	1332.74	105.40
12:54:11	0.70806	1332.74	105.41
12:54:21	0.71083	1332.77	105.40
12:54:31	0.71361	1332.75	105.40
12:54:41	0.71639	1332.67	105.40
12:54:51	0.71917	1332.82	105.39
12:55:01	0.72194	1332.85	105.41
12:55:11	0.72472	1333.30	105.41
12:55:21	0.72750	1332.67	105.40
12:55:31	0.73028	1332.64	105.40
12:55:41	0.73306	1332.87	105.41
12:55:51	0.73583	1332.90	105.40
12:56:01	0.73861	1332.86	105.40
12:56:11	0.74139	1332.82	105.40
12:56:21	0.74417	1332.80	105.40
12:56:31	0.74694	1332.86	105.41
12:56:41	0.74972	1332.87	105.42

NEBU 218
30-045-25709
Pressure Temp Data

12:56:51	0.75250	1332.84	105.40
12:57:01	0.75528	1332.84	105.41
12:57:11	0.75806	1332.86	105.41
12:57:21	0.76083	1332.85	105.40
12:57:31	0.76361	1332.87	105.41
12:57:41	0.76639	1332.87	105.40
12:57:51	0.76917	1332.86	105.40
12:58:01	0.77194	1332.87	105.40
12:58:11	0.77472	1332.86	105.41
12:58:21	0.77750	1332.89	105.40
12:58:31	0.78028	1332.89	105.41
12:58:41	0.78306	1332.88	105.40
12:58:51	0.78583	1332.88	105.41
12:59:01	0.78861	1332.89	105.42
12:59:11	0.79139	1332.90	105.41
12:59:21	0.79417	1332.88	105.41
12:59:31	0.79694	1332.91	105.41
12:59:41	0.79972	1332.90	105.41
12:59:51	0.80250	1332.89	105.41
13:00:01	0.80528	1332.89	105.41
13:00:11	0.80806	1332.89	105.40
13:00:21	0.81083	1332.90	105.41
13:00:31	0.81361	1332.89	105.41
13:00:41	0.81639	1332.91	105.41
13:00:51	0.81917	1332.90	105.41
13:01:01	0.82194	1332.93	105.41
13:01:11	0.82472	1332.91	105.41
13:01:21	0.82750	1332.93	105.41
13:01:31	0.83028	1332.95	105.41
13:01:41	0.83306	1332.92	105.40
13:01:51	0.83583	1332.90	105.40
13:02:01	0.83861	1332.93	105.41
13:02:11	0.84139	1332.93	105.41
13:02:21	0.84417	1332.93	105.41
13:02:31	0.84694	1332.92	105.40
13:02:41	0.84972	1332.94	105.40
13:02:51	0.85250	1332.93	105.41
13:03:01	0.85528	1332.93	105.41
13:03:11	0.85806	1332.95	105.40

NEBU 218
30-045-25709
Pressure Temp Data

13:03:21	0.86083	1332.95	105.41
13:03:31	0.86361	1332.94	105.40
13:03:41	0.86639	1332.97	105.41
13:03:51	0.86917	1332.95	105.41
13:04:01	0.87194	1332.98	105.41
13:04:11	0.87472	1332.96	105.41
13:04:21	0.87750	1332.98	105.41
13:04:31	0.88028	1332.97	105.41
13:04:41	0.88306	1332.95	105.41
13:04:51	0.88583	1332.95	105.41
13:05:01	0.88861	1332.97	105.41
13:05:11	0.89139	1332.96	105.40
13:05:21	0.89417	1333.01	105.41
13:05:31	0.89694	1333.00	105.41
13:05:41	0.89972	1333.00	105.41
13:05:51	0.90250	1333.00	105.41
13:06:01	0.90528	1333.01	105.41
13:06:11	0.90806	1333.00	105.41
13:06:21	0.91083	1332.99	105.40
13:06:31	0.91361	1332.98	105.41
13:06:41	0.91639	1333.02	105.41
13:06:51	0.91917	1333.00	105.42
13:07:01	0.92194	1333.02	105.41
13:07:11	0.92472	1333.01	105.41
13:07:21	0.92750	1333.01	105.41
13:07:31	0.93028	1333.01	105.41
13:07:41	0.93306	1333.03	105.41
13:07:51	0.93583	1333.03	105.41
13:08:01	0.93861	1333.01	105.41
13:08:11	0.94139	1333.01	105.41
13:08:21	0.94417	1333.03	105.41
13:08:31	0.94694	1333.03	105.41
13:08:41	0.94972	1333.03	105.41
13:08:51	0.95250	1333.03	105.40
13:09:01	0.95528	1333.02	105.41
13:09:11	0.95806	1333.02	105.41
13:09:21	0.96083	1333.04	105.41
13:09:31	0.96361	1333.06	105.41
13:09:41	0.96639	1333.06	105.41

NEBU 218
30-045-25709
Pressure Temp Data

13:09:51	0.96917	1333.04	105.40
13:10:01	0.97194	1333.04	105.41
13:10:11	0.97472	1333.03	105.40
13:10:21	0.97750	1333.02	105.41
13:10:31	0.98028	1333.07	105.42
13:10:41	0.98306	1333.04	105.40
13:10:51	0.98583	1333.05	105.41
13:11:01	0.98861	1333.07	105.41
13:11:11	0.99139	1333.05	105.40
13:11:21	0.99417	1333.07	105.40
13:11:31	0.99694	1333.07	105.41
13:11:41	0.99972	1333.03	105.41
13:11:51	1.00250	1333.07	105.41
13:12:01	1.00528	1332.95	105.41
13:12:11	1.00806	1332.88	105.40
13:12:21	1.01083	1332.86	105.41
13:12:31	1.01361	1332.82	105.40
13:12:41	1.01639	1332.83	105.41
13:12:51	1.01917	1332.75	105.39
13:13:01	1.02194	1332.73	105.41
13:13:11	1.02472	1326.45	105.41
13:13:21	1.02750	1313.72	105.35
13:13:31	1.03028	1297.58	105.13
13:13:41	1.03306	1281.21	104.73
13:13:51	1.03583	1264.88	104.19
13:14:01	1.03861	1249.39	103.56
13:14:11	1.04139	1233.81	102.87
13:14:21	1.04417	1218.39	102.17
13:14:31	1.04694	1203.03	101.44
13:14:41	1.04972	1186.72	100.70
13:14:51	1.05250	1170.56	99.91
13:15:01	1.05528	1154.41	99.13
13:15:11	1.05806	1138.22	98.37
13:15:21	1.06083	1122.31	97.58
13:15:31	1.06361	1105.38	96.80
13:15:41	1.06639	1088.84	95.99
13:15:51	1.06917	1072.52	95.15
13:16:01	1.07194	1055.57	94.35
13:16:11	1.07472	1038.62	93.61

NEBU 218
30-045-25709
Pressure Temp Data

13:16:21	1.07750	1021.75	92.91
13:16:31	1.08028	1004.45	92.18
13:16:41	1.08306	987.48	91.38
13:16:51	1.08583	969.93	90.55
13:17:01	1.08861	952.76	89.71
13:17:11	1.09139	934.90	88.87
13:17:21	1.09417	917.37	88.06
13:17:31	1.09694	899.83	87.27
13:17:41	1.09972	881.00	86.51
13:17:51	1.10250	863.60	85.74
13:18:01	1.10528	846.10	85.01
13:18:11	1.10806	827.55	84.29
13:18:21	1.11083	809.01	83.54
13:18:31	1.11361	790.49	82.78
13:18:41	1.11639	771.87	82.03
13:18:51	1.11917	752.95	81.23
13:19:01	1.12194	733.95	80.44
13:19:11	1.12472	715.92	79.65
13:19:21	1.12750	696.51	78.87
13:19:31	1.13028	677.12	78.07
13:19:41	1.13306	657.62	77.31
13:19:51	1.13583	638.26	76.59
13:20:01	1.13861	617.94	75.86
13:20:11	1.14139	598.48	75.12
13:20:21	1.14417	578.23	74.36
13:20:31	1.14694	558.18	73.61
13:20:41	1.14972	537.53	72.85
13:20:51	1.15250	516.99	72.05
13:21:01	1.15528	496.75	71.25
13:21:11	1.15806	475.16	70.45
13:21:21	1.16083	453.81	69.61
13:21:31	1.16361	432.96	68.78
13:21:41	1.16639	411.27	67.93
13:21:51	1.16917	389.20	67.13
13:22:01	1.17194	367.47	66.37
13:22:11	1.17472	345.68	65.62
13:22:21	1.17750	322.55	64.89
13:22:31	1.18028	300.51	64.17
13:22:41	1.18306	277.96	63.46

NEBU 218
30-045-25709
Pressure Temp Data

13:22:51	1.18583	254.37	62.71
13:23:01	1.18861	231.69	61.94
13:23:11	1.19139	208.37	61.17
13:23:21	1.19417	184.45	60.40
13:23:31	1.19694	160.39	59.63
13:23:41	1.19972	136.03	58.85
13:23:51	1.20250	114.03	58.08
13:24:01	1.20528	95.74	57.27
13:24:11	1.20806	77.99	56.46
13:24:21	1.21083	60.22	55.74
13:24:31	1.21361	44.00	55.09
13:24:41	1.21639	27.77	54.52
13:24:51	1.21917	12.48	54.08
13:25:01	1.22194	9.75	53.86
13:25:11	1.22472	9.83	53.74
13:25:21	1.22750	9.78	53.66
13:25:31	1.23028	9.76	53.62
13:25:41	1.23306	9.74	53.65
13:25:51	1.23583	9.78	53.77
13:26:01	1.23861	9.81	54.00
13:26:11	1.24139	9.81	54.26
13:26:21	1.24417	9.79	54.54
13:26:31	1.24694	9.84	54.87
13:26:41	1.24972	9.85	55.23
13:26:51	1.25250	9.90	55.57
13:27:01	1.25528	10.04	55.94
13:27:11	1.25806	10.02	56.29
13:27:21	1.26083	10.05	56.65
13:27:31	1.26361	10.03	56.98
13:27:41	1.26639	10.06	57.24
13:27:51	1.26917	10.02	57.43
13:28:01	1.27194	10.00	57.64
13:28:11	1.27472	10.01	57.85
13:28:21	1.27750	10.02	58.05
13:28:31	1.28028	10.02	58.24
13:28:41	1.28306	9.99	58.43
13:28:51	1.28583	9.98	58.60
13:29:01	1.28861	9.99	58.76
13:29:11	1.29139	9.98	58.90

NEBU 218
30-045-25709
Pressure Temp Data

13:29:21	1.29417	10.00	59.03
13:29:31	1.29694	9.98	59.17
13:29:41	1.29972	9.94	59.30
13:29:51	1.30250	9.91	59.46

NEBU 218

API # 3004525709

Unit D, Sec. 16, 31N, 07W

POW Survey Report

BP would like to submit pressure test information on the above named well. The casing passed a mechanical integrity test at approximately 500 psi, and the pressure and temperature readings from 8/15/2018 were 1333 psia and 105°F at 3075'.

