Form 3160-5 (August 2007)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

3 200	0	-			-
£ 1			11	===	
W. 6000	4	Acres 2	A. 1		

FORM APPROVED

OMB No. 1004-0137
Expires: July 31, 2010

				N. Lease Serial No.	MSF080668	
	NDRY NOTICES AND REPO			6. If Indian, Allottee or Tribe Name		
	e this form for proposals to I well. Use Form 3160-3 (Al			agement		
SL	JBMIT IN TRIPLICATE - Other insti	ructions on page 2.		7. If Unit of CA/Agreement,	Name and/or No.	
1. Type of Well						
Oil Well	X Gas Well Other			8. Well Name and No.	uan 27-4 Unit 59	
2. Name of Operator	U:1			9. API Well No.		
3a. Address	Hilcorp Energy Compar	<b>ny</b> 3b. Phone No. (include a	ran anda)	10. Field and Pool or Explor	-039-20369	
382 Road 3100, Aztec, N	The second secon	505-599-3	,		saverde/Basin Dakota	
4. Location of Well (Footage, Sec., T.,I Surface Unit G (S	R.,M., or Survey Description)  SWNE) 1460'FNL & 1800' FE	EL, Sec. 4, T27 <b>N</b> ,	R04W	11. Country or Parish, State Rio Arriba	, New Mexico	
12. CHECK	THE APPROPRIATE BOX(ES)	TO INDICATE NATU	IRE OF NOT	ICE, REPORT OR OTH	HER DATA	
TYPE OF SUBMISSION		TY	PE OF AC	TION		
X Notice of Intent	Acidize	Deepen	Pı	roduction (Start/Resume)	Water Shut-Off	
	Alter Casing	Fracture Treat	R	eclamation	Well Integrity	
Subsequent Report	Casing Repair	New Construction	X R	ecomplete	Other	
EK.	Change Plans	Plug and Abandon	Te	emporarily Abandon		
Final Abandonment Notice	Convert to Injection	Plug Back	W	ater Disposal		
the existing Dakota. At	ny plans to recomplete the tached is the MV C102, rec d prior to commingling. A ce disturbing activities.	omplete procedu	re & wellbo	ore schematic. The utilized. Interim recla SUBM	DHC application will be	
DEVISED: Undated eah	amatic with formation tons	2 nranged MIV	a a wfa wati a w	EOD DEVII	EW AND APPROVAL	
REVISED: Updated sch	ematic with formation tops			OVAL OR ACCEPTANC		
	MARGON			S NOT RELIEVE THE		
	NMOCD	C	PERATOR I	FROM OBTAINING AN	YOTHER	
THE PART OF THE	TY EED 0 4 2010	A		TION REQUIRED FOR	OPERATIONS	
HOLD C104 FOR DATE	ptich LB U 1 2019	(	N FEDERAL	L AND INDIAN LANDS	Notify NMOCD 24 hrs prior to beginning	
14. I hereby certify that the foregoing is	Strue and correct Name Printed Time				operations	
14. Thereby certify that the foregoing is	, true and correct. Ivalile (1 timew 1 ype	ocey mass				
Tammy Jones		Title O <sub>I</sub>	erations/Re	egulatory Technician -	· Sr.	
	1					
Signature 1 ammy	- Long	Date		1/14/201	19	
	THIS SPACE FOR	R FEDERAL OR S	TATE OFF	ICE USE		
Approved by	2		Title	Pt	Date 1/3//19	
Conditions of approval, if any, are attact that the applicant holds legal or equitable antitle the conditions of the con			Office	FTO	/-//	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

**District IV** 

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural** Resources Oil Conservation Division 1220 S. St Francis Dr.

August 1, 2011

Permit 259317

Form C-102

# WELL LOCATION AND ACREAGE DEDICATION PLAT

Santa Fe. NM 87505

1. API Number	2. Pool Code	3. Pool Name
30-039-20369	72319	BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code	5. Property Name	6. Well No.
319210	SAN JUAN 27 4 UNIT	059
7. OGRID No.	8. Operator Name	9. Elevation
372171	HILCORP ENERGY COMPANY	7248


#### 10. Surface Location

UL - Lot	П	Section	T	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
	G		4	27N	04W		1460	N	1800	E		RIO ARRIBA

#### 11. Bottom Hole Location If Different From Surface

	The account of a section is a section in a section of a s									
	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 319,20			13. Joint or Infill		14. Consolidatio	n Code		15. Order No.		

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### **OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Tammy Jones

Title:

Operations/Regulatory Technician - Sr. Date

11/2/2018

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

David Kilven

Date of Survey:

3/9/1971

Certificate Number:

1760



# HILCORP ENERGY COMPANY SAN JUAN 27-4 UNIT 59 MESA VERDE RECOMPLETION SUNDRY

#### JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2-3/8" tubing set at 8,551'.
- 3. Set a 4-1/2" plug at +/- 7,050' to isolate the Dakota.
- 4. RU Wireline. Run CBL. Record Top of Cement.
- 5. Load the hole and pressure test the casing.
- 6. N/D BOP, N/U frac stack and pressure test frac stack.
- 7. Perforate and frac the Mesa Verde formation (Top Perforation @ 5,732'; Bottom Perforation @ 6,800').
- 8. Isolate frac stages with a plug.
- 9. Nipple down frac stack, nipple up BOP and test.
- 10. TIH with a mill and drill out top isolation plug and Mesa Verde frac plugs.
- 11. Clean out to Dakota isolation plug.
- 12. Drill out Dakota isolation plug and cleanout to PBTD of 8,624'. TOOH.
- 13. TIH and land production tubing. Get a commingled Dakota/Mesa Verde flow rate.



### **Current Schematic - Version 3**

Well Name: SAN JUAN 27-4 UNIT #59

API / UWI 3003920369 Surface Legal Location 004-027N-004W-G BASIN DAKOTA (PRORATED GAS) Route 1311 State/Province NEW MEXICO

Ground Elevation (ft) 7,247.00 KB-Ground Distance (ft) 9.00 KB-Ground Distance (ft) KB-Casing Flange Distance (ft) KB-Tubing Hanger Distance (ft)

