

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
NMSF079391

6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

7. If Unit or CA/Agreement, Name and/or No.  
8910009500

1. Type of Well  
 Oil Well  Gas Well  Other

8. Well Name and No.  
SAN JUAN 27-5 UNIT 137F

2. Name of Operator  
HILCORP ENERGY COMPANY

Contact: TAMMY JONES  
E-Mail: tajones@hilcorp.com

9. API Well No.  
30-039-26627-00-S1

3a. Address  
1111 TRAVIS STREET  
HOUSTON, TX 77002

3b. Phone No. (include area code)  
Ph: 505-324-5185

10. Field and Pool or Exploratory Area  
BASIN DAKOTA

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
  
Sec 18 T27N R5W NENE 560FNL 305FEL  
36.579998 N Lat, 107.391906 W Lon

11. County or Parish, State  
  
RIO ARRIBA COUNTY, NM

**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input checked="" type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Hilcorp Energy Company plans to recomplete the subject well in the Mesaverde formation and downhole commingle with the existing Dakota. Attached is the MV C102, recomplete procedure, wellbore schematic & gas capture plan. The DHC application will be submitted and approved prior to commingling. A closed loop system will be utilized. Interim reclamation will be performed after surface disturbing activities.

**NMOC**  
**NOV 18 2019**  
**DISTRICT III**

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #491657 verified by the BLM Well Information System  
For HILCORP ENERGY COMPANY, sent to the Farmington  
Committed to AFMSS for processing by JOHN HOFFMAN on 11/14/2019 (20JH0067SE)

Name (Printed/Typed) TAMMY JONES

Title OPERATIONS/REGULATORY TECH-SR.

Signature (Electronic Submission)

Date 11/08/2019

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By JOHN HOFFMAN

Title PETROLEUM ENGINEER

Date 11/14/2019

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Farmington

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

*Handwritten mark*

4

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico  
Energy, Minerals and Natural  
Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505**

Form C-102  
August 1, 2011

Permit 274113

**WELL LOCATION AND ACREAGE DEDICATION PLAT**

1. API Number <b>30-039-26627</b>	2. Pool Code <b>72319</b>	3. Pool Name <b>BLANCO-MESAVERDE (PRORATED GAS)</b>
4. Property Code <b>318920</b>	5. Property Name <b>SAN JUAN 27 5 UNIT</b>	6. Well No. <b>137F</b>
7. OGRID No. <b>372171</b>	8. Operator Name <b>HILCORP ENERGY COMPANY</b>	9. Elevation <b>6535</b>


**10. Surface Location**

UL - Lot <b>A</b>	Section <b>18</b>	Township <b>27N</b>	Range <b>05W</b>	Lot Idn	Feet From <b>560</b>	N/S Line <b>N</b>	Feet From <b>305</b>	E/W Line <b>E</b>	County <b>RIO ARRIBA</b>
----------------------	----------------------	------------------------	---------------------	---------	-------------------------	----------------------	-------------------------	----------------------	-----------------------------

**11. Bottom Hole Location if Different From Surface**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres <b>320.00</b>			13. Joint or Infill		14. Consolidation Code			15. Order No.	

**NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION**

	<b>OPERATOR CERTIFICATION</b>
	<i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i>
	E-Signed By: <i>Tammy Jones</i>
	Title: <b>Operations/Regulatory Technician - Sr.</b> Date: <b>11/7/2019</b>
	<b>SURVEYOR CERTIFICATION</b>
	<i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i>
	Surveyed By: <b>Neale C. Edwards</b>
	Date of Survey: <b>9/20/2000</b>
	Certificate Number: <b>6857</b>



HILCORP ENERGY COMPANY  
SAN JUAN 27-5 UNIT 137F  
MESA VERDE RECOMPLETION SUNDRY

JOB PROCEDURES

1. MIRU service rig and associated equipment; test BOP. Check bradenhead pressures daily and record throughout the recomplete project. Notify NMOCD and BLM of any anomalous pressure changes.
2. TOOH with 2-3/8" tubing set at 7,633'.
3. Set a 4-1/2" plug at +/- 7,451' to isolate the **Dakota**. (Note: TOC at 2,700' by CBL)
4. Load the hole and perform MIT (Pressure test to 560 psi). Notify NMOCD and BLM +/-24hr prior to testing (and in the event of a failed test).
5. Set a 4-1/2" plug at +/- 5,900'.
6. Load the hole and pressure test the casing.
7. N/D BOP, N/U frac stack and pressure test frac stack.
8. Perforate and frac the **Mesaverde** formation (Top Perforation @ 4,900'; Bottom Perforation @ 5,800').
9. If needed, isolate frac stages with a plug.
10. Nipple down frac stack, nipple up BOP and test.
11. TIH with a mill and drill out any plugs above the **Dakota** isolation plug.
12. Clean out to **Dakota** isolation plug.
13. Drill out **Dakota** isolation plug and cleanout to PBTD of 7,753'. TOOH.
14. TIH and land production tubing. Get a commingled **Dakota/Mesaverde** flow rate.



**HILCORP ENERGY COMPANY**  
**SAN JUAN 27-5 UNIT 137F**  
**MESA VERDE RECOMPLETION SUNDRY**

SAN JUAN 27-5 UNIT 137F - CURRENT WELLBORE SCHEMATIC



**Current Schematic - Version 3**

**Well Name: SAN JUAN 27-5 UNIT #137F**

API UWI 3003926627	Surface Legal Location 018-027N-005W-A	Field Name BASIN DAKOTA (PRORATED GAS)	Route 1403	State/Province NEW MEXICO	Well Configuration Type
Ground Elevation (ft) 6,535.00	Original KBRT Elevation (ft) 6,547.00	KB-Ground Distance (ft) 12.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	

Original Hole, 10/31/2019 3:02:29 PM

