

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-045-08645
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator HILCORP ENERGY COMPANY		6. State Oil & Gas Lease No. E-292-21
3. Address of Operator 382 Road 3100, Aztec, NM 87410		7. Lease Name or Unit Agreement Name State Com N
4. Well Location Unit Letter <u>L</u> : <u>1324</u> feet from the <u>South</u> line and <u>882</u> feet from the <u>West</u> line Section <u>2</u> <u>29N</u> Township <u>8W</u> Range <u>NMPM</u> <u>San Juan</u> County		8. Well Number <u>10</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6047' GL		9. OGRID Number 372171
		10. Pool name or Wildcat Blanco Mesaverde

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <u>Payadd</u> <input checked="" type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Hilcorp Energy Company plans to add pay to the subject well in the Mesaverde formation per the attached procedure & current wellbore schematic. A closed loop system will be utilized.

File subsequent sundry & completion report c-103 once work is completed.

NMOC
JAN 31 2020
DISTRICT III

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kandis Roland TITLE Operations/Regulatory Technician - Sr. DATE 1/31/2020

Type or print name Kandis Roland E-mail address: kroland@hilcorp.com PHONE: (505)324-5149

For State Use Only

APPROVED BY: [Signature] TITLE SUPERVISOR DISTRICT #3 DATE 2/11/20

Conditions of Approval (if any): [Signature]

State Com N #10

T29N-R08W-Sec 2-L

API: 30-045-08645

Mesaverde Perf Add Procedure

1/29/20

1. MIRU service rig and associated equipment, test BOP.
2. Add extra tubing joints to approximately 3848'. Pump 100 gal 15% HCl down tubing to cover new perf interval. POOH 2-3/8" tbg.
3. NU lubricator. RU wireline. RIH and perforate Mesaverde @ approximately 3836'-3848' and 3790'-3800'. Note any pressure response observed. POOH. RD wireline. ND lubricator.
4. TIH with 2-3/8" tbg and retrieving head. POOH with RBP @ 4130'. TIH with mill. CO to PBTD @ 5139'. POOH with tbg and mill.
5. TIH with and land production tbg at approximately 5074'.
6. Release service rig and turn well over to production.

Well Name: STATE COM N 10

API / UWI 3004508645	Surface Legal Location 002-029N-008W-M	Field Name MV	Route 0800	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 6,047.00	Original KB/RT Elevation (ft) 6,059.00	KB-Ground Distance (ft) 12.00	KB-Casing Flange Distance (ft) 12.00	KB-Tubing Hanger Distance (ft) 12.00	

Vertical, Original Hole, 1/31/2020 8:14:57 AM

