

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-045-10701
1. Type of Well: Oil Well ☐ Gas Well ☒ Other		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator HILCORP ENERGY COMPANY		6. State Oil & Gas Lease No. E-8443
3. Address of Operator 382 Road 3100, Aztec, NM 87410		7. Lease Name or Unit Agreement Name State Gas Com BB
4. Well Location Unit Letter <u>M</u> : <u>800</u> feet from the <u>South</u> line and <u>1190</u> feet from the <u>West</u> line Section <u>16</u> Township <u>31N</u> Range <u>12W</u> NMPM County <u>San Juan</u>		8. Well Number <u>1</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6162' GL		9. OGRID Number 372171
		10. Pool name or Wildcat Basin Dakota

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☒ BH Repair

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

2/3/2020: MIRU. WSI. SDFN

2/4/2020: (SITP: 117 PSI, SICP: 117 PSI, SIICP: 5 PSI, SIBHP: 30 PSI) MIRU SL. MADE 2 RUNS. 1ST RUN 1.75" OD RB TOOL TO 7163', NO LATCH. 2ND RUN 1.5" OD IMPRESSION BLOCK TOOL TO 7163'. TBG IS CLEAR. RDMO SL. ND WH. NU & PT BOP. TEST GOOD. WRK TBG HANGER ASSEMBLY FREE. LD 6 JTS OF TBG. MU 4 1/2" CSG SCRAPER. ROUND TRIP TO 160'. MU 4 1/2" RBP & TIH & SET @ 135'. LOAD 4 1/2" CSG W/2 BBLs H2O. TEST TO 600 PSI. LEAKING OFF @ 12 PSI PER MIN. NO VISIBLE LEAKS WERE NOTED. SIBHP: 30 PSI & SICP: 5 PSI DID NOT CHANGE DURING TEST. ND BOP ASSEMBLY. ND WH, BOLTS CORRODED. MI BIG RED TOOL. INSTALLED NIGHT CAP W/VALVE ONTO WH. LOAD UP WH FOR REPAIRS. SW. SL. SDFN.

2/5/2020: (SICP: 0 PSI, SIICP: 0 PSI, SIBHP: 30 PSI) MI BIG RED TOOL FOR WH WORK. ND NIGHT CAP. REDRESS 4 1/2" CSG STUB. NU TBG HEAD ASSEMBLY & MASTER VALVE. TOP OFF & TST CSG TO 610 PSI FOR 30 MINS. TEST WAS GOOD. NOTIFY OCD MONICA KUEHLING OF RESULTS. ND TBG HEAD. NU BOP ASSEMBLY & FUNCTION TEST. TEST GOOD. TIH W/RET HEAD. LATCH ONTO RBP. TOO H W/RBP. CONT TOO H W/TBD. MU 4 1/2" CSG SCRAPER & TIH TO 7150'. TOO H T/4030'. SW. SL. SDFN.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Operations/Regulatory Technician – Sr. DATE 02/11/2020

Type or print name Amanda Walker E-mail address: mwalker@hilcorp.com PHONE: (505)324-5122

For State Use Only

APPROVED BY: [Signature] TITLE SUPERVISOR DISTRICT #3 DATE 3/6/20
Conditions of Approval (if any): NV

2/6/2020: (SICP: 115 PSI, SIICP: 0 PSI, SIBHP: 30 PSI). CONT TOO H W/CSG SCRAPER. MU 4 ½" RBP SET @ 7025'. CIRC WELL W/95 BBLS H2O. TEST CSG TO 600 PSI FOR 30 MINS, TEST GOOD. NOTIFIED OCD, MONICA KUEHLING OF TEST. WILL NOT NEED TO WITNESS TEST. NO CHANGE WAS SEEN IN THE INT OR BH PRESSURES DURING TESTING. TOO H W/TBG TO PREPARE FOR CBL. ND STRIPPING HEAD. SW. SL. SDFN.

2/7/2020: (SICP: 0 PSI, SIICP: 0 PSI, SIBHP: 10 PSI). RU BASIN WL. RUN CBL FROM 7028' TO SURFACE. RELEASE BASIN WL. , MU RBP RETRIEVING HEAD & TIH, LATCH & RELEASE RBP. MU PROD BHA & TIH W/227 JTS 2 3/8" 4.7# J-55 TBG. EOT @ 7158', SN @ 7157'. RDRR @ 1645 hrs ON 2/7/2020.

Well Name: STATE GAS COM BB #1

API / UWI 3004510701	Surface Legal Location T31N-R12W-S16	Field Name Basin Dakota	Route 0211	State/Province New Mexico	Well Configuration Type Vertical
Ground Elevation (ft) 6,149.00	Original KB/RT Elevation (ft) 6,162.00	KB-Ground Distance (ft) 13.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	

Vertical, Original Hole, 2/11/2020 8:40:31 AM
