

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP America Production Company</u> Telephone: <u>(505)326-9200</u> e-mail address: _____		
Address: <u>200 Energy Ct. Farmington, NM 87401</u>		
Facility or well name: <u>EALUM GC 1A</u> API #: <u>30-045-22133</u> U/L or Qtr/Qtr <u>E</u> Sec <u>33</u> T <u>32N</u> R <u>10W</u>		
County: <u>San Juan</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>		
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
Pit		
Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl		
Below-grade tank		
Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
Ranking Score (Total Points)		

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
See Attached Documentation

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. #1

Signature Brian D. Dand

Date: DEC 16, 2005

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81123</u> COCR NO: <u>10544</u>
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>
LOCATION: NAME: <u>EALUM GC</u> WELL #: <u>1A</u> TYPE: <u>COMPRESSOR</u> QUAD/UNIT: <u>E SEC: 33 TWP: 32N RNG: 10W PM: NM CNTY: SJ ST: NM</u> QTR/FOOTAGE: <u>1450'N 1030'W</u> SWLWD CONTRACTOR: <u>HIGH DESERT (HEBER)</u>		DATE STARTED: <u>1-13-03</u> DATE FINISHED: <u>1-13-03</u> ENVIRONMENTAL SPECIALIST: <u>JCS</u>
EXCAVATION APPROX. <u>6</u> FT. x <u>6</u> FT. x <u>6</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>		
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>		
LAND USE: <u>RANGE - Blm</u> LEASE: <u>NM 073300</u> FORMATION: <u>MY</u>		
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>100</u> FT. <u>S 10° E</u> FROM WELLHEAD.		
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u>		
NMOC D RANKING SCORE: <u>0</u> NMOC D TPH CLOSURE STD: <u>5000</u> PPM		
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>131.2</u> ppm OVM CALIB. GAS = <u>250</u> ppm RF = <u>0.52</u> TIME: <u>1335</u> am/pm DATE: <u>1-13-03</u>
SOIL TYPE: SAND / SILTY SAND / SILT / <u>SILTY CLAY</u> CLAY / GRAVEL / OTHER		
SOIL COLOR: <u>ORANGE TAN</u>		
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / <u>COHESIVE</u> / HIGHLY COHESIVE		
CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE		
PLASTICITY (CLAYS): NON PLASTIC / <u>SLIGHTLY PLASTIC</u> / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC		
DENSITY (COHESIVE CLAYS & SILTS): SOFT / <u>FIRM</u> / STIFF / VERY STIFF / HARD		
MOISTURE: DRY / <u>SLIGHTLY MOIST</u> / MOIST / WET / SATURATED / SUPER SATURATED		
DISCOLORATION/STAINING OBSERVED: <u>YES</u> NO EXPLANATION - <u>MINOR GRAY COLOR</u>		
HC ODOR DETECTED: <u>YES</u> NO EXPLANATION - <u>V. MINOR</u>		
SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS.		
ADDITIONAL COMMENTS: <u>PIT w/ 2' BBL steel tank installed. Used BACKHOE TO REMOVE TANK.</u>		

SCALE	FIELD 418.1 CALCULATIONS							
0 FT	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

PIT PERIMETER

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 8'	80
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
DEB	TPH	1405
<u>PASSED</u>		

PIT PROFILE

NOT APPLICABLE

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP
Sample ID: Compressor 1 @ 8'
Laboratory Number: 24560
Chain of Custody No: 10544
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact


Project #: 94034-010
Date Reported: 01-14-03
Date Sampled: 01-13-03
Date Received: 01-14-03
Date Extracted: 01-14-03
Date Analyzed: 01-14-03
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	2.3	0.2
Diesel Range (C10 - C28)	24.6	0.1
Total Petroleum Hydrocarbons	26.9	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Ealum GC 1A.


Analyst


Review