District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

office

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌
Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🛣 Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: BLANCO 1 API#: 30-045-23214 U/L or Qtr/Qtr 6 Sec 5 T 31N R 8W County: San Juan \_\_\_ Longitude \_\_\_\_\_\_ NAD: 1927 🗌 1983 🗍 Surface Owner: Federal State Private Indian Below-grade tank Type: Drilling Production Disposal Volume: \_\_\_\_\_bbl Type of fluid: \_\_\_\_\_\_ Workover Emergency Construction material: Lined Unlined Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness \_\_\_\_mil Clay \_\_ Pit Volume \_\_\_\_\_bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more ( 0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic Nο ( 0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more ( 0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite \( \square\) offsite \( \square\) If offsite, name of facility \_\_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above described bifor below-grade tank has been/will be constructed or closed according to NMOCD guidelines [3], a general permit [1], or an (attached) alternative OCD-approved plan [1]. Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: Signature Bryand Dell GEVITY OR & GAS INSPECTOR, DIST. & Printed Name/Title

CLIENT: BP	P.O. BOX			•	13	ATION NO:	B1199 10804	
FIELD REPORT	: PIT CL	OSURE	VERIF	CATIO	N PAGI	E No:	of	
LOCATION: NAME: BLANC	0	WELL #:	TYPE	DEHY.	DATE	STARTED:	4/25/03	
QUAD/UNIT: 6 SEC: 5	TWP: 312 RNG	5: 8W PM: N	ON CHTY:	ST: Mm	<del>}</del>	FINISHED:		
QTRIFOOTAGE: 1650 2 /16	508 Su	OLNE CONTR	RACTOR: Non	1E		ONMENTAL	NV	
EXCAVATION APPROX. NA FT. X NA FT. X NA FT. DEEP. CUBIC YARDAGE: NA								
DISPOSAL FACILITY: 3N - SITE REMEDIATION METHOD: CLOSE AS 15								
LANDUSE: RANGE-	BLM	LEASE:			FORMAT	ION:	MY	
FIELD NOTES & REMARK								
DEPTH TO GROUNDWATER: >15					URFACE WAT	ER: _>/>	00'	
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 PF	М				
SOIL AND EXCAVATIO	N DESCRIPT	ION: ELEU.	6579 GL	OVM CALIB.	GAS = 19	. = <u>51.3</u> ppm = <u>100</u> ppm <u>RF = 0.52</u>		
		<u> </u>		TIME: 12.2	S am/gm	DATE: _	4/24/03	
SOIL TYPE: SAND / SILTY SAN SOIL COLOR: DK. YEL	· BROWN IM	ED . GRAY	LT . GRAY C	2 4 BELOW 6	rande (Res	emsied or	ining wind)	
COHESION (ALL OTHERS): NON CO				COHESIVE				
PLASTICITY (CLAYS): NON PLASTIC	SLIGHTLY PLAST	COHESIVE /	MEDIUM PLASTIC	HIGHLY PLASTI	С			
DENSITY (COHESIVE CLAYS & SILTS MOISTURE: DRY / SLIGHTLY MOIST		_				CCL	OSED	
DISCOLORATION/STAINING OBSERV	ED: YESY NO EXP	LANATION -	nED. GRAY B	ET. 1-3.5	BEWW GR	ADE.		
HC ODOR DETECTED: YES INO EX			IN SOIL LE	MOVED PURI	NG AUGE	€171€.		
ADDITIONAL COMMENTS: _COLI	-FCTED TAM	<u> </u>	ND ANGER.				- <del> </del>	
	<u> </u>	FIE	LD 418.1 CALC	ULATIONS				
SCALE GUYD TO		1			DULITION		T	
SAMP. TIM	E SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)	
SAMP. TIM	E SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)	
0 FT		LAB NO.	WEIGHT (g)	mL FREON				
SAMP. TIM				mL FREON		PROFIL		
0 FT PERIMET		OREA	VM ADING					
O FT  PIT PERIMET  P.D.   Grape		O REA	VM ADING FIELD HEADSPACE (PPM)					
O FT PERIMET		REA SAMPLE ID 1 Q 4'	VM ADING FIELD HEADSPACE					
PIT PERIMET  P.D. C  GREADE  19	ER	O REA SAMPLE ID 1 @ 4' 2 @ 3 @	VM ADING FIELD HEADSPACE (PPM)					
PIT PERIMET  P.D. C  GREADE  19	ER	SAMPLE ID	VM ADING FIELD HEADSPACE (PPM)					
PIT PERIMET  P.D. e  GREADE  19  FEAL	ER	O REA SAMPLE ID 1 @ 4' 2 @ 3 @ 4 @ 4	VM ADING FIELD HEADSPACE (PPM)			PROFIL	E	
PIT PERIMET  P.D. C  GRADE  19  P.A.C.	ER	O REA SAMPLE ID 1 @ 4' 2 @ 3 @ 4 @ 4	VM ADING FIELD HEADSPACE (PPM)		PITF	PROFIL	E	
PIPWE	ER	O REA SAMPLE ID 1 @ 4' 2 @ 3 @ 4 @ 4	VM ADING FIELD HEADSPACE (PPM)		PITF	PROFIL	E	
PIPWE FLOOR WITHW	ER 18	O REA SAMPLE ID 1 @ 4 / 2 @ 3 @ 4 @ 5 @ 5 @	VM DING FIELD HEADSPACE (ppm) 3.4		PITF	PROFIL	E	
PIPWE ENDS WITHIN SOIL & SURFACE	ER  SAMPLE PT. E  14'  R. G.	O REA SAMPLE 10 1 @ 4' 2 @ 3 @ 4 @ 5 @ 5 @ AMPLE A AMPLE A AMPLE A	AMPLES	~	PITF	PROFIL	E	
PIPWE ENDS WITHIN SOIL & SURFACE	ER 18 18 19 18 19 18 19 18 19 18 18 18 18 18 18 18 18 18 18 18 18 18	O REA SAMPLE ID 1 @ 4 / 2 @ 3 @ 4 @ 5 @   LABS SAMPLE ID A ID & 4 / TPH	AMPLES NALYSIS TIME	~	PITF	PROFIL	E	
PIPWE ENDS WITHIN SOIL & SURFACE	ER  SAMPLE PT. E  14'  R. G.	O REA SAMPLE ID 1 @ 4 / 2 @ 3 @ 4 @ 5 @   LABS SAMPLE ID A ID & 4 / TPH	AMPLES	~	PITF	PROFIL	E	
PIPWE ENDS WITHIN SOIL & SURFACE	ER  FAMILE PT . 6  18  GRADE; B = BELOW	O REA SAMPLE 1D 1 @ 4' 2 @ 3 @ 4 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5 @ 5	AMPLES NALYSIS TIME	~	PITF	PROFIL	E	

revised: 09/04/02



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	04-29-03
Laboratory Number:	25468	Date Sampled:	04-25-03
Chain of Custody No:	10804	Date Received:	04-25-03
Sample Matrix:	Soil	Date Extracted:	04-25-03
Preservative:	Cool	Date Analyzed:	04-29-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	13.0	0.2
Diesel Range (C10 - C28)	57.1	0.1
Total Petroleum Hydrocarbons	70.1	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Blanco #1 Dehydrator Pit Grab Sample.

Analyst C. O.

Mistine of Wasters