District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes 🛣 No 🗌

Type of action: Registration of a pit of	or below-grade tank L Closure of a pit or below-gra	ade tank							
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:									
Address: 200 Energy Ct, Farmington, NM 87401									
Facility or well name: BLANCO 1A API#: 30 - 045 - 23259 U/L or Qtr/Qtr J Sec 5 T 31N R &W									
County: San Juan Latitude									
Surface Owner: Federal State Private Indian									
Pit	Below-grade tank								
Type: Drilling Production X Disposal	Volume:bbl Type of fluid:								
Workover ☐ Emergency ☐	Construction material:								
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.								
Liner type: Synthetic Thicknessmil Clay									
Pit Volumebbl									
	Less than 50 feet	(20 points)							
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)							
high water elevation of ground water.)	100 feet or more	(0 points)							
	Yes	(20 maints)							
Wellhead protection area: (Less than 200 feet from a private domestic	No	(20 points) (0 points)							
water source, or less than 1000 feet from all other water sources.)	110	(o points)							
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)							
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)							
migation calling, encourse, and perconnect and epitements macrocardess,	1000 feet or more	(0 points)							
	Ranking Score (Total Points)								
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if									
your are burying in place) onsite offsite offsite, name of facility									
		it. and attach sample results.							
(5) Attach soil sample results and a diagram of sample locations and excava	iions.	13 1415 1677 20							
Additional Comments:									
See Attached Documentation									
(O) REC. 2005 (3)									
© OIL COME S									
RO DIST 9 3									
I handly god for the information shows is two and annulate to the hand		1869							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pitter below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .									
Barrens Mariante Cop approve pina Ci									
Date:									
Printed Name/Title Jeffrey C. Blagg, Agent Signature July C. Signature									
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.									
regulations.									
Approval: DEC 1 6 2005									
Printed Name/Title Date:									
	The state of the s	Date.							

CLIENT: BP	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199			13	COCR NO: 8/200				
FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: of							of		
LOCATION: NAME: BLAN	<u> </u>	WELL#: //	TYPE	DEHY.		DATE STARTED: 4/25/03			
QUAD/UNIT: J SEC: 5	TWP: 31/ RNG	: 8W PM: >	JM CNTY: 57	ST: NM		DATE FINISHED:			
OTR/FOOTAGE: 1735'5 1525'E NWISE CONTRACTOR: NONE						RONMENTAL IALIST:	N		
EXCAVATION APPROX. NA FT. x NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA									
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS 15									
LAND USE: RANGE -	Bim	LEASE:			FORMAT	ION:	MV		
FIELD NOTES & REMAR	₹KS: PIT LOC	ATED APPROX	IMATELY 81	FT	NIE	FROM	WELLHEAD.		
DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000									
NMOCD RANKING SCORE: NMOCD TPH CLOSURE STD: 5000 PPM									
SOIL AND EXCAVATION DESCRIPTION: EVEL & 425 GC OVM CALIB. READ OVM CALIB. GAS:									
						am/m DATE: 4/24/03			
SOIL TYPE: SAND SILTY SA	ND / SILT / SILTY C	LAY / CLAY /	GRAVEL / OTH	R BEDROS	CK (SANE	STONG)			
SOIL COLOR: GRAY! COHESION (ALL OTHERS): NON C	SH ORANGE T	o meo. GRA	7	BEDROC	2 - MALE	YELL.	ORANGE		
CONSISTENCY (NON COHESIVE S	OILS): COOSE / EIRM	/ DENSE / VERY	DENSE						
PLASTICITY (CLAYS): NON PLAST				HIGHLY PLASTI	C	(در	.05ED		
MOISTURE: DRY / SLIGHTLY MOIS	T / BOIST AVET SAT	URATED / SUPEI	R SATURATED	,	1				
DISCOLORATION/STAINING OBSE		LANATION~	20. GRAY B	ET. 4.5-5	BELOW	GRADE			
HC ODOR DETECTED: YES NO I									
ADDITIONAL COMMENTS: CDI	LECTED SAMP								
MOSTLY BEC	ROCK - HARD	COMPETEN	T. NO TPH	ANALYSIS	WAS CO	>> Duct			
FIELD 418.1 CALCULATIONS									
SCALE SAMP. T	ME SAMP. ID	LAB NO.	WEIGHT (g)		DILUTION	READING	CALC. (ppm)		
		 				<u> </u>			
0 FT									
PIT PERIME	TER ♣N) ^	VM		PITF	PROFIL	E		
mëtër H ous e			NDING						
14		SAMPLE	FIELD HEADSPACE (ppm)						
. 19		100 5'	0.0	_					
		2 @ 3 @	****	-					
DE PIPME SER		4 @							
1 1 4 1	118	5 @		\dashv \wedge	JOT AF	PLICABL	E		
	' \'								
P.D.				-					
8.5' L				_					
K. 0		LAB S	AMPLES	_					
, 70		SAMPLE A	NALYSIS TIME						
WELL HEAD							į		
ļ	W (()) A () E - BEI ()14								
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM TRAVEL MOTES:									
TRAVEL NOTES: CALLOUT: 4/24/03 - AFTER . ONSITE: 4/25/03 - MOZN.									