District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank				
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:				
	ne: (505)326-9200 e-mail address:	<u> </u>		
Address: 200 Energy Ct. Farmington, NM 87401 Facility or well name: API #: 3	300 45 23344 U/L or Qtr/Qtr t	3 Sec 25 T29N R8(4)		
	Longitude			
	Longitude	NAD. 1927 🗆 1963 🖸		
Surface Owner: Federal State Private Indian				
Pit Below-grade tank				
Type: Drilling Production Disposal	ver ☐ Emergency ☐ Construction material: ined ☐ Double-walled, with leak detection? Yes ☐ If not, explain why not.			
Lined Unlined University Co. T.				
Liner type: Synthetic Thickness mil Clay				
Pit Volumebbl		1.00		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)		
	100 feet or more	(0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points)		
The source, or loss than 1000 total data than 500 total	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
	1000 feet or more	(0 points)		
	Ranking Score (Total Points)			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Ind	icate disposal location: (check the onsite box if		
your are burying in place) onsite offsite If offsite, name of facility (3) Attach a general description of remedial action taken including				
remediation start date and end date. (4) Groundwater encountered: No [
(5) Attach soil sample results and a diagram of sample locations and excava		•		
Additional Comments:				
See Attached Documentation				
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that	t the above described nit or below grade tank		
has been/will be constructed or closed according to NMOCD guidelin-	es 🔀, a general permit 🗀, or an (attached) alteri	native OCD-approved plan .		
Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signature L. Signature				
Printed Name/Title Jeffrey C. Blagg, Agent Signa	ture July - Greg	7		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval: Printed Name/Title Printed Name/Title Date: DEC 1 4 2005				

	GG ENGINEERING, INC. 87, BLOOMFIELD, NM 874	413 LOCATION NO: 80864
	(505) 632-1199	C.O.C. NO: 8421
FIELD REPORT: CLC	SURE VERIFICATION	N PAGE NO: _/ of _/
LOCATION: NAME: שוייבא A QUAD/UNIT: א SEC: ב		DATE STARTED: 6/,9/01 DATE FINISHED:
QTR/FOOTAGE: 960/1730/E MULLINE		ENVIRONMENTAL SPECIALIST: NV
EXCAVATION APPROX FT. x		
LAND USE: RANGE - BLM		
FIELD NOTES & REMARKS: PIT LO	CATED APPROXIMATELY <u>134'</u> F	FT. NTE FROM WELLHEAD
DEPTH TO GROUNDWATER: >/P&' NEAREST W.		6115611 5115
NMOCD RANKING SCORE: NMOCD TPH SOIL AND EXCAVATION	CLOSURE STD: PPM OVM CALIB. READ 51. 7 ppm	PIT ABANDONED STEEL TANK INSTALLED
DESCRIPTION:	TIME: 0645 ampm 6/19/01	FIBERGLASS TANK INSTALLED
BEDRECK CLOSED	FIELD 418.1 CALCULATION LABORE S FIELD 418.1 CALCULATION MEIGHT (g) ML. FRE	
O FT PIT PERIMETER		PIT PROFILE
PIT DEPRESSION APPROX. Z' BELOW GRADE REST HOLE APPROX. I' RELOW PIT DEPRESSION DEHY METER RIN TO WELL HEAD	OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 @ 3	SOT APPLICABLE
TRAVEL NOTES: CALLOUT: 6/18/01	-AFTER . ONSITE: 6/19/01	-morn.

revised: 03/12/01



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 3'	Date Reported:	06-21-01
Laboratory Number:	20082	Date Sampled:	06-19-01
Chain of Custody No:	8421	Date Received:	06-19-01
Sample Matrix:	Soil	Date Extracted:	06-20-01
Preservative:	Cool	Date Analyzed:	06-21-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.3	0.2
Diesel Range (C10 - C28)	3.8	0.1
Total Petroleum Hydrocarbons	4.1	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Wilch A #2 Dehydrator Pit.

Analyst Coferen

Review Malter