submitted in lieu of Form 3160-5

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Sundry Notices an	d Reports on Wells			
1. Type of Well GAS		10 M 3000	5. 6.	Lease Number NM-03179 If Indian, All. or Tribe Name
2. Name of Operator BURLINGTON RESOURCES	OIL & GAS COMPANY LP	e de la companya de l	7.	Unit Agreement Name
3. Address & Phone No. of	Operator		- 8.	Well Name & Number
PO Box 4289, Farmingto	on, NM 87499 (505) 326-9700		9.	Aztec #6 API Well No.
4. Location of Well, Footage, Sec., T, R, M Sec., T—N, R—W, NMPM			10.	30-045-07393 Field and Pool
Unit P (SESE), 440' FSL & 210' FEL, Sec. 14, T28N, R11W NMPM			11.	Fulcher Kutz PC County and State San Juan, NM
2. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT Type of Submission: ☐ Notice of Intent ☐ Abandonment ☐ Change of Plans ☐ Recompletion ☐ New Construction ☐ New Construction ☐ Plugging ☐ Non-Routine Fracturing ☐ Casing Repair ☐ Water Shut-off ☐ Final Abandonment ☐ Altering Casing ☐ Conversion to Injection		☑ Other: Bradenhead		
	eceived verbal approval from Charli e to the configuration of this well it is			
Signed /////	foregoing is true and correct. Philana Thompson	Title <u>Regulator</u>	ry Analys	t Date <u>5/26/06</u>
(This space for Federal or Sta APPROVED BY	Title		,	Date

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

SPUD DATE 11/22/39 COMPLETION DATE: 5/13/68

> Latitude N36 39.382 Longitude W107 57.869

AZTEC 6 PC

Township 028N Range 011W Section 014 440 FSL & 210 FEL SAN JUAN COUNTY, NM 5817' GL KB 10'

API: 30045073930000

AIN: 372301

FORMATION TOPS:

Ojo Alamo 706 Kirtland 734'

Fruitland Coal Pictured Cliffs 1627 1827'

tops estimated

Current Wellbore

15 1/2" 60# set @ 41'

FLOWING

Cemented with 7 sx to surface

STATUS:

TOC @ 1536', calc. 75% eff. (1998)

12/7/1939 - drilling reduce hole from 10" to 8" @ 1380'

TUBING RECORD:

pulled 12/19/1998

5 1/2" 14# set @ 1830' Cemented with 50 sx


3 1/2" 6.9# set 1870' Cemented with 135 sx to surface

PBTD: 1867 TOTAL DEPTH: 1877' 91,000# 16/30 AZ sd, 219,000 scf N2. 1967 - squeeze perfs w/ 100 sx, 1830 - 50', 1854 - 64'

1999 - restimulation. 207 bbls 20# linear gel,

Perforations: 1832' to 1848'

Azteclo




Azteclo



Aztec 6



Aztec 6



Azteclo

