



11 May 2006

State of New Mexico
Oil Conservation Division
1000 Rio Brazos Road
Aztec, NM 87410

Re: Devon
NEBU 68M
San Juan Co., NM
Job #61058
API No. 30-045-33⁴74

Surface 500/N 1205/E
BHL 889/N 1788/E

MD 3214
TVD 3124

To whom it May Concern:


Enclosed please find the Directional Survey data and certification for the above referenced well to be filed with your group.

Name & Title of Surveyor	Drainhole Number	Surveyed Depths		Dates Performed		Type of Survey
		From	To	Start	End	
Will St. John	68M	304	3132	29 Apr 06	02 May 06	MWD

Thank you for the opportunity to be of service. Please contact me if you have any questions or require additional information.

Sincerely,


Andres Puente
Well Planner








1724-B Townhurst Dr, Houston, Tx 77043
(713) 827-8302
www.nevisenergy.com

Job Number: 61058
Company: Devon Energy
Lease/Well: NEBU 68M
Location: San Juan Co., NM
Rig Name: D&J #1
RKB: ☐
G.L. or M.S.L.: API # 30-045-33974

State/Country: NM/USA
Declination: 10.5
Grid: ☐
File name: N:\INWELL\61058D~1\61058.SVY
Date/Time: 11-May-06 / 12:12
Curve Name: Final RRC Filing

WINSERVE SURVEY CALCULATIONS
Minimum Curvature Method
Vertical Section Plane 236.09
Vertical Section Referenced to Wellhead
Rectangular Coordinates Referenced to Wellhead



Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	Vertical Section FT	N-S FT	E-W FT	CLOSURE Distance FT	Direction Deg	Dogleg Severity Deg/100
Surface Tie In									
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
First Nevis MWD Survey									
304.00	.90	224.80	303.99	2.34	-1.69	-1.68	2.39	224.80	.30
396.00	2.30	221.80	395.95	4.84	-3.58	-3.42	4.95	223.68	1.52
486.00	4.40	226.40	485.79	9.99	-7.31	-7.13	10.21	224.27	2.35
577.00	7.00	236.20	576.34	18.98	-12.80	-14.26	19.17	228.09	3.04
674.00	10.00	235.50	672.26	33.32	-20.86	-26.12	33.43	231.38	3.09
768.00	12.50	236.60	764.45	51.65	-31.09	-41.34	51.72	233.06	2.67
861.00	15.20	236.90	854.73	73.91	-43.29	-59.96	73.95	234.17	2.90
954.00	15.60	236.00	944.39	98.61	-56.94	-80.54	98.63	234.74	.50
1048.00	16.20	238.00	1034.80	124.35	-70.96	-102.14	124.37	235.21	.86
1141.00	16.10	238.00	1124.13	150.21	-84.66	-124.08	150.21	235.69	.11
1233.00	16.10	237.30	1212.52	175.71	-98.32	-145.63	175.71	235.98	.21
1327.00	16.30	236.20	1302.79	201.93	-112.69	-167.56	201.93	236.08	.39
1422.00	16.20	236.80	1393.99	228.51	-127.37	-189.73	228.51	236.13	.21
1516.00	16.10	236.80	1484.28	254.66	-141.68	-211.60	254.66	236.19	.11
1611.00	15.30	237.80	1575.74	280.36	-155.58	-233.23	280.36	236.29	.89
1703.00	15.80	236.80	1664.37	305.01	-168.90	-253.98	305.02	236.38	.62
1796.00	15.70	237.00	1753.88	330.26	-182.69	-275.13	330.26	236.42	.12
1889.00	15.80	234.90	1843.39	355.50	-196.82	-296.04	355.50	236.38	.62
1984.00	15.90	234.80	1934.78	381.44	-211.76	-317.26	381.44	236.28	.11
2077.00	16.20	234.30	2024.15	407.14	-226.67	-338.20	407.14	236.17	.36

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	Vertical Section FT	N-S FT	E-W FT	C L O S U R E		Dogleg Severity Deg/100
							Distance FT	Direction Deg	
2170.00	15.70	236.20	2113.57	432.69	-241.24	-359.19	432.69	236.11	.78
2264.00	15.70	235.90	2204.06	458.13	-255.45	-380.30	458.13	236.11	.09
2358.00	16.70	235.00	2294.33	484.35	-270.33	-401.89	484.35	236.07	1.10
2450.00	16.70	236.80	2382.45	510.78	-285.15	-423.78	510.78	236.06	.56
2545.00	15.70	236.80	2473.68	537.28	-299.66	-445.96	537.28	236.10	1.05
2639.00	15.80	236.20	2564.15	562.80	-313.74	-467.23	562.80	236.12	.20
2731.00	16.40	235.40	2652.54	588.31	-328.09	-488.33	588.31	236.10	.70
2825.00	16.10	237.60	2742.78	614.61	-342.60	-510.26	614.61	236.12	.73
2917.00	15.60	237.20	2831.29	639.73	-356.14	-531.43	639.73	236.17	.56
3010.00	13.70	239.40	2921.26	663.23	-368.52	-551.42	663.23	236.24	2.13
3102.00	10.70	239.30	3011.17	682.64	-378.43	-568.15	682.64	236.33	3.26
Last Nevis MWD Survey									
3132.00	9.90	237.40	3040.69	687.99	-381.24	-572.71	688.00	236.35	2.90
Projection to TD									
3216.00	7.60	232.00	3123.71	700.76	-388.55	-583.18	700.76	236.33	2.90



DIRECTIONAL SURVEY CERTIFICATION

RE: Devon (Operator)

NEBU 68M (Well Name & No.)

Section 35 Twp. 31 N Range 07 W

Well File No. 30-045-33974

I, Andres Puente, having personal knowledge of all the facts, hereby certify that the attached directional surveys for the NEBU 68M well run from measured depth of 304 feet to a measured depth of 3,132 feet, respectively, are true and correct as determined from all available records.

Andres Puente Well Planner Nevis Energy Services, Inc.
Signature Title Company

State of Texas
County of Harris

On this 11 day of May, 2006, before me personally appeared

Andres Puente to me known as the person described in and who executed the foregoing instrument and acknowledged that he executed the same as his free act and deed.



Patti L. May
Notary Public

06/20/09
My Commission Expires



NEVIS ENERGY SERVICES INC. SURVEY DATA CERTIFICATION



NEVIS JOB NUMBER 61058

OPERATOR DEVON ENERGY

WELL NAME NEBU 68M

COUNTY & STATE

SAN JUAN, NM

API WELL NUMBER 30-045-33974

PROPOSED DIRECTION 236.09

TIE-IN DATA						
MEASURED DEPTH	VERTICAL DEPTH	INCLIN	AZIMUTH	N-S COORD	E-W COORD	DATA SOURCE
ft	. ft	0	0	0	0	No Tie In

FIRST SURVEY DATE	FIRST SURVEY DEPTH	INCLIN	AZIMUTH
29-Apr-06	304 ft	0.9	224.8

SURVEY INSTRUMENT TYPE
Nevis MWD

LAST SURVEY DATE	LAST SURVEY DEPTH	INCLIN	AZIMUTH
02-May-06	3,132 ft	9.9	237.4

TO THE BEST OF MY KNOWLEDGE I
CERTIFY THIS SURVEY DATA TO BE
TRUE AND CORRECT.

PROJECTED TD SURVEY DATE	PROJECTED TD SURVEY DEPTH	INCLIN	AZIMUTH
02-May-06	3,216 ft	7.6	232

Will St. John

PRINT YOUR NAME ABOVE

Will St. John

SIGN YOUR NAME ABOVE

MAGNETIC DECLINATION OR TOTAL GRID

TOTAL CORRECTION USED	
DECLINATION OR GRID	10.45

02-May

TODAY'S DATE

MWD SUPERVISOR 1 Will St. John

DIRECTIONAL DRILLER 1

Joe Broussard

MWD SUPERVISOR 2 0

DIRECTIONAL DRILLER 2

Freddy Harold

1724-B Townhurst Dr

Houston, Texas 77043

(713) 827-8302