District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \text{No} \subseteq \)

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔲		
Operator: ConocoPhillips Co.  Telephone: (832)486-2463 e-mail address: christina.gustartis@conocophillips.com  Address: P.O. Box 2197, WL3-6085 Houston, Tx 77252		
Address: 1.0. Dox 2177, WE5-0003 Housidit, 17 77232		
Facility or well name: San Juan 28-7 Unit #216M API# 30-039-26708 U/Ior Qtr/Qtr I Sec 8 T 27N R 7W		
County: Rio Arriba Latitude Longitude NAD: 1927 1983 Surface Owner Federal State Private Indian		
Pit	Below-gradetank	CC 6 700
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover X Emergency □	Construction material:	
Lined X Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
<del></del>	Double-waited, with leak detection? Tes 11 not, explain why not.	
Liner type: Synthetic M Thickness 12 mil Clay □		
Pit Volumebbl		E OLC 3 57
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)
water elevation of ground water.)	100 feet or more	( 0 points) ( 252 77 17 0)
		- Contraction
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)		
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points)
	Ranking Score (Total Points)	
If this is a pit closure (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite offsite from If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediationstart date and end date (4) Groundwater encountered: No Yes I fyes, show depth below ground surface ft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations:  Additional Comments:		
Workover pit application was filed with the OCD on 4/6/05. Workover pit was never built. Steel flowback tank was used on bradenhead		
repair and pay add to Blanco Mesaverde formation. Please close out pit permit.		
		$\Lambda$ $+$
GW: >100' WHP: >1000' SW: >1000'	N/ever	19a11
GW. 100 WH. 1000 BW. 1000	10 0	
	<u> </u>	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-gradetank has		
been/will be constructed or closed according to NMOCD guidelines \( \mathbb{\infty} \), a general permit \( \mathbb{\infty} \), or an (attached) alternative OCD-approved plan \( \mathbb{\infty} \).  Date: 04/03/2006		
Printed Name/Title Christina Gustartis Regulatory Specialist Signature		
Your certification and NMOCD approval of this application/closuredoes not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval:  Approval:  APR 0 5 2006		
Printed Name/Title CANTON CAL & GAS INSPECTED, COST.	Signature	Date: AFR V 3 2000