District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tand Type of action: Registration of a pit o	k covered by a "general plan"? Yes No r below-grade tank Closure of a pit or below-grade	☐ le tank ⊠			
Operator: BP AMERICA PROD. CO. Address: 200 ENERGY COURT. FARMINGTON.	Telephone: (505-326-9200 e-mai NM 87410 API#: 30-045- 29305 U/L or Qtr/Q	l address:			
Pit  Type: Drilling   Production   Disposal   BLOW  Workover   Emergency   Lined   Unlined   STEEL TANK  Liner type: Synthetic   Thicknessmil Clay   Pit Volumebbl	Below-grade tank  Volume:bblType of fluid:  Construction material:  Double-walled, withteak offection? Yes If	explain why not.			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)	0		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)	0		
Distance to surface water: (horizontal distance to all wetlands, playas, igation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)	0		
	Ranking Score (Total Points)		0		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite  offsite  fit offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No  Yes  fit yes, show depth below ground surface fit and attach sample results. (5)  Attach soil sample results and a diagram of sample locations and excavations.  Additional Comments: PIT LOCATED APPROXIMATELY 90 FT. N48W FROM WELL HEAD.  PIT EXCAVATION: WIDTH N/Aft., LENGTH N/Aft., DEPTH N/Aft.					
PIT REMEDIATION: CLOSE AS IS: ⊠, LANDFARM: □, Concept Cubic yards: N/A	OMPOST: □, STOCKPILE: □, OTHER □ (exp	You July	DM 23		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit of below grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan .  Date:					
Printed Name/Title PUTY @ & GAS INSPECTOR. DIST. @ Signature Decry Feb 2 1 2006					



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	04-22-05
Laboratory Number:	32757	Date Sampled:	04-21-05
Chain of Custody No:	13970	Date Received:	04-21-05
Sample Matrix:	Soil	Date Extracted:	04-21-05
Preservative:	Cool	Date Analyzed:	04-22-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

McCulley LS 2A Blow Pit.

Analyst C. Church

Review Water