

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
10 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP AMERICA PROD. CO.</u> Telephone: <u>(505) 326-9200</u>		
Address: <u>200 Energy Court, Farmington, NM 87410</u>		
Facility or well name: <u>STOREY LS #4</u>	API #: <u>30-045-07047</u>	U/L or Qtr/Qt <u>B</u> Sec <u>34</u> T <u>28N</u> R <u>8W</u>
County: <u>San Juan</u> Latitude <u>36.62265</u> Longitude <u>107.66489</u>	NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>	
<b>Pit</b> Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> ABANDONED Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness <u>    </u> mil Clay <input type="checkbox"/> Volume <u>    </u> bbl	<b>Below-grade tank</b> Volume: <u>    </u> bbl Type of fluid: <u>    </u> Construction material: <u>N/A</u> Double-walled with leak detection? Yes <input type="checkbox"/> If not, explain why not.	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) <u>0</u>
	100 feet or more	( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	( 0 points) <u>0</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) <u>0</u>
	1000 feet or more	( 0 points)
Ranking Score (Total Points)		<u>0</u>

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☒ offsite ☐ If offsite, name of facility     . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface      ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 06/17/04


Printed Name/Title Jeff Blagg - P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: JAN 09 2006

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 3

Signature Brandon R. [Signature]



3004507047

36.62265 x 107.66489

CLIENT: <u>BP</u>	<b>BLAGG ENGINEERING, INC.</b> P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81419</u>
		COCR NO: <u>12286</u>

**FIELD REPORT: PIT CLOSURE VERIFICATION**PAGE No: 1 of 1

LOCATION: NAME: <u>STOREY LS</u> WELL #: <u>4</u> TYPE: <u>ABANDON</u>	DATE STARTED: <u>6-14-04</u>
QUAD/UNIT: <u>B SEC: 34 TWP: 28N RNG: 8W PM: NM CNTY: SJ ST: NM</u>	DATE FINISHED: <u>6-14-04</u>
QTR/FOOTAGE: <u>900'N/1650'E</u> W/NE CONTRACTOR: <u>P+S</u>	ENVIRONMENTAL SPECIALIST: <u>JCB</u>

EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>
LAND USE: <u>RANGE - BURN</u> LEASE: <u>SF 078566</u> FORMATION: <u>PC/MV</u>

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>87</u> FT. <u>S88E</u> FROM WELLHEAD.
DEPTH TO GROUNDWATER: <u>&gt;100</u> NEAREST WATER SOURCE: <u>&gt;1000</u> NEAREST SURFACE WATER: <u>&gt;1000</u>
NMOC D RANKING SCORE: <u>0</u> NMOC D TPH CLOSURE STD: <u>5000</u> PPM


**SOIL AND EXCAVATION DESCRIPTION:**

OVM CALIB. READ. = <u>53.7</u> ppm
OVM CALIB. GAS = <u>100</u> ppm RF = 0.52
TIME: <u>1135</u> am/pm DATE: <u>6-14-04</u>

SOIL TYPE: <u>SAND</u> SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>SHALESTONE @ 4' BG</u>
SOIL COLOR: <u>GREEN TINTED TAN</u>
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE
CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD
MOISTURE: <u>DRY</u> SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED
DISCOLORATION/STAINING OBSERVED: YES / <u>NO</u> EXPLANATION -
HC ODOR DETECTED: <u>YES</u> / NO EXPLANATION - <u>MINOR</u>
SAMPLE TYPE: <u>GRAB</u> COMPOSITE - # OF PTS.
ADDITIONAL COMMENTS: <u>45' x 30' x 4' DEEP EARTHEN PIT - ABANDON - USE BACKHOE TO DIG TEST TRENCH.</u>
<u>BEDROCK BOTTOM</u>

CLOSED**FIELD 418.1 CALCULATIONS****SCALE**


0 FT

 ↑  
N  
1
**PIT PERIMETER****OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 6 1/2'	114
2 @ 7'	211
3 @ 6 1/2'	88
4 @	
5 @	

**LAB SAMPLES**

SAMPLE ID	ANALYSIS	TIME
2 @ 7'	TPH	1130
	BTEX	
	CL	
	ALL PRESSED	

**PIT PROFILE**
 P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW  
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: <u>6/14/04 0730</u> ONSITE: <u>6/14/04 1110</u>
--

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Abandon Pit 2 @ 7'	Date Reported:	06-17-04
Laboratory Number:	29126	Date Sampled:	06-14-04
Chain of Custody No:	12286	Date Received:	06-15-04
Sample Matrix:	Soil	Date Extracted:	06-15-04
Preservative:	Cool	Date Analyzed:	06-16-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	18.1	0.2
Diesel Range (C10 - C28)	71.8	0.1
Total Petroleum Hydrocarbons	89.9	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Storey LS 4.**

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Abandon Pit 2 @ 7'	Date Reported:	06-17-04
Laboratory Number:	29126	Date Sampled:	06-14-04
Chain of Custody:	12286	Date Received:	06-15-04
Sample Matrix:	Soil	Date Analyzed:	06-16-04
Preservative:	Cool	Date Extracted:	06-15-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	13.3	1.5
p,m-Xylene	180	2.2
o-Xylene	41.7	1.0
Total BTEX	235	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Storey LS 4.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## Total Chloride

Client:	Blagg / BP	Project #:	92115-001
Sample ID:	Abandon Pit 2 @ 7'	Date Reported:	06-17-04
Lab ID#:	29126	Date Sampled:	06-14-04
Sample Matrix:	Soil	Date Received:	06-15-04
Preservative:	Cool	Date Analyzed:	06-15-04
Condition:	Cool and Intact	Chain of Custody:	12286

### Parameter


### Concentration (mg/Kg)


Total Chloride

20.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Storey LS 4.

  
Analyst

  
Review