District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tar Type of action: Registration of a pit o	nk covered by a "general plan"? Yes 🔀 No or below-grade tank 🔲 Closure of a pit or below-gr	o ☐ rade tank 5 4			
Operator: BP America Production Company Telephon Address: 200 Energy Ct, Farmington, NM 87401	ne:(505)326-9200e-mail address:				
Facility or well name: FLORANCE C LS # 6 API#:	30-045-07135 U/L or Qtr/Qtr	Sec 30 T 28N R 8W			
County: San Juan Latitude	Longitude	NAD: 1927 🗌 1983 🔲			
Surface Owner: Federal State Private Indian		(12 ¹ 17 ¹ 10)			
<u>Pit</u>	Below-grade tank	18/3/10/1/19/3			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:				
Workover	Construction material:	_ S DEC 2008 S			
Lined Unlined	Double-walled, with leak detection? Yes If no	ot, explain why no RECEIVED			
Liner type: Synthetic Thicknessmil Clay [TO OAL CONS. DIV. 3			
Pit Volumebbl		F DIST. 3			
	Less than 50 feet	(20 polinis)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points) 2 7 1 8/5 % Son			
high water elevation of ground water.)	100 feet or more	(0 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points)			
	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)			
	D. I. C. (T. I.D.)				
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit					
your are burying in place) onsite \square offsite \square If offsite, name of facility_	(3) Attach a general	description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No \square	Yes 🔲 If yes, show depth below ground surface	ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava	tions.				
Additional Comments:					
See Attached Documentation					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
D					
Date:					
Printed Name/Title Jeffrey C. Blagg, Agent Signature Jeffy C. Slegy					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval: CEPUTY COL & GAS INSPECTOR, DIST. 4.: Printed Name/Title	Signature Boll 5	DEC 1 6 2005			

CLIENT: 3	>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199		113	OCATION NO:	81254 11175		
FIELD RE	·					N PA	GE No:	of
LOCATION: NAME	FLORA	NCE C LS	> WELL#:	TYPE:	BLOW		TE STARTED: 7	
QUAD/UNIT: L S						 		7-24-03
QTR/FOOTAGE: 1						\ FN	VIRONMENTAL ECIALIST:	ICB
EXCAVATION A							RDAGE:	0
PRIOR PIT DISPOSAL FACILIT	Y:	NA	@ 11	REMEDIA	TION METH	OD:	CLOSE	21 2A
LAND USE: ZA			,,,	•			ATION: M	NV/PC
FIELD NOTES &		···		IMATELY7				WELLHEAD.
DEPTH TO GROUNDWA	TER: _ </td <td></td> <td></td> <td>>1000</td> <td></td> <td></td> <td></td> <td></td>			>1000				
NMOCD RANKING SCO	RE: 20	NMOCD TPH	CLOSURE STD:	100 PF	'М			
SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. GAS				GAS =	0. = 52.8 ppm = 100 ppm RF = 0.52 am/pm DATE: $7-24-03$			
SOIL TYPE: SAND	SILTY SAN	D / SILT / SILTY (CLAY / CLAY /	GRAVEL / OTH		aili/	piii DATE	
SOIL COLOR:	19110W	TAN						
COHESION (ALL OTHER CONSISTENCY (NON C					COHESIVE			
PLASTICITY (CLAYS):	NON PLASTIC	/ SLIGHTLY PLAST	IC / COHESIVE /	MEDIUM PLASTIC	HIGHLY PLAST	TIC		
DENSITY (COHESIVE C							CCL	OSED
DISCOLORATION/STAIN	IING OBSERV	ED: YES NO EXP	LANATION -	A SATURATED				
HC ODOR DETECTED:	YES (NO)EX	PLANATION						
SAMPLE TYPE: GRAB ADDITIONAL COMMENT	s: <u>Pit 44</u>	STILL TANK	, TANK WA	S REMOVED	+ PIT BA	ckfilled	FOR WOULD	KOUAR.
	USE 1	BACKHOE TO 7	TRENCH ACK	iss Pit Loc	ATION V SA	sure.	No EVI	DENCE
	OF (CONTAMINA		LD 418.1 CALC	ULATIONS			
SCALE	SAMP. TIM	E SAMP. ID	LAB NO.	1		DILUTIO	ONREADING	CALC. (ppm)
O FT								
N PIT PE	RIMET		1 ~			PIT	PROFIL	<u>E</u>
	1 TO	u _		VM ADING				
	,	PRIOR	SAMPLE	FIELD HEADSPACE	1			
		(4'B6)	1@ 7'	(ppm)	_			
1 (14	2 @ 3 @	· · · · · · · · · · · · · · · · · · ·	-			
	1.2	PRIOR	4@		_			
8' 1	S F	TANK	5 @			-		
		· }			^	ior,	APPLICAB	
		<i>}</i>			-			
1 */		— TH(756)						
LAB SAMPLES								
SAMPLE ANALYSIS TIME								
Spirple					=			
7'35			4	red				
P.D. = PIT DEPRESSION; E T.H. = TEST HOLE; ~ = AP								
TRAVEL NOTES:	CALLOUT:	7/24/03	0730	ONSITE: 7	124/03	1105		



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow #1 @ 7'	Date Reported:	07-28-03
Laboratory Number:	26165	Date Sampled:	07-24-03
Chain of Custody No:	11175	Date Received:	07-25-03
Sample Matrix:	Soil	Date Extracted:	07-25-03
Preservative:	Cool	Date Analyzed:	07-28-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Florance C LS #6.

Analyst C. Officer

Boulous T