

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
0 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505


Form C-144
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒



Operator: BP AMERICA PROD. CO. Telephone: (505) 326-9200

Address: 200 Energy Court, Farmington, NM 87410

Facility or well name: WARREN LS #4 API #: 30-045-07470 U/L or Qtr/Qtr H Sec 14 T 28N R 9W

County: San Juan Latitude 36.66471 Longitude 107.75277 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☐ Disposal ☒ DEHYDRATOR II

Workover ☐ Emergency ☐

Lined ☐ Unlined ☒

Liner type: Synthetic ☐ Thickness mil Clay ☐ Volume bbl

Below-grade tank

Volume: bbl Type of fluid:

Construction material: N/A

Double-walled with leak detection? Yes ☐ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet	(20 points)
50 feet or more, but less than 100 feet	(10 points) 0
100 feet or more	(0 points)

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes	(20 points)
No	(0 points) 0

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet	(20 points)
200 feet or more, but less than 1000 feet	(10 points) 0
1000 feet or more	(0 points)

Ranking Score (Total Points) 0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 05/22/04

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

JAN 09 2006

Date:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 3

Signature Brandon Ponder

500450 14 10

56.66411 x 10 1 15217

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80020</u> COCR NO: <u>12193</u>
-------------------	---	--

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: <u>WARREN LS</u> WELL #: <u>4</u> TYPE: <u>DEHY (II)</u>	DATE STARTED: <u>5-19-04</u>
QUAD/UNIT: <u>H SEC: 14 TWP: 28N RNG: 9W PM: NM CNTY: SJ ST: NM</u>	DATE FINISHED: <u>5-19-04</u>
QTR/FOOTAGE: <u>1700'N 1090'E</u> SEINE CONTRACTOR: <u>HD (JAWUM)</u>	ENVIRONMENTAL SPECIALIST: <u>JCB</u>

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BLM LEASE: NM 073473/SF077123 FORMATION: PC/MV

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 100 FT. N10°W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >100W

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 52.0 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 1330 am/pm DATE: 5-19-04

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER Bedrock S.S. @ 4' BG

SOIL COLOR: Orange Tan

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION: Staining @ Bedrock Surface Only

HC ODOR DETECTED: YES NO EXPLANATION: @ Bedrock Surface Only

SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. 1

ADDITIONAL COMMENTS: Pit previously Backfilled. Used Backhoe to trench across Pit location. Hit Firm Bedrock @ 4' BG

REDROCK BOTTOM

CLOSED

FIELD 418.1 CALCULATIONS

SCALE	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 1 FT								

PIT PERIMETER

PIT PROFILE

4'

12'

TH 4' BG

Prior Pit Bottom

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 4'	194
2 @	
3 @	
4 @	
5 @	

SAMPLE ID	ANALYSIS	TIME
1024	TPH	1325
	BTEX	
	CL	

ALL PASSED

4'

3'

Prior Pit

Bedrock S.S.

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: 5/19/04 1000 ONSITE: 5/19/04 1310

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	05-22-04
Laboratory Number:	28765	Date Sampled:	05-19-04
Chain of Custody No:	12193	Date Received:	05-20-04
Sample Matrix:	Soil	Date Extracted:	05-21-04
Preservative:	Cool	Date Analyzed:	05-22-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	675	0.2
Diesel Range (C10 - C28)	66.2	0.1
Total Petroleum Hydrocarbons	741	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Warren LS 4 Dehy.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	05-22-04
Laboratory Number:	28765	Date Sampled:	05-19-04
Chain of Custody:	12193	Date Received:	05-20-04
Sample Matrix:	Soil	Date Analyzed:	05-22-04
Preservative:	Cool	Date Extracted:	05-21-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	25.9	1.8
Toluene	99.1	1.7
Ethylbenzene	606	1.5
p,m-Xylene	2,200	2.2
o-Xylene	1,500	1.0
Total BTEX	4,430	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Warren LS 4 Dehy.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Total Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	05-21-04
Lab ID#:	28765	Date Sampled:	05-19-04
Sample Matrix:	Soil	Date Received:	05-20-04
Preservative:	Cool	Date Analyzed:	05-21-04
Condition:	Cool and Intact	Chain of Custody:	12193


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

96.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Warren LS 4 Dehy.


Analyst


Review