District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

June 1, 2004

Pit or Belo	<u>w-Grade Tanl</u>	<u>c Registrati</u>	on or	<u>Closure</u>
			- 1	

	or below-grade tank [Closure of a pit or below-grade						
Operator: BP America Production Company Telephon Address: 200 Energy Ct. Farmington, NM 87401	•						
Facility or well name: Jones A LS#2 API#:	3004507543 U/L or Qtr/Qtr <u>M</u>	Sec II T DBN R BW					
County: San Juan Latitude	Longitude	NAD: 1927 🗌 1983 🗍					
Surface Owner: Federal State Private Indian							
<u>Pit</u>	Pit Below-grade tank						
Type: Drilling Production 💢 Disposal 🗆	ype: Drilling Production Disposal Volume:bbl Type of fluid:						
Workover	Construction material:						
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not. JAN 2008						
Liner type: Synthetic Thicknessmil Clay		PECEIVED					
Pit Volumebbl							
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points) DHS - 3					
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) (2)					
,	100 feet or more	(0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)					
water source, or less than 1000 feet from all other water sources.)	No	(0 points)					
water sources, or less than 1000 feet from an other water sources.)	Lorente 200 Gra	(00					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)					
A Marie Company of the Company of th	1000 feet of more	(0 points)					
	Ranking Score (Total Points)						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location: (check the onsite box if					
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_	(3) Attach a general de	escription of remedial action taken including					
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y							
(5) Attach soil sample results and a diagram of sample locations and excavat							
Additional Comments:							
See Attached Documentation							
en e							
	7						
A CONTRACTOR OF THE CONTRACTOR							
		· · · · · · · · · · · · · · · · · · ·					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .							
Date: 11/01/2005							
Printed Name/Title Jeffrey C. Blagg, Agent Signature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: Printed Name/Title Signature Signature Signature Signature							

CLIENT:	P.O. BOX			•	413	CATION NO:	B1340
FIELD REPORT		<u> </u>		CATIC	N PAG	E No:	of
LOCATION: NAME: JONE QUAD/UNIT: M SEC: 11	TWP: 28 N RNG	5: <i>8W</i> PM: /	VM CNTY: S	5 ST: 시 ^	DATE		2-20-04
QTR/FOOTAGE: 11505 8		· · · · · · · · · · · · · · · · · · ·				IALIST:	JU3
EXCAVATION APPROX		<u> </u>	x <u>//A</u> FT	DEEP. C			
DISPOSAL FACILITY: LAND USE: RANGE — E			REMEDIA こ カフジスタ		IOÐ: ८ <u>८</u> FORMAT	ION: M	
FIELD NOTES & REMAR							
DEPTH TO GROUNDWATER: >50							
NMOCD RANKING SCORE: 10					JONI AGE WA	TER	
	•			OVM CALIB.	READ. = S	53.j ppm	
SOIL AND EXCAVATION	N DESCRIPT	ION:		OVM CALIB.			
SOIL TYPE: (SAND / SILTY SAN			GBAVEL / OTH		am/pr	n DATE: <u>4</u>	2-20-04
SOIL COLOR: Vella	UTAN						
COHESION (ALL OTHERS): (NON CO				COHESIVE			
CONSISTENCY (NON COHESIVE SO PLASTICITY (CLAYS): NON PLASTIC				/ HIGHLY PLAST	ric		
DENSITY (COHESIVE CLAYS & SILT	S): SOFT / FIRM / ST	IFF / VERY STIFF	/ HARD				
MOISTURE: DRY SLIGHTLY MOIST DISCOLORATION/STAINING OBSERV			R SATURATED				COSED
HC ODOR DETECTED: YES (NO) E)	(PLANATION -						
SAMPLE TYPE: (GRAB) COMPOSITE ADDITIONAL COMMENTS:	- # OF PTS.	ank Use	BACKHOE TE	REMOVE	Tank	& SAM	PUZ .
Ma	EVIDENCE.						
			10.404.040				· · · · · · · · · · · · · · · · · · ·
SCALE SAMP. TIN	AE SAMP, ID	LAB NO.	WEIGHT (g)		DILLITION	IDEADNIG	CALC. (ppm)
SAVIT. THE	IL SAMI. ID	LAD NO.	WEIGHT (g)	IIIL PREON	DILOTION	KEADING	CALC. (ppin)
0 FT							
N PIT PERIMET	ER			<u> </u>	PIT	ROFIL	E
1 WELL			VM		·····		
1 well	PD BG	REA	DING FIELD HEADSPACE	4			
,		1@ 8	(ppm)	_			
	TANK	2@					
	سردن ع	3 @ 4 @		-			
	PRINT	5@			*		
20	`i l			_	OT A	PPUCAR	3LE
25							
	/_			7			
	, T. I.	1.75-0					
LAB SAMPLES SAMPLE ANALYSIS TIME							
20'	9.50	DE H TE					
Sample		PF	55ED				
P.D. = PIT DEPRESSION; B.G. = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. =				_			
		1					
TRAVEL NOTES: CALLOUT:	2/20/04	1345	ONSITE:	2/20/04	1500		



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	02-23-04
Laboratory Number:	27872	Date Sampled:	02-20-04
Chain of Custody No:	11856	Date Received:	02-20-04
Sample Matrix:	Soil	Date Extracted:	02-23-04
Preservative:	Cool	Date Analyzed:	02-23-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Jones A LS #2 Blow Pit.

Analyst Que

Mustine of Walter