District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tan Type of action: Registration of a pit o	k covered by a "general plan"? Yes X No or below-grade tank Closure of a pit or below-grade	etank 🔀	
Operator: BP America Production Company Telephon Address: 200 Energy Ct, Farmington, NM 87401	e: <u>(505)326-9200</u> e-mail address:		
Facility or well name: WARRED LS # 2 API#: 3	0-045-07568 U/L or Qtr/Qtr K	Sec 12 T 28N R 9W	
County: San Juan Latitude	Longitude	NAD: 1927 🗌 1983 🗍	
Surface Owner: Federal 🗌 State 🔲 Private 🔲 Indian 🗍			
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic Thicknessmil Clay	Bould-Walled, Williams detection. Tes 11 not, explain willy not.		
Pit Volumebbl			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit' your are burying in place) onsite offsite If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No \(\) \(\) Attach soil sample results and a diagram of sample locations and excaval Additional Comments:	Yes If yes, show depth below ground surface	escription of remedial action taken including	
See Attached Documentation			

· · · · · · · · · · · · · · · · · · ·			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline			
Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signat Your certification and NMOCD approval of this application/closure does to otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the contents the operator of its responsibility for compliance with a	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or	
Approval: CENTY OL & GAS MARKETTER, CHST.	Signature Deny Le	DEC 1 6 2005	

2013

20	l .		NEERING	•	LOC	ATION NO:	81249
CLIENT:	P.O. BOX	87, BLO (505) 632		, NM 874	13	R NO:	
FIELD REPORT	r: PIT CL	OSURE	VERIF	CATIO	N PAG	E No:	of
LOCATION: NAME: WARE	EN LS	WELL#:	Z TYPE	: BLOW			7-17-03
QUAD/UNIT: K SEC: 12	TWP: ZBN RNO	5:9W PM:	NM CNTY: S	T ST: NM			7-17-03
QTR/FOOTAGE: /460 5	150'W N	EISW CONTE	ACTOR: SIEA	KA Ccalvi	SPECI	ONMENTAL IALIST:	003
EXCAVATION APPROX	(. <u>/)</u> FT. x	FT.	x_6_FT	. DEEP. CL	JBIC YARE	AGE: U	0
DISPOSAL FACILITY:	NA					CLOSE	
LANDUSE: RANGE - 6			inst 0771				
			SOUL				
DEPTH TO GROUNDWATER:					URFACE WAT	TER:	
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	<i>5</i> 00∂ pi	OVM CALIB.	DEAD = 5	7 ()	
SOIL AND EXCAVATION	ON DESCRIPT	ION:		OVM CALIB.			
				TIME: 113		DATE:	7-17-03
SOIL TYPE: SAND (SILTY SA SOIL COLOR:	ND) SILT / SILTY (ORANGE 7		GRAVEL / OTH	ER		·	
COHESION (ALL OTHERS): NON C		<u> </u>	HESIVE / HIGHLY	COHESIVE			,
CONSISTENCY (NON COHESIVE S	•						
PLASTICITY (CLAYS): NON PLAST DENSITY (COHESIVE CLAYS & SILT				HIGHLY PLASTI	iC .		_
MOISTURE: DRY / SLIGHTLY MOIS	<u>. '</u>					(cro2£	9)
DISCOLORATION/STAINING OBSE							
HC ODOR DETECTED: YES /NO E SAMPLE TYPE: GRAB)COMPOSIT	E # OF PTS				d 0		
ADDITIONAL COMMENTS:	EARLHEN FAT	- usyn	Step / to	erk jusy	elled.	Use	Back
_ <u></u>	e yo Reun	ove tour	+ SAM	re. 100	EVIDE.	nce es	
			LD 418.1 CALC	ULATIONS		<u>_</u>	
SCALE SAMP. TI	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
O f							
→ PIT PERIME:	TER	٦ ۾			PIT F	PROFIL	<u>.E</u>
			VM ADING				
	THE BO	SAMPLE	FIELD HEADSPACE	-			
- 11' -	TH BG	1@ 9	(ppm)				
1	7 9 80	2@					
		3 @ 4 @					
		5 @		☐ .	JOT AF	PLICABO	Æ
	7			-		,	
	/ 						
1	ノン						
LAB SAMPLES							
SAMPLE ANALYSIS TIME							
TANK PD 1050							
FOUNT	6 36	PRO	RED)				
.D. = PIT DEPRESSION; B.G. = BELOW							
TRAVEL NOTES:				. (- : -	, ,		
CALLOU"	r: <u>7/16/0</u>	3	_ ONSITE: _	7/17/03	1015		



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow #1 @ 8'	Date Reported:	07-18-03
Laboratory Number:	26107	Date Sampled:	07-17-03
Chain of Custody No:	11154	Date Received:	07-17-03
Sample Matrix:	Soil	Date Extracted:	07-18-03
Preservative:	Cool	Date Analyzed:	07-18-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Warren LS #2.

Analyst C. Cefun

Misterie m Walters Review