

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
0 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP AMERICA PROD. CO.</u> Telephone: <u>(505) 326-9200</u>										
Address: <u>200 Energy Court, Farmington, NM 87410</u>										
Facility or well name: <u>PRITCHARD #4</u>	API #: <u>30-045-07643</u> U/L or Qtr/Qt <u>L</u> Sec <u>31</u> T <u>29N</u> R <u>8W</u>									
County: <u>San Juan</u> Latitude <u>36.67957</u> Longitude <u>107.72235</u> NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>										
Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> ABANDONED Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness <u> </u> mil Clay <input type="checkbox"/> Volume <u> </u> bbl	Below-grade tank Volume: <u> </u> bbl Type of fluid: <u> </u> Construction material: <u>N/A</u> Double-walled with leak detection? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If not, explain why not.									
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	<table border="1"><tr><td>Less than 50 feet</td><td>(20 points)</td><td></td></tr><tr><td>50 feet or more, but less than 100 feet</td><td>(10 points)</td><td>10</td></tr><tr><td>100 feet or more</td><td>(0 points)</td><td></td></tr></table>	Less than 50 feet	(20 points)		50 feet or more, but less than 100 feet	(10 points)	10	100 feet or more	(0 points)	
Less than 50 feet	(20 points)									
50 feet or more, but less than 100 feet	(10 points)	10								
100 feet or more	(0 points)									
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	<table border="1"><tr><td>Yes</td><td>(20 points)</td><td></td></tr><tr><td>No</td><td>(0 points)</td><td>0</td></tr></table>	Yes	(20 points)		No	(0 points)	0			
Yes	(20 points)									
No	(0 points)	0								
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	<table border="1"><tr><td>Less than 200 feet</td><td>(20 points)</td><td></td></tr><tr><td>200 feet or more, but less than 1000 feet</td><td>(10 points)</td><td>0</td></tr><tr><td>1000 feet or more</td><td>(0 points)</td><td></td></tr></table>	Less than 200 feet	(20 points)		200 feet or more, but less than 1000 feet	(10 points)	0	1000 feet or more	(0 points)	
Less than 200 feet	(20 points)									
200 feet or more, but less than 1000 feet	(10 points)	0								
1000 feet or more	(0 points)									
Ranking Score (Total Points) <u>10</u>										

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.


Date: 05/27/04

Printed Name/Title Jeff Blagg - P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state or local laws and/or regulations.

Approval: JAN 09 2006

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 3 Signature Brandon Paul



CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81398</u> COCR NO: <u>12215</u>
-------------------	---	--

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: <u>PRITCHARD</u> WELL #: <u>4</u> TYPE: <u>ABANDON</u>	DATE STARTED: <u>5-26-04</u>
QUAD/UNIT: <u>L SEC: 31 TWP: 29 NRNG: 8W PM: NM CNTY: SJ ST: NM</u>	DATE FINISHED: <u>5-26-04</u>
QTR/FOOTAGE: <u>1450'S 1790'W NW/SE CONTRACTOR: HD (JUAQUIN)</u>	ENVIRONMENTAL SPECIALIST: <u>JCB</u>

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0

DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS

LAND USE: RANGE - BLM LEASE: NM073432 FORMATION: MV

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 165 FT. S 53W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >50 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOC D RANKING SCORE: 10 NMOC D TPH CLOSURE STD: 1000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 53.2 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 0940 am/pm DATE: 5-26-04

SOIL TYPE: SAND (SILTY SAND) SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____

SOIL COLOR: Yellow Tan

COHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): (LOOSE) FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE (DRY / SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER SATURATED


DISCOLORATION/STAINING OBSERVED: YES (NO) EXPLANATION - _____

HC ODOR DETECTED: YES (NO) EXPLANATION - _____

SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. _____

ADDITIONAL COMMENTS: EARTHEN PIT, FOUND PREVIOUSLY BACKFILLED W/ 12'x12'x1' TALL MOUND OVER PIT SITE. USE BACKHOE TO EXCAVATE TEST TRENCH TO 6' BG. NO OVER, MINOR GRAY COLOR @ 6'. PRIOR PIT WAS 15'x15'x3' BG.

CLOSED




FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)


PIT PERIMETER

PIT PROFILE



OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 6'	0.3
2 @	
3 @	
4 @	
5 @	



LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
1 @ 6'	TPH	0957
	CL	

BOTH PASSED

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: 5/26/04 ONSITE: 5/26/04 0930

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	05-27-04
Laboratory Number:	28843	Date Sampled:	05-26-04
Chain of Custody No:	12215	Date Received:	05-26-04
Sample Matrix:	Soil	Date Extracted:	05-27-04
Preservative:	Cool	Date Analyzed:	05-27-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Pritchard 4 Abandon Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Total Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	05-27-04
Lab ID#:	28843	Date Sampled:	05-26-04
Sample Matrix:	Soil	Date Received:	05-26-04
Preservative:	Cool	Date Analyzed:	05-27-04
Condition:	Cool and Intact	Chain of Custody:	12215


Parameter	Concentration (mg/Kg)
-----------	-----------------------

Total Chloride

95.5

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Pritchard 4 Abandon Pit.


Analyst


Review