

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
10 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505) 326-9200

Address: 200 Energy Court, Farmington, NM 87410

Facility or well name: MUDGE B #1R API #: 30-045-10481 U/L or Qtr/Qtr L Sec 21 T 31N R 11W

County: San Juan Latitude 36.88118 Longitude 108.00108 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☐ Disposal ☒ SEPARATOR II

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐ STEEL TANK

Liner type: Synthetic ☐ Thickness mil Clay ☐ Volume bbl

Below-grade tank

Volume: bbl Type of fluid:

Construction material: N/A

Double-walled with leak detection? Yes ☐ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet	(20 points)
50 feet or more, but less than 100 feet	(10 points) 0
100 feet or more	(0 points)

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes	(20 points)
No	(0 points) 0

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet	(20 points)
200 feet or more, but less than 1000 feet	(10 points) 0
1000 feet or more	(0 points)

Ranking Score (Total Points) 0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☒ offsite ☐ If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 07/28/04

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: JAN 09 2006

Date:
Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. #0

Signature Bruno Bell

3004510421

36.83118 x 108.00108

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80886</u> COCR NO: <u>12623</u>
-------------------	---	--

FIELD REPORT: PIT CLOSURE VERIFICATION

LOCATION: NAME: MUDGE B WELL #: 1R TYPE: SEPARATOR
 QUAD/UNIT: L SEC: 21 TWP: 31N RNG: 11W PM: NM CNTY: SJ ST: NM
 QTR/FOOTAGE: 1450'S/1190'W NW/1SW CONTRACTOR: SIERRA (CAL)

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: 0
 DISPOSAL FACILITY: NA REMEDIATION METHOD: CLOSE AS IS
 LAND USE: RANGE - Bum LEASE: SF 078096 FORMATION: MV

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 90 FT. DUE SOUTH FROM WELLHEAD.
 DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000
 NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER
 SOIL COLOR: Yellow Tan
 COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE
 CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE
 PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
 DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD
 MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED
 DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION: Minor Grey Streaks
 HC ODOR DETECTED: YES / NO EXPLANATION: Minor

SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS
 ADDITIONAL COMMENTS: PIT covered up for workover. Previously was 15' x 15' x 4' ± Deep w/ 95 Barrel steel pit tank. Use backhoe to dig test hole & sample.

OVM CALIB. READ. = 51.9 ppm
 OVM CALIB. GAS = 100 ppm RF = 0.52
 TIME: 1050 (am/pm) DATE: 7-27-04

SCALE

0 FT

↑ N

PIT PERIMETER

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 6 1/2'	79
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
DC6 1/2'	TAH	1210

PASSED

PIT PROFILE

NOT APPLICABLE

D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES: CALLOUT: 7-27-04 ONSITE: 7-27-04

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6½'	Date Reported:	07-28-04
Laboratory Number:	29668	Date Sampled:	07-27-04
Chain of Custody No:	12623	Date Received:	07-27-04
Sample Matrix:	Soil	Date Extracted:	07-27-04
Preservative:	Cool	Date Analyzed:	07-28-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	13.5	0.2
Diesel Range (C10 - C28)	7.5	0.1
Total Petroleum Hydrocarbons	21.0	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Mudge B #1R Separator.**


Analyst


Review