<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 0 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

March 12, 2004

Pit or Below-Grade Tank Registration or Closure

	overed by a "general plan"? Yes ⊠ No low-grade tank □ Closure of a pit or below-gr	ade tank 🛛 🔼 🔻 👨 💆		
Operator: BP AMERICA PROD. CO.	Telephone:(505) 326-920	OIL CONS. DIV.		
Address: 200 Energy Court, Farmington,	NM 87410	THE CONSTITUTE		
Facility or well name: MUDGE B #14	API #: 30-045-10579 ULL or Qtr.	Qu_H Sec_21 _T_31N _R_11W		
County: San Juan Latitude 36.88702 Longitude 107	.9902 NAD: 1927 ☐ 1983 🏻 Surface C	Owner Federal 🛭 State 🗌 Private 🔲 Indian 🗌		
Pit	Below-grade tank			
Type: Drilling Production Disposal BLOW	Volume:bbl Type of fluid:			
Workover	Construction magnial Double-walled with tak detection? Jes	Tre		
Lined ☐ Unlined ☑	Double-wailed Witherak defection? I es	if not, explain why not.		
Double a second mater (seed all distance from bottom of sit to account high	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)		
water elevation of ground water.)	100 feet or more	(0 points)		
/allhand material and (Lorenthal 2000 fortification and administration and a	Yes	(20 points)		
/ellhead protection area: (Less than 200 feet from a private domestic water	No	(0 points)		
source, or less than 1000 feet from all other water sources.)				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) O		
	1000 feet or more	(0 points)		
	Ranking Score (Total Points)	0		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's rel	ationship to other equipment and tanks. (2) Indi	icate disposal location:		
onsite offsite If offsite, name of facility	(3) Attach a general description of remedial ac	ction taken including remediation start date and		
end date. (4) Groundwater encountered: No 🛭 Yes 🔲 1f yes, show depth bel	ow ground surfaceft. and attach	sample results. (5) Attach soil sample results and		
a diagram of sample locations and excavations.				
I hereby certify that the information above is true and complete to the best of has been/will be constructed or closed according to NMOCD guidelines	my knowledge and belief. I further certify that	t the above-described pit or below-grade tank		
Date: 04/16/04	,			
	1-place	segg		
Printed Name/Title Jeff Blagg – P.E. # 11607	_ Signature			
Your certification and NMOCD approval of this application/closure does not	relieve the operator of liability should the content operator of its responsibility for compliance with	ts of the pit or tank contaminate ground water or any other federal, state, or local laws and/or		
Approval: JAN 0 9 2006				
Date: GERNINY ON & GAS INSPECTOR, DEST.	/	2 //		
Printed Name/Title	Signature V rungvan Many			

20		G ENGINEE	•		LOCA	ATION NO:	B1359
CLIENT: BP		P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199		1	R NO:	<u>12007</u>	
FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: of							
LOCATION: NAME: M	IUDGE B	WELL #: 14	TYPE:	568 BU	:		4-15-04
QUAD/UNIT: H SEC:	21 TWP: 31 N RNG	: IW PM: NM	CNTY: SJ	ST: NM		-	(-15-04
QTR/FOOTAGE: 1500	1) 800 E 50	d ≥ CONTRACTOR	: HD (U	NUFRE)	SPECIA	ONMENTAL ALIST:	ICB
EXCAVATION APPI	ROX. <u>//A</u> FT. x		<u>⁄</u> FT. ር	DEEP. CU	BIC YARD	AGE:	0
DISPOSAL FACILITY:			_	ON METHO		WE K	4
	VGE - Burn				FORMATI	011	11
FIELD NOTES & RE		ATED APPROXIMATE	LY <u>(8</u>		JRFACE WAT	FROM	WELLHEAD. iのな)
NMOCD RANKING SCORE:		CLOSURE STD: 500				<u></u>	
SOIL AND EXCAV				OVM CALIB. F	SAS = 10	ppm <u>ر</u>	
SOIL TYPE: SAND / SILT	Y SAND / SILT / SILTY (CLAY / CLAY / GRAVE					
SOIL COLOR: BLUE	GRAT					,,,,, <u>,</u>	
COHESION (ALL OTHERS): N CONSISTENCY (NON COHES		_	/ HIGHLY CO	HESIVE			
PLASTICITY (CLAYS): NON F	•		PLASTIC / HI	IGHLY PLASTIC	С		
DENSITY (COHESIVE CLAYS						(6)	05ED)
DISCOLORATION/STAINING	MOISTURE: DRY SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES / 100 EXPLANATION - HC ODOR DETECTED: (YES) NO EXPLANATION · V · MINUX						
SAMPLE TYPE GRAB JCOM	POSITE - # OF PTS.						
ADDITIONAL COMMENTS: _	15 BBL Steel to						
BOTTOM		Vac truck +				backl	
SCALE GAN	1		8.1 CALCUL				
SAM	IP. TIME SAMP. ID	LAB NO. WEIG	GHT (g) m	L FREON	DILUTION	READING	G CALC. (ppm)
0 FT							
N PIT PERI	METER				PIT P	ROFIL	F
SAV	1	OVM		VOTE: N			
	ple pro	READING	HEADSPACE				ie/ivail.
		1@ 8 22	(ppm)		• ,	(),	4 1000.
		2 @ 3 @					
		4 @ 5 @					
		3@			•		
21	8						
	TH						
		LAB SAMPL	ES				
		SAMPLE ANALYSIS	0950				
PD 2)	PASSE					
6 36	' BELOW GRADE; 8 = BELOW	117336					
T.H. = TEST HOLE; ~ = APPROX	.; T.B. = TANK BOTTOM			/ - / ·			
CAL	LOUT: 4/14/00	ON	SITE: 4/	15/04	090	10	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blagg / BP <i>წაი</i> ს\ Sep . 1 @ 8'	Date Reported:	04-16-04
Laboratory Number:	28380	Date Sampled:	04-15-04
Chain of Custody No:	12007	Date Received:	04-16-04
Sample Matrix:	Soil	Date Extracted:	04-16-04
Preservative:	Cool	Date Analyzed:	04-16-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Mudge B #14.

Analyst C. Ophian

Mistere M Wasters
Review