District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

office

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

	ak covered by a "general plan"? Yes 🔀 Nor below-grade tank 🗌 Closure of a pit or below-				
Operator: BP America Production Company Telephon	ne: (505)326.0200 e-mail address:				
Address: 200 Energy Ct, Farmington, NM 87401	- (303)320-7200				
Facility or well name: CASE B 2 API #:	30-045-10864 Westerland	M San B T SIM P HW			
County: San Juan Latitude					
l		NAD. 1927 [] 1983 [
Surface Owner: Federal State Private Indian	I D. I				
Pit	Below-grade tank				
Type: Drilling Production X Disposal	Volume:bbl Type of fluid:				
Workover Emergency	Construction material:				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay					
Pit Volumebbl					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)			
	50 feet or more, but less than 100 feet	(10 points)			
	100 feet or more	(0 points)			
W. III	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)			
water source, or less than 1000 feet from all other water sources.)					
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)			
	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	(0 points)			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) In	dicate disposal location: (check the onsite box if			
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_	. (3) Attach a gener	al description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No					
(5) Attach soil sample results and a diagram of sample locations and excava	ations.	•			
Additional Comments:					
See Attached Documentation					
See Attached Documentation					
	· · · · · · · · · · · · · · · · · · ·				
I hereby certify that the information above is true and complete to the best	t of my knowledge and belief. I further certify that	at the above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guidelin	es 🔀, a general permit 🗀, or an (attached) alter	rnative OCD-approved plan .			
Date: 11/01/2005	1.				

Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or

Approval: DEPUTY CIL & GAS INSPECTOR, DIST. &U

Jeffrey C. Blagg, Agent

Printed Name/Title

regulations.

DEC 1 6 2005

00	BLAGG ENGINEERING, INC.			LOCATION NO. B 123 Z			
CLIENT: BF	P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199		COCR NO:				
FIELD REPORT: PIT CLOSURE VERIFICATION PAGE NO. / of /							
LOCATION: NAME: CASE	В	WELL#:	2 TYPE	: 56P.	DATE STARTED: 6/9/03		
QUAD/UNIT: M SEC: 8	TWP:310 RNO	5://W PM: A	IM CNTY: 5	J ST: NM	DATE FINISHED:		
QTR/FOOTAGE: 990 5/9	90'W 50	SISW CONTR	ACTOR: HOI	(HEBEL)	SPECIALIST:		
EXCAVATION APPROX	EXCAVATION APPROX. NA FT. X NA FT. X NA FT. DEEP. CUBIC YARDAGE: NA						
DISPOSAL FACILITY: 60 - 51TE REMEDIATION METHOD: CLOSE AS 15							
LAND USE: RANGE -				95 FC			
FIELD NOTES & REMAR	KS: PIT LOC	ATED APPROX	IMATELY 15	FT. <u>ν</u>	SE FROM WELLHEAD		
DEPTH TO GROUNDWATER: >10					ACE WATER: >/000		
NMOCD RANKING SCORE:	NMOCD TPH	CLOSURE STD:	5000 P				
SOIL AND EXCAVATION DESCRIPTION:				D. = <u>53. 6</u> ppm = <u>700</u> ppm <u>RF = 0.52</u>			
				TIME: 8:50			
SOIL TYPE: SAND SILTY SAN	ID / SILT / SILTY	CLAY / CLAY /	GRAVEL / OTH	ER BEDROCK	(SANDSTONE)		
SOIL COLOR PALE YE COHESION (ALL OTHERS): NON CO					LT. GRRY		
CONSISTENCY (NON COHESIVE SC	ILS): LOOSE FIRM	OENSE / VERY	DENSE				
PLASTICITY (CLAYS): NON PLASTI DENSITY (CONESIVE CLAYS & SILT				/ HIGHLY PLASTIC			
MOISTURE: DRY / SLIGHTLY MOIST	MOIST WED! SAT	URATED / SUPER	R SATURATED		(CLOSED)		
DISCOLORATION/STAINING OBSER HC ODOR DETECTED: YES/NO E		LANATION - 50	NL ABOVE BEQ	eock & BEDROC	K SURFACE.		
SAMPLE TYPE: GRAB COMPOSITE	- # OF PTS)		
ADDITIONAL COMMENTS: WATER					OR STEEL TANK) IN PIT,		
					MOIST TOWET.		
COALE		FIE	LD 418.1 CALC	ULATIONS			
SCALE SAMP. TIM	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON DIL	UTION READING CALC. (ppm)		
0 FT							
PIT PERIMET	ER N	<u>- I</u>	J	<u> </u>	PIT PROFILE		
			VM	STEEL TOP	UK (218BL) TO REPURCE		
_ 1	4.47	SAMPLE	DING FIELD HEADSPACE	PREVIOUS	STEEL TANK (958BL)		
19'	8.7.8.	10, 10, 6.5	(ppm) O.O				
T (=====	8.7.9	2 @ 3 @		NO TAH	ANALYSIS WAS CONDUCTED.		
19'	FORMER	4 @					
	STEEL TANK	5 @		4			
P.O.	1 2 7 6			NOT	APPLICABLE		
~ 5	B.G.			\exists			
B.G. PROD.							
		LAB S	AMPLES	-			
BERM	J	SAMPLE AN	ALYSIS TIME				
,	TO L WEAD			╡			
DO ADE DEDDESONON DO DESCRIPTION	ν .			\exists			
P.D. * PIT DEPRESSION; B.G. = BELOV T.H. * TEST HOLE; ~ = APPROX.; T.B. *	TANK BOTTOM			1			
TRAVEL NOTES: CALLOUT: 6/9/03 - MORN. ONSITE: 6/9/03 - AFTER.							

٠,.

*