District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tan	k Registration or Closure
	by a "general plan"? Yes X No

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gra	ide tank 🔀					
Operator: BP America Production Company Telepho	one: (505)326-9200 e-mail address:						
Address: 200 Energy Ct, Farmington, NM 87401							
Facility or well name: BOYD GC B # 1 API #:	30 - 045 - 22/76 U/L or Qtr/Qtr M	Sec 8 T 3IN R 10W					
County: San Juan Latitude							
Surface Owner: Federal 🗌 State 🗎 Private 🗎 Indian 🗍							
Pit	Below-grade tank						
Type: Drilling Production Disposal							
Workover ☐ Emergency ☐	Construction material:						
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.						
Liner type: Synthetic Thicknessmil Clay							
Pit Volumebbl							
	Less than 50 feet	(20 points)					
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)					
high water elevation of ground water.)	100 feet or more	(0 points)					
	Yes	(20 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)					
water source, or less than 1000 feet from all other water sources.)		(c points)					
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)					
	1000 feet or more	(0 points)					
	Ranking Score (Total Points)						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indic	ate disposal location: (check the onsite box if					
your are burying in place) onsite offsite If offsite, name of facility_							
remediation start date and end date. (4) Groundwater encountered: No							
(5) Attach soil sample results and a diagram of sample locations and excava							
Additional Comments:	actoris.						
See Attached Documentation							
I hereby certify that the information above is true and complete to the bes	t of my knowledge and belief. I further contifu that i	the above described at an helen and the least					
has been/will be constructed or closed according to NMOCD guidelin	es X , a general permit . , or an (attached) alterna	itive OCD-approved plan					
	•						
Date: 11/01/2005	ture Jeffy C. Sligz						
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the contents the operator of its responsibility for compliance with a	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or					
Approval: 037/17/ 02 & GAS (MSF-80702, DIST. ().	Signature Bol Bell	DEC 1 6 2005					

3009522176								
CLIENT:	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413		13	CATION NO:	<i>B0337</i>			
(505) 632-1199			CO	CR NO:				
FIELD REPORT: PIT CLOSURE VERIFICATION					N PAG	SE No:	of	
LOCATION: NAME	E: BOYD	GC B	WELL#:	TYPE	: BLOW	f	E STARTED:	
QUAD/UNIT: M	SEC: 8 TW	NP: 31N RNG	5:10W PM:1	NM CNTY: S	5 st: N~	1	E FINISHED:	
QTR/FOOTAGE:							RONMENTAL CIALIST:	JUB
EXCAVATION A								NA
DISPOSAL FACILI	_						cose A	5 LS
LAND USE: A			LEASE.	NA 075	237(FEE)	go		
FIELD NOTES				CIMATELY 12				
DEPTH TO GROUNDWA		, _		< 1000				
NMOCD RANKING SCO		_		100 PF		U111112		
1					OVM CALIB. F	 READ. =	ppm	
SOIL AND EX	CAVATION	DESCRIPTI	ION:		OVM CALIB. (GAS =	ppm	<u>RF = 0.52</u>
	(= : = : ND	·			TIME:		m DATE: _	
SOIL TYPE: SAND A								
COHESION (ALL OTHE					COHESIVE			
CONSISTENCY (NON C PLASTICITY (CLAYS):		•			/ HIGHI Y PLASTI	<u></u>		
DENSITY (COHESIVE C	CLAYS & SILTS):	SOFT / FIRM / STIP	FF / VERY STIFF	/ HARD	/ HIGHEL FEEL.	C		
MOISTURE: DRY / SLIC	GHTLY MOIST / 🐠	OIST / WET / SATU	URATED / SUPER	R SATURATED			CLO	RED)
DISCOLORATION/STAIL HC ODOR DETECTED:	YES (NO)EXPL	# YES /NU) EAF	LANATION					
SAMPLE TYPE: GRAB ADDITIONAL COMMENT	LICOMPOSITE #	OF DTC		-41,5%	Una RAN	LINE	70 R	The Tank
	X1/ -	TEST HOLE.	HIT G	W @ 5'	BG. N	O VIS	UAL OD	OR "
(FROM DURTER)		UCE OF CO	ONTAMINA	ATION. SA	IMPLE GRI			
SCALE	an		1	ELD 418.1 CALC	1		1	
	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTIO	READING	CALC. (ppm)
0 _↑ FT			-	-		 	ļ	
• · · · · · · · · · · · · · · · · · · ·	ERIMETER			<u> </u>	<u> </u>	PITI	_ PROFIL	
1	ZINIVIL I L.		0	∨M			-110112	
'	,		REA	DING				
←	15	PD/B6	SAMPLE	FIELD HEADSPACE (ppm)				
1 1		SAMPLE	1 @ 2 @		-			
		SAVW-	3 @ 4 @		\exists			
1 1.) }	1//_	L-TH 1	5@			20		
15	8	6'B6			-	NOT	APPLICA	arle
	21 × 1				_		,	. •
]	-					
4		ſ	IABS	AMOLEO	_			
<u>/</u> ·		}		AMPLES NALYSIS TIME	=			
KT0				TEX 101				
well		ţ	(P)	USED)				
P.D. = PIT DEPRESSION; I								
T.H. = TEST HOLE; ~ = AP			720		7 · /- /12	200		
	CALLOUT:	4/30/03	720	_ ONSITE:	1/30/03	09	30	

612 E. Murray Drive Farmington, NM 87499

Off: (505) 327-1072 FAX: (505) 327-1496

iiná bá

P.O. Box 3788 Shiprock, NM 87420

Off: (505) 368-4065

ANALYTICAL REPORT

CLIENT:

Blagg Engineering

Work Order:

0304052

Project:

Boyd GC B#1

Lab ID:

0304052-002A

Date: 05-May-03

Client Sample Info: Boyd GC B#1

Client Sample ID: Blow - GW@5ft.

Collection Date: 4/30/2003 10:13:00 AM

Matrix: AQUEOUS

Parameter	Result	PQL Q	ual Units	DF	Date Analyzed
AROMATIC VOLATILES BY GC/PID	SW8021B				Analyst: JEM
Benzene	ND	0.5	μg/L	1	5/1/2003
Ethylbenzene	ND	0.5	μg/L	1	5/1/2003
m,p-Xylene	ND	1.0	μg/L	1	5/1/2003
o-Xylene	ND	0.5	μg/L	1	5/1/2003
Toluene	ND	0.5	μg/L	1	5/1/2003

Qualifiers:

ND - Not Detected at the Practical Quantitation Limit

J - Analyte detected below Practical Quantitation Limit

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted precision limits

E - Value above Upper Quantitation Limit - UQL

Page 2 of 2