District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 June 1, 2004 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

District IV 120 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action. Registration of a pir o	or below-grade tank [] Closure of a pit or below-grad	de tank 🔯			
Operator: BP AMERICA PROD. CO.	Telephone: (505-326-9200 e-ma	il address:			
Address: 200 ENERGY COURT. FARMINGTON. NM 87410					
Facility or well name: GCU #267	API#: 30-045- 22235 U/L or Qtr/Q	otr G Sec 23	T 28N R 12W		
County: SAN JUAN Latitude 36.64957 Longitude 10	8.07786 NAD: 1927 🗌 1983 🔲 Surface Ov	wner Federal ⊠ State □	Privated Indian		
		la la	7 3 10 11 17 2		
Pit	Below-grade tank	The state of the s	- A		
Type: Drilling ☐ Production ☐ Disposal ☒ DRIP	Volume:bblType of fluid:		MAN 2008		
Workover Emergency	Construction material:	les le	SCENED		
Lined \(\subseteq Unlined \subseteq \text{STEEL TANK} \)	Double-walled, with leak ditection? Yes I If not	explain why pot	ECEIVED L'CONS. DIV.		
Liner type: Synthetic Thickness mil Clay			DIST. 8		
Pit Volumebbl		W.	. n.		
	Below-grade tank Volume:bblType-of-fluid: Construction material: Double-walled, with leak betection? Yes If Less than 50 feet 50 feet or more, but less than 100 feet	(20 points)	2/20207818		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	ACCOUNT OF THE PERSON OF THE P		
high water elevation of ground water.)	100 feet or more	(0 points)	Ū		
		1			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	0		
water source, or less than 1000 feet from all other water sources.)	No	(0 points)	v		
	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	0		
gation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)	0		
	Danking Searce (Fortal Paints)		Α		
	Ranking Score (Total Points)	<u> </u>	0		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's					
your are burying in place) onsite 🗵 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including					
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results. (5)					
Attach soil sample results and a diagram of sample locations and excavation	s.				
Additional Comments: PIT LOCATED APPROXIMATELY	108 FT. S28W FROM WE	LL HEAD.			
PIT EXCAVATION: WIDTH n/a ft., LENGTH					
		alain)			
PIT REMEDIATION: CLOSE AS IS: ☑, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain) Cubic yards: N/A					
Cubic yards: N/A					
I hereby certify that the information above is true and complete to the best	of my knowledge and haliof. I fourth an angle, 4h at 4h				
has been/will be constructed or closed according to NMOCD guideline	s ⊠, a general permit □, or an alternative OCD-a	pproved plan 🔯.	r below-grade lank		
Date: 09/22/04					
Date: 09/22/04					
PrintedName/Title Jeff Blagg - P.E. # 11607 Signature					
Printed Name / Little Signature Signature					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
	1 -				
proval: CEPUTY OIL & GAS INSPECTOR, DIST. #	enature Brungh Dell	IJAN O	9 2nne		
Printed Name/Title Sig	gnature V reginfly V-ll	Date:	A (AAB		

1	1 Wacc	READING			
	PP (Bb)	SAMPLE	FIELD HEADSPACE (ppm)		
	, /62	1@9	0.0		
	18'	2@			
		3@			
	FANK	4 @			
	TAN	5 @			
	FRUNT			NOT	APPLICA
	PRINT				
18'	0 11				
18					
1	TH				
	(9'86)	LAB S	AMPLES		
1		SAMPLE A	NALYSIS TIME		
		Dea' T	7H 1015		
	n/e	·			
	SAMPLE	P	ASSED)		
PIT [DEPRESSION; B.G. = BELOW GRADE; B = BELOW HOLE; ~ = APPROX.; T.B. = TANK BOTTOM				
	TOLE, - TO THOSE, T.D TANK DOLLOW	f i		ſ	

CALLOUT: 9-20-04 0700 ONSITE: 9-20-04

VEL NOTES:

1000



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	09-22-04
Laboratory Number:	30523	Date Sampled:	09-20-04
Chain of Custody No:	12968	Date Received:	09-20-04
Sample Matrix:	Soil	Date Extracted:	09-20-04
Preservative:	Cool	Date Analyzed:	09-21-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

GCU 267 Drip Pit.

Mister Muller

Imi Kos