District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office

Pit or Below-Grade Tank Registration or Closure	
Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌	
of action. Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)	4

2,750 or worden. 1-081stration or a pro-	of below-grade tank Colosule of a pit of below-gra						
Operator: BP America Production Company Telephon	e: (505)326-9200 e-mail address:						
Address: 200 Energy Ct, Farmington, NM 87401		,					
	5004522511 U/Lor Qtr/Qtr O	Sec 10 T 3/N R11 W					
County: San Juan Latitude	Longitude	NAD: 1927 🗍 1983 🗍					
Surface Owner: Federal State Private Indian		·					
<u>Pit</u>	Below-grade tank						
Type: Drilling Production X Disposal	Volume:bbl Type of fluid:	graphy and the state of the sta					
Workover	r						
Lined 🗌 Unlined 🔲	Double-walled, with leak detection? Yes If not, explain why not.						
Liner type: Synthetic Thickness mil Clay							
Pit Volumebbl							
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)					
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)					
nigh water elevation of ground water.)	100 feet or more	(0 points)					
7 4 200 6 6	Yes	(20 points)					
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)					
water source, or less than 1000 feet from all other water sources.)							
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)					
	1000 feet or more	(0 points)					
	Ranking Score (Total Points)						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) India	eate disposal location: (check the onsite box if					
your are burying in place) onsite offsite If offsite, name of facility_							
remediation start date and end date. (4) Groundwater encountered: No \(\)							
(5) Attach soil sample results and a diagram of sample locations and excavat		6910112					
Additional Comments:	,	6 1					
See Attached Documentation	<u> </u>	× 180 2008					
Jee / Macrice Documentation	, in the second)					
	<u></u>	OIL CONS. DIV.					
		DIST.S S					
		~~ ^ * /					
		CERTAN CONTRACTOR					
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that	the above-described pit or below-grade tank					
has been/will be constructed or closed according to NMOCD guidelines	s 🔀, a general permit 🔲, or an (attached) altern	ative OCD-approved plan .					
Date: 11/01/2005	1						
Printed Name/Title Jeffrey C. Blagg, Agent Signatu	ire Juffy C. Slagy						
Your certification and NMOCD approval of this application/closure does n		s of the nit or tank contaminate ground water or					
otherwise endanger public health or the environment. Nor does it relieve the regulations.	ne operator of its responsibility for compliance with	any other federal, state, or local laws and/or					
Approval: OFFUTY OR & GAS INSPECTOR, DIST.	-0. 18	JAN 0 9 2006					
Printed Name/Title	Signature Brand Del	Date:					

3004522511

CLIENT:	BP			NEERING OMFIELD 2-1199	•	413	CATION NO	B1339 -
FIELD R	EPORT	: PIT CI	LOSURE	VERIF	ICATI(N PAG	SE No:	of/_
OCATION: N	AME: MUDG	ie A	WELL #:	ZA TYPE	BUN	DATE	STARTED: _	2/19/04
QUAD/UNIT:	SEC: 10	TWP: 312 R	YG: 11W PM:	NM CNTY: 5	J ST: NM	DATE	E FINISHED:	
QTR/FOOTAG	E: 1025 5 19	840'E	SWISE CONT	RACTOR: JIEU	RA (CALVIA	SPEC	RONMENTAL CIALIST:	NV
EXCAVATIO	N APPROX	. <u>//A</u> FT.	x <u><i>NA</i></u> FT	. x <u>NA</u> FT	DEEP. C	UBIC YAR	DAGE:	NA
DISPOSAL FAC	ILITY:	2-40	TE	REMEDIA	TION METH	IOD:	ciose f	32 12
_AND USE: _	RANGE -	Bum	LEASE:	SF0780	40	FORMAT	ION:	MV
FIELD NOTES	S & REMAR	KS: PIT LO	CATED APPRO	XIMATELY 9	<u>6</u> гт.	WPFN	_ FROM	WELLHEAD.
DEPTH TO GROUNI	OWATER: >100	NEAREST	WATER SOURCE:	>10001	NEAREST	SURFACE WA	TER:	1000/
NMOCD RANKING S	SCORE: O	NMOCD TP	H CLOSURE STD:	<u>5000</u> P	PM			
SOIL AND E	XCAVATIO	N DESCRIP	TION:		OVM CALIB.	READ. = 5 GAS = /0		
								RF = 0.52 2/16/54
SOIL TYPE: SAN	ID / SILTY SAN				ER BEOR	CX (S	HALE)	
OIL COLOR:	HERS): NON CO		バモ GRAY Y COHESIVE / CO		BEDROCK -	LT. GRAY		
ONSISTENCY (NO	N COHESIVE SO	ILS): LOOSE / FIRI	M / DENSE / VERY	DENSE				
LASTICITY (CLAYS					/ HIGHLY PLAST	ΓIC		
OISTURE: DRY /	SLIGHTLY MOIST	MOIST / WET / SA	TURATED / SUPE	R SATURATED			(c	10280)
ISCOLORATION/S' C ODOR DETECTE								
AMPLE TYPE: GR DDITIONAL COMM BEDROCK BOTTOM	ENTS: COUL	CTED SAM HTLY FRIAB	pue from	TPH ANRLY	515 was c			HARD,
SCALE				ELD 418.1 CALC		I		T
	SAMP. TIM	IE SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 F	Г							
PIT I	PERIMET	ER N				PIT	ROFIL	E
)VM				
)		SAMPLE	ADING FIELD HEADSPACE				
+	15		1@ 7	(ppm)	_			
- -	BERM		2 @ 3 @					
	<i>Y</i>	3	4@					
20	50/A	7	5 @	1	-			
- 20	True Contraction	7 7	>		<u> </u>	OT A	PPLICE	78VE
	1	WEL HEAS	1					
1 1	1				-			
1,1.]	ANDING	CAMPIC	AMPLES				
T.H.	Q.D-	NATER	ID A	NALYSIS TIME				
8 q.D · /	√ 4			,,,,,,	-	•		
U.	B. G .	CRADE: P - PEI CI	N					
.D. = PIT DEPRESSIC .H. = TEST HOLE; ~ =			•					
TRAVEL NOTES:	CALLOUT:	2/19/04-	-morn.	ONSITE:	2/19/04-	morn.	<u> </u>	

revised: 09/04/02

bei1005C.skf