<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210
<u>District III</u>
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit of	or below-grade tank [Closure of a pit or below-g	grade tank 🔀
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:	
Address: 200 Energy Ct, Farmington, NM, 87401		
Facility or well name: JOHNSTON LS #7A API#:	30-045-23854 U/L or Otr/Otr	Sec 11 TZSN R 9W
	Longitude	·
Surface Owner: Federal State Private Indian		1151515
Pit	Below-grade tank	373 14 13 10 1/18
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	DEC 2008 S
Lined Unlined	Double-walled, with leak detection? Yes If	not, explain why not not
Liner type: Synthetic Thicknessmil Clay _		TOWS. DIM
Pit Volumebbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	()
your are burying in place) onsite offsite foffsite, name of facility_ remediation start date and end date. (4) Groundwater encountered: No (5) Attach soil sample results and a diagram of sample locations and excava Additional Comments: See Attached Documentation	Yes If yes, show depth below ground surface	
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that es 🄀, a general permit □, or an (attached) alter	t the above-described pit or below-grade tank native OCD-approved plan □.
Date: 11/01/2005	111 2 10	
Printed Name/Title <u>Jeffrey C. Blagg, Agent</u> Signat	ture Jeffy C. Slig	>
Your certification and NMOCD approval of this application/closure does a otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the conte the operator of its responsibility for compliance with	h the pit or tank contaminate ground water or h any other federal, state, or local laws and/or
Approval: THUT OL & CAS INSTITUTE, DIST.		DEC 1 6 2005
Printed Name/Title	Signature Service	Date:
	10f2	, .

									
		BLAG	3G ENGI	NEERING	, INC.	Loc	CATION NO	5 B131	ι
CLIENT: BP	F	.O. BOX	87. BLO	OMFIELD	. NM 874	13	MIOITIC	<i>J.</i>	
OLILIVI			(505) 632		,	1	CR NO:	1163	5
**···*			(300) 302						
FIELD REI	PORT:	PIT CL	OSURF	VERIF	CATIO	N PAG	SE No:	/ of	/
	. 					11	,L 140		
LOCATION: NAME:	TOHNSTON	45	WELL #:	7A TYPE	5EP	DATE	E STARTED:	12/16/	03
QUAD/UNIT: O SE				SYM CNTY: 3		DATE	E FINISHED:		
			<u> </u>			ENNO	RONMENTAL		,
QTR/FOOTAGE:/C							CIALIST:	NV	
EXCAVATION A	_						DAGE:	NA	
DISPOSAL FACILITY	_			REMEDIA		OD: _	CLOSE	AZ 13	
LAND USE:	BE-BU	<u> </u>	LEASE:	NM 0420	عر	FORMAT	TON:	MV	
FIELD NOTES &	REMARKS	FIT LOCA		XIMATELY 105		5108	_ FROM	WELLHE	EAD.
DEPTH TO GROUNDWAT	TER: >100'	_ NEAREST W	ATER SOURCE:	>1000'	NEAREST S	URFACE WA	TER:>	1000'	—
NMOCD RANKING SCOR	E: <u>&</u>	_ NMOCD TPH	CLOSURE STD:	PF	°М				
SOIL AND EXC	· ^\/^TION	DESCRIPT	TONI:		OVM CALIB. I				
SOIL AND EVO	AVAIION	DESCINIFI	ION.		OVM CALIB.				= 0.52
					TIME: 10:0				<u>>3</u>
SOIL TYPE: SANDY		/ SILT / SILTY (CLAY / CLAY /	GRAVEL / OTHE	er <u>bedro</u> Edrock -	ELACK	POLLOY	<u>:)</u>	
COHESION (ALL OTHER			COHESIVE / CC			BUTTO			
CONSISTENCY (NON CO									
PLASTICITY (CLAYS): N					/ HIGHLY PLASTI	C			
DENSITY (CORESIVE CL							(cu	05ED)	
MOISTURE: DRY / SLIGI	HTLY MOISD/ M	OIST / WET / SAT	URATED / SUPE	R SATURATED	_/		_		
DISCOLORATION/STAIN	ING OBSEKVEL): YESY NO EXP	LANATION	ETWEEN 3 -	8 BEWW 61	20€ & C	EDROCK :	suc face	<u> </u>
HC ODOR DETECTED: A			ST HOLE	+ DUNG SAM	1900				
ADDITIONAL COMMENTS	COLUECT	IED SAMPU	E FRom	BEDROCK JUR	FACE BEA	RECK-H	ARD SL	IGHTLY	
BEORECK	FRIABL								
85/1011									
SCALE [FII	ELD 418.1 CALC					
SUALE	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	G CALC.	(ppm)
0 FT			<u> </u>						
PIT PE	RIMETE	R 4N	- -			PIT	PROFI	LE	
70.1			I	OVM					
				ADING	_				
HEAD		1	SAMPLE ID	FIELD HEADSPACE (ppm)					
	2£ b		1@8'	632]				
	181	-	2 @ 3 @		_				
			4 @		-				
P.O.	BERM	T	5@		7				
~ Z'		1			\exists \sim	OT AF	PLICAB	, <u> </u>	
B. E.	757	18			_	7, 71	70, 470	,	
1 190	<u></u>				\dashv				
1	(- (<u> </u>				
7.H.		1							
		τ	IARS	ANDIES	4				
N6'		T	SAMPLE	AMPLES NALYSIS TIME	_				
		<i>T</i>	SAMPLE A	NALYSIS TIME					
N6'		<i>T</i> -	Deb TPH	NALYSIS TIME					
ν 6' 8. 6 ·		T	BOTH A	NALYSIS TIME (805B) 1018 ×(80218) "					
N6'			BOTH A	NALYSIS TIME (805B) 1018 ×(80218) "					
P.D. = PIT DEPRESSION; B. T.H. = TEST HOLE; ~ = APP	PROX.; T.B. = TA		BOTH 4	NALYSIS TIME (((((((((((((((((((,		



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	12-17-03
Laboratory Number:	27397	Date Sampled:	12-16-03
Chain of Custody No:	11635	Date Received:	12-16-03
Sample Matrix:	Soil	Date Extracted:	12-17-03
Preservative:	Cool	Date Analyzed:	12-17-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.2	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	1.2	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Johnston LS #7A Separator Pit G

Grab Sample.

Analyst C. Q

Mistine m Wasters
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	12-17-03
Laboratory Number:	27397	Date Sampled:	12-16-03
Chain of Custody:	11635	Date Received:	12-16-03
Sample Matrix:	Soil	Date Analyzed:	12-17-03
Preservative:	Cool	Date Extracted:	12-17-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	48.8	1.7	
Ethylbenzene	21.5	1.5	
p,m-Xylene	122	2.2	
o-Xylene	31.8	1.0	
Total BTEX	224		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:		Parameter	Percent Recovery
	ļ.	Fluorobenzene	94 %
		1,4-difluorobenzene	94 %
	ı	Bromochlorobenzene	94 %
References:	Method 5030 December 1	od 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA nber 1996.	
		1B, Aromatic Volatile Organics, Test Methods cember 1996.	s for Evaluating Solid Waste, SW-846,
Comments:	Johnston	LS #7A Separator Pit Grab Samp	ole.

Analyst

Mistine Muadlus
Review