District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Closure of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action: Registration of a pit or below-grade tank Type of action of a pit or below-grade tank Type of a pit or below Ty				
Operator: BP America Production Company Telephon				
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: DAK 5 API #: 3	80-045-23975_U/L or Qtr/Qtr_P	Sec 18 T 29N R BW		
	Longitude	NAD: 192/ [1983 []		
Surface Owner: Federal State Private Indian				
<u>Pit</u>	Below-grade tank			
Type: Drilling 🗌 Production 🕱 Disposal 🗌	Volume:bbl Type of fluid:			
Workover	Construction material:			
Lined Unlined	Double-walled, with leak detection? Yes If not,	explain why not.		
Liner type: Synthetic Thicknessmil Clay				
Pit Volumebbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	(0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points)		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	i • •		
	1000 reet of more	(0 points)		
	Ranking Score (Total Points)			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location: (check the onsite box if		
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility				
remediation start date and end date. (4) Groundwater encountered: No 🗌 Y				
		r. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.			
Additional Comments:				
See Attached Documentation				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines [2], a general permit [3], or an (attached) alternative OCD-approved plan [3].				
December 11/01 0005				
Printed Name/Title Jeffrey C. Blagg, Agent Signature C. Slegy				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval: DEC. 1 6 2005				
Printed Name/Title	Signature Branchon Turch	DEC 1 6 2005		

	_			NEERING	*	LOC	CATION NO:	B1303
CLIENT: BF			87, BLOOMFIELD, NM 87413 (505) 632-1199		1	CR NO:	11140	
FIELD RE	FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: of							
LOCATION: NAME			WELL #:		E DEHY.			11/6/03
QUAD/UNIT: P S							FINISHED:	
QTR/FOOTAGE: 4	990'519	70E SE	SE CONT	RACTOR: L+L	(BRIAN)	SPEC	IALIST:	אט
EXCAVATION A	PPROX.	NA FT. X	NA_ FT	. x <u>NA</u> FT	. DEEP. CL	JBIC YAR	DAGE: _	NA
DISPOSAL FACILIT	Υ:	712-60	<u>E</u>	REMEDIA	TION METH	OD: _	closen	5 15
LAND USE:RA	₩6	BLM	LEASE:	5F078	414	FORMAT	ION:	DK
FIELD NOTES &		, , , , , , , , , , , , , , , , , , , ,		XIMATELY				
DEPTH TO GROUNDWA						URFACE WA	TER: >/	<u> </u>
NMOCD RANKING SCO	RE:	NMOCD TPH	CLOSURE STD:	5000 P	PM			
SOIL AND EXC	CAVATIO	N DESCRIPT	ION:		OVM CALIB. OVM CALIB.	READ. = 5	4.2 ppm	RF = 0.52
					TIME: 9:4			11/6/03
SOIL TYPE: SAND/	SILTY SAN	D/ SILT / SILTY	CLAY / CLAY /	GRAVEL / OTH	ER	·		
SOIL COLOR: COHESION (ALL OTHER					COHESIVE			
CONSISTENCY (NON C								
PLASTICITY (CLAYS): N DENSITY (COHESIVE C					/ HIGHLY PLASTI	IC	6	LOSED)
MOISTURE: DRY / STIG	HTLY MOIST	/ MOIST / WET / SAT	TURATED / SUPE	R SATURATED		, ,	_	
DISCOLORATION/STAIN HC ODOR DETECTED: (HING OBSER	ED: YES NO EXP	PLANATION -	DR. YELL.	BROWN BET	. 3-4	Berow GRA	70 *
SAMPLE TYPE: GRAB	COMPOSITE	- # OF PTS.						
ADDITIONAL COMMENT	S: ANAL	YZED oum	SAMPLE A	FIER CALIBRA	TING MACH	mE.		
SCALE			T	ELD 418.1 CALC	T	1	1	
	SAMP. TIM	E SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 FT			+					
PIT PE	RIMET	ER ₹N		<u> </u>	<u> </u>	PIT	ROFIL	E
			1	DVM				
METER RUN			SAMPLE	ADING FIELD HEADSPACE	4			
	,	P.D:	10,	(ppm) 4/6	4			
I T +	22	- ~Z	2 @	4/6				
		18.6.	3 @ 4 @		4			
5 @								
NOT APPLICABLE								
	0	+]			
1	4	10 WEU			_			
		HEAD	LABS	AMPLES	-			
5 	T.H,		SAMPLE A	NALYSIS TIME				
ł	~3 g.p.D-			H (80158) 0853	<u>'</u>			
<u> </u>	v . ·		(BOTH 4		7			
P.D. = PIT DEPRESSION; E T.H. = TEST HOLE; ~ = API								
TRAVEL NOTES: CALLOUT: 11/5/03 - AFTER. ONSITE: 11/5/03 - MORN.								



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5'	Date Reported:	11-07-03
Laboratory Number:	27056	Date Sampled:	11-06-03
Chain of Custody No:	11140	Date Received:	11-06-03
Sample Matrix:	Soil	Date Extracted:	11-07-03
Preservative:	Cool	Date Analyzed:	11-07-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	265	0.2
Diesel Range (C10 - C28)	202	0.1
Total Petroleum Hydrocarbons	467	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Day #5 Dehydrator Pit

Grab Sample.

Analyst C. Otto

Musline m Walter Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5'	Date Reported:	11-07-03
Laboratory Number:	27056	Date Sampled:	11-06-03
Chain of Custody:	11140	Date Received:	11-06-03
Sample Matrix:	Soil	Date Analyzed:	11-07-03
Preservative:	Cool	Date Extracted:	11-07-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	555	1.7
Ethylbenzene	410	1.5
p,m-Xylene	1,920	2.2
o-Xylene	974	1.0
Total BTEX	3,860	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery		
	Fluorobenzene	99 %		
	1,4-difluorobenzene	99 %		
	Bromochlorobenzene	99 %		

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Day #5 Dehydrator Pit Grab Sample.

Analyst P. Carl

Review Walten