District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌

Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure of a pit or below-grade tank \(\mathbb{Z}\) Telephone: (505)326-9200 e-mail address: Operator: BP America Production Company Address: 200 Energy Ct, Farmington, NM 87401 API#: 30-045-25555 U/L or Otr/Otr M Sec 13 T 28N R Facility or well name: WARREN COM #1R Longitude NAD: 1927 ☐ 1983 ☐ County: San Juan Surface Owner: Federal State Private Indian Below-grade tank Type: Drilling | Production | Disposal | Volume: bbl Type of fluid: Workover Emergency Construction material: Double-walled, with leak detection? Yes If not, explain why not. Lined Unlined Liner type: Synthetic Thickness mil Clay Pit Volume ___ Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite
offsite fill If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 📋 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🔀, a general permit 🔲, or an (attached) alternative OCD-approved plan 🔲. Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations Approval: GEANT OR & GAS HIS CTOR DIST. (4) Date: DEC 1 6 2005 Printed Name/Title

300452555 BLAGG ENGINEERING, INC. LOCATION NO: 8/23/ BP P.O. BOX 87, BLOOMFIELD, NM 87413 10885 COCR NO: (505) 632-1199 FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: 6/5/03 LOCATION: NAME: WARREN COM DATE STARTED: WELL #: IR TYPE: BLOW DATE FINISHED: QUAD/UNIT: M SEC: 13 TWP: 280 RNG: 9W PM: NM CNTY: 57 ST: NM ENVIRONMENTAL OTR/FOOTAGE: 900/5/990/W SWISW CONTRACTOR: LAL (BRIAN) SPECIALIST: EXCAVATION APPROX. NA FT. X NA FT. DEEP. CUBIC YARDAGE: CLOZE AZ 12 PEMEDIATION METHOD: DISPOSAL FACILITY: NM 076 266 RAJGE -BUM LAND USE: ...__ LEASE: FORMATION: FIELD NOTES & REMARKS: | PIT LOCATED APPROXIMATELY 36 FT. NZEW FROM WELLHEAD DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000 NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: 5000 PPM OVM CALIB. READ. = 53.6 ppm SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. GAS = 100 ppm TIME: 8:50 MOVPM DATE: SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER SOIL COLOR OK. YELL BROWN /MED. GRAY
COHESION (ALL OTHERS): NON COHESIVE / CHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE IF TRAN DENSE / VERY DENSE PLASTIC / CCLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC CO2ED DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / SLIGHTLY MOIST MOISD WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: VEST NO EXPLANATION. MINOR AMT. OF MED. GRAY WITHIN TEST HOLE HC ODOR DETECTED: PEDINO EXPLANATION - SLIGHTLY IN OUM SAMPLE SAMPLE TYPE: GRAD / COMPOSITE - # OF PTS. -ADDITIONAL COMMENTS: FIELD 418.1 CALCULATIONS SCALE SAMP. TIME DILUTION READING CALC. (ppm) SAMP. ID LAB NO. WEIGHT (g) | mL FREON FT PIT PERIMETER PIT PROFILE OVM READING SAMPLE FIELD HEADSPACE 2 🚳 4 @ APPLICABLE NOT LAB SAMPLES ANALYSIS TIME TPH (80158) 0915

PASSED

6/5/03 - morn.

bei1005C.skf

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

CALLOUT: 6/4/03 - AFTER.

TRAVEL NOTES:

revised: 09/04/02



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5'	Date Reported:	06-06-03
Laboratory Number:	25815	Date Sampled:	06-05-03
Chain of Custody No:	10885	Date Received:	06-06-03
Sample Matrix:	Soil	Date Extracted:	06-06-03
Preservative:	Cool	Date Analyzed:	06-06-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Warren Com #1R Blow Pit

Grab Sample.

Analyst C. Uf

Mistering Walles
Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865