District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No

	or below-grade tank Closure of a pit or below-g				
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:					
Address: 200 Energy Ct, Farmington, NM 87401					
Facility or well name: FLORANCE #30E API#:	30045 260 70 U/L or Qtr/Qtr _ C	Sec 1 TZ9N R 8 W			
County: San Juan Latitude					
Surface Owner: Federal State Private Indian					
<u>Pit</u>	Below-grade tank				
Type: Drilling 🗌 Production 💢 Disposal 🗌	Volume:bbl Type of fluid:				
Workover ☐ Emergency ☐	Construction material:				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay					
Pit Volumebbl					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
mgn water blovation of ground water.	100 feet or more	(0 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points)			
The source of the state to the state of the	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)			
		(o positio)			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	· · ·				
your are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility_					
remediation start date and end date. (4) Groundwater encountered: No \square	· · · · · · · · · · · · · · · · · · ·	ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava-	ations.	61891077			
Additional Comments:					
See Attached Documentation		AN 2009			
		PLECENED 3			
,		E OUL COME DIM			
		Wall. S			
		CS CD CL			
I hereby certify that the information above is true and complete to the bes has been/will be constructed or closed according to NMOCD guidelin	t of my knowledge and belief. I further certify tha	t the above-described pit or below-grade tank			
Date:11/01/2005	111 2 10				
	ature Jeffy C. She	}			
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	nts of the pit or tank contaminate ground water or h any other federal, state, or local laws and/or			
Annoust	/	2 //			
Approval: Printed Name/Title Printed Name/Title Printed Name/Title Printed Name/Title Printed Name/Title Printed Name/Title					
Deter True Determine					

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199			LOCATION NO: 80790			
		cocr no: 11820				
FIELD REPORT: PIT CL	OSURE VERIFI	CATION	PAGE No: of			
LOCATION: NAME: FLORANCE	WELL#: 30 E TYPE	DEHY/SEP	DATE STARTED: 2-5-04 DATE FINISHED: 2-5-04			
	G: BW PM: NM CNTY: 5	•				
QTRIFOOTAGE: 890/2/1750'W NO			SPECIALIST: 5 CIS			
EXCAVATION APPROX. NA FT.	K <u>//A</u> FT. X <u>//A</u> FT.	DEEP. CUBIC	. I			
DISPOSAL FACILITY:	REMEDIA		CLUSE AS IS			
	LEASE: SF 0785		RMATION: MV			
	CATED APPROXIMATELY 9					
	VATER SOURCE: > 1000		DE WATER: >1000			
NMOCD RANKING SCORE: NMOCD TPH	CLOSURE STD: 5000 PF					
SOIL AND EXCAVATION DESCRIP	TION:	OVM CALIB. READ				
			am/pm DATE: 2-5-04			
SOIL TYPE: SAND / SILTY SAND / SILT / SILTY SOIL COLOR: ORANGE TAN	CLAY CLAY / GRAVEL / OTHI	R				
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTL		COHESIVE				
CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLAS		HIGHLY PLASTIC				
DENSITY (COHESIVE CLAYS & SILTS): SOFT (FIRM) S		moner resono				
MOISTURE: DRY SLIGHTLY MOIST MOIST / WET / SA	TURATED / SUPER SATURATED		(CLOZED)			
DISCOLORATION/STAINING OBSERVED: YES NO EX HC ODOR DETECTED: YES NO EXPLANATION -	PLANATION -	ha				
AND E TYPE (CRAR) COMPOSITE . # OF PTS		1 1 1 2 Pa				
DOITIONAL COMMENTS: EARTHEN PIT P	REVIOUSLY ISACRFI'ILA	<u>IV. USED DA</u> TO USSUAL E	VIDENCE OF			
CONTAMINATION	<u>/</u>					
SCALE GAME TRUE GAME	FIELD 418.1 CALC					
SAMP. TIME SAMP. ID	LAB NO. WEIGHT (g)	mL FREON DILU	JTION READING CALC. (ppm)			
On FT						
N PIT PERIMETER		P	IT PROFILE			
BACLET AND THE POT	OVM					
15' - 15' (4'36	READING SAMPLE FIELD HEADSPACE	4				
1	10 (ppm)	-				
	2@6 00					
	3@ 6 0.0	_				
15'1 (2)	5 @					
		- \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	APPLICABLE			
		700/	Arracio			
LAB SAMPLES SAMPLE LANALYSIS TIME						
Liver (6 Bb)	SAMPLE ANALYSIS TIME)				
L'iveil	Dec TPH 103	Z				
	PASSED	7				
D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOV L.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM	V	7				
TRAVEL NOTES:						



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	02-09-04
Laboratory Number:	27794	Date Sampled:	02-05-04
Chain of Custody No:	11820	Date Received:	02-05-04
Sample Matrix:	Soil	Date Extracted:	02-06-04
Preservative:	Cool	Date Analyzed:	02-06-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments: Florance 30E Dehy/Sep Pit.

Misteren Welters
Analyst

Sandreak Jackson