

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
0 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources


Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐
Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒



Operator: BP AMERICA PROD. CO. Telephone: (505) 326-9200

Address: 200 Energy Court, Farmington, NM 87410

Facility or well name: DAY B #3R API #: 30-045-26959 U/L or Qtr/Qt B Sec 8 T 29N R 8W

County: San Juan Latitude 36.74443 Longitude 107.69481 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> SEPARATOR Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> STEEL TANK Liner type: Synthetic <input type="checkbox"/> Thickness <u> </u> mil Clay <input type="checkbox"/> Volume <u> </u> bbl		Below-grade tank Volume: <u> </u> bbl Type of fluid: <u> </u> Construction material: <u>N/A</u> Double-walled with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not: <u> </u>	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points) 0	
	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	
	No	(0 points) 0	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points) 0	
	1000 feet or more	(0 points)	
Ranking Score (Total Points)		0	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 06/10/04

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date:

JAN 09 2006

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 8

Signature Branch Bell

3004526959

36.74443 x 107.69481

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80826</u> COCR NO: <u>12258</u>
-------------------	---	--

FIELD REPORT: PIT CLOSURE VERIFICATION

LOCATION: NAME: <u>DAY B</u>	WELL #: <u>3R</u>	TYPE: <u>SEP</u>
QUAD/UNIT: <u>B</u> SEC: <u>8</u> TWP: <u>29N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY: <u>JS</u> ST: <u>NM</u>		
QTR/FOOTAGE: <u>790N/1800E</u> NW/NE	CONTRACTOR: <u>FLINT (CAL)</u>	

EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>
LAND USE: <u>RANGE - BURN</u> LEASE: <u>SF 078414</u> FORMATION: <u>MV</u>

FIELD NOTES & REMARKS:

PIT LOCATED APPROXIMATELY 147 FT. S25E FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >100 NEAREST SURFACE WATER: >100

NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

SOIL TYPE: SAND / (SILTY SAND) SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK SS @ 7' BG

SOIL COLOR: ORANGE TAN

COHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): (LOOSE) FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / (SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: (YES) NO EXPLANATION - 7'-9' GRAY

HC ODOR DETECTED: (YES) NO EXPLANATION - 7'-9' MODERATE

SAMPLE TYPE: (GRAB) COMPOSITE - # OF PTS.

ADDITIONAL COMMENTS: PIT w/ 45 BBL STEEL TANK. USE BACKHOE TO REMOVE TANK & SAMPLE. PRIOR LOCATION of EARTHEN SEP. TANK CLOSED OUT 6/17/2002. Will set 95 BBL steel tank in Pit.

OVM CALIB. READ. = 52.6 ppm

OVM CALIB. GAS = 100 ppm RF = 0.52

TIME: 1745 am/pm DATE: 6-7-04

PAGE No: 1 of 1

SCALE

0 FT

PIT PERIMETER

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 9'	286
2 @	
3 @	
4 @	
5 @	

PIT PROFILE

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
1 @ 9'	TPH	1740
	CL	
	BTEX	

ALL PASSED

TRAVEL NOTES: CALLOUT: 6/7/04 1545 ONSITE: 6/7/04 1730

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	06-10-04
Laboratory Number:	28982	Date Sampled:	06-07-04
Chain of Custody No:	12258	Date Received:	06-08-04
Sample Matrix:	Soil	Date Extracted:	06-09-04
Preservative:	Cool	Date Analyzed:	06-10-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	957	0.2
Diesel Range (C10 - C28)	66.1	0.1
Total Petroleum Hydrocarbons	1,020	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Day B 3 R.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	06-10-04
Laboratory Number:	28982	Date Sampled:	06-07-04
Chain of Custody:	12258	Date Received:	06-08-04
Sample Matrix:	Soil	Date Analyzed:	06-10-04
Preservative:	Cool	Date Extracted:	06-09-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	123	1.8
Toluene	524	1.7
Ethylbenzene	438	1.5
p,m-Xylene	2,300	2.2
o-Xylene	995	1.0
Total BTEX	4,380	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Day B 3 R.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Total Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 9'	Date Reported:	06-10-04
Lab ID#:	28982	Date Sampled:	06-07-04
Sample Matrix:	Soil	Date Received:	06-08-04
Preservative:	Cool	Date Analyzed:	06-09-04
Condition:	Cool and Intact	Chain of Custody:	12258


Parameter	Concentration (mg/Kg)
-----------	-----------------------

Total Chloride

32.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Day B 3R.


Analyst


Review