District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office.

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No ...

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔀										
	(505)224 0200									
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:										
Address: 200 Energy Ct, Farmington, NM 87401	20-045-72=19 HA 010	ا بال د د د د م								
	30-045-27519 U/L or Qtr/Qtr L									
	Longitude	NAD: 1927 [1983 [
Surface Owner: Federal State Private Indian										
Pit	Below-grade tank									
Type: Drilling Production X Disposal	Volume:bbl Type of fluid:									
Workover	Construction material:									
Lined Unlined I	Double-walled, with leak detection? Yes If not, explain why not.									
Liner type: Synthetic Thicknessmil Clay										
Pit Volumebbl										
Double	Less than 50 feet (20 points)									
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)								
high water elevation of ground water.)	100 feet or more	(0 points)								
	Yes	(20 points)								
Wellhead protection area: (Less than 200 feet from a private domestic	No									
water source, or less than 1000 feet from all other water sources.)	140	(0 points)								
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)								
	200 feet or more, but less than 1000 feet	(10 points)								
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)								
	Ranking Score (Total Points)									
If this is a pit closure: (1) Attach a diagram of the facility showing the pit										
your are burying in place) onsite offsite If offsite, name of facility_										
remediation start date and end date. (4) Groundwater encountered: No \Box	Yes If yes, show depth below ground surface	ft. and attach sample results.								
(5) Attach soil sample results and a diagram of sample locations and excava	tions.									
Additional Comments:										
See Attached Documentation										
		96 17 18 70 30								
		115								
		A STATE OF THE STA								
A DEO 2000 S										
		PRECENT DIV. 2								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described piter below-grades and has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approve from .										
has been/will be constructed or closed according to NMOCD guideling	es 🔼, a general permit 🗀, or an (attached) alterna	tive (ILD-approved) phan								
Date: 11/01/2005	1.									
Printed Name/Title	ure lafty C. Oligy	2537								
Your certification and NMOCD approval of this application/closure does		of the nit or tank contaminate ground water or								
otherwise endanger public health or the environment. Nor does it relieve t regulations.	he operator of its responsibility for compliance with a	ny other federal, state, or local laws and/or								
Approval: Printed Name/Title Printed Name/Title	Signature Brandon Four	DEC 1 6 2005								
		Date.								

				JJ	2/3/7			36-	ו טוטדו	08.0000
CLIENT: BP				GG ENGINEERING, INC. 87, BLOOMFIELD, NM 87413			413 LC	OCATION NO	B1193	
			(505) 632-1199					1	OCR NO:	
FIELD	REPO	ORT:	PIT CL	OSUR	E VE	RIFI	CATIO	1		of/_
LOCATION:				WELL #			: BLOW		TE STARTED: _ TE FINISHED: _	-
			WP: 32 ~> RNO				_		VIRONMENTAL	NV
			- NA FT W						CIALIST:	NA
			<u> </u>							
			0N-5175 BLM							75 15 FT
LAND USE:										
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 108 FT. 540W FROM WELLHEAD. DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000										
			NMOCD TPH							
			 N DESCRIPT				OVM CALIB			
SOIL AINL	LACA	VAHOI	1 DEOUNIE I	1011.					/ <i>50</i> ppm	$\frac{RF = 0.52}{4/15/03}$
SOIL TYPE:	SANDY SIL	TY SAND) / SILT / SILTY (CLAY / CLA	Y / GRAVEI	. / OTHI			UNIV DATE	77,01-5
SOIL COLOR:	OTHERS):	MON COL	HESIVE) SLIGHTLY	COHESINE	/ COHESIVE /	HIGHI Y	COHESIVE		·····	
			S): LOOSE ÆIRL			moner	CONCOIVE			
P LASTIGITY (CLAYS) : NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD										
						ATED			Cuo	SED
DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION -										
HC ODOR DETECTED: YES A COEXPLANATION - SAMPLE TYPE: GRAB COMPOSITE - # OF PTS.										
ADDITIONAL COMMENTS: STEEL TANK KEMPUED PRIDR TO ADVANCING TEST HOLE. NO TPH ANALYSIS										
		WAS	CONDUCTES	D	·					
COALE					FIELD 418.	1 CALC	ULATIONS			
SCALE	SA	MP. TIMI	SAMP. ID	LAB N	O. WEIG	HT (g)	mL FREON	DILUTIO	NREADING	CALC. (ppm)
0	FT -					_				
PI.	T PER	IMETE	R A) 			·	PIT	PROFIL	F
<u> </u>	1 6 6			ĺ	OVM			• • • •	1110112	
			REMININE	SAMPLE	READING	ADSPACE				
			RETAIN	10 9	, (P	pm)				
	. 5	, 3		2 @			_			
!	 			3 @ 4 @		- -	\dashv			
P.D.,			T _	5@						
~4.5 ' B.G.		7: 1	8 10				-			
l	المحرا	國 /	HEAD					—	APPULA	RI L
		+	T				」	IOT	71101-01	
FORMER TRNK LOC				LAE	SAMPLE	S	-			
T.B.		TH,		SAMPLE	ANALYSIS	TIME				
~6'		B.T.B	•			13 45				
8.6.										
P.D. = PIT DEPRES T.H. = TEST HOLE			RADE; B = BELOW ANK BOTTOM							
TRAVEL NOTE	S:	ALLOUT:	4/15/03-	MORN	ONE	ITE. 4	4/15/03	ACTER		