District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

June 1, 2004

Pit or Below-Grade	Tank Regi	istration o	or Closure
Is pit or below-grade tank cov	vered by a "ge	neral plan"?	Yes 🔀 No 🗌

Type of action: Registration of a pit	or below-grade tank 🔲 Closure of a pit or below-grade	de tank 🔀						
Course DR America Production Company Talente	(605)207 0200							
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:								
Address: 200 Energy Ct, Farmington, NM 87401	20046 2024	2 (5 - 291) - (2/4)						
Facility or well name: Tenkins Com# API#: 3004529234 U/L or Qtr/Qtr L Sec 15 T 29N R DW								
County: San Juan Latitude Longitude NAD: 1927 1983								
Surface Owner: Federal State Private Indian								
Pit	Below-grade tank							
Type: Drilling Production Disposal	Volume:bbl Type of fluid:							
Workover	Construction material:							
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.							
Liner type: Synthetic Thicknessmil Clay	JAN 2006 RECEIVED							
Pit Volumebbl								
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points) OIL COMS. DIV.						
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) DIST, 8						
	100 feet or more	(0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points) (2) (2) (2) (2) (2) (2)						
water source, or less than 1000 feet from all other water sources.)	No	(0 points)						
water source, or less than 1000 feet from an other water sources.)								
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)						
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)						
	1000 feet or more	(0 points)						
	Ranking Score (Total Points)							
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks (2) Indica	ate disposal location: (check the onsite box if						
your are burying in place) onsite offsite If offsite, name of facility_								
remediation start date and end date. (4) Groundwater encountered: No 🗌 Y								
(5) Attach soil sample results and a diagram of sample locations and excavat		It. and attach sample results.						
,	ions.							
Additional Comments:								
See Attached Documentation								
	772 2 7	,						
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .								
Date:								
	ire Juffy C. Shap							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval: JAN Q Q 2000								
Printed Name/Title	Signature Jyund Bell	Date:						

BLAGG ENGINEERING, INC.				L	OCATION NO	: B1325			
CLIENT:	CLIENT: P.O. BOX 87, BLOOMFIELD, NM 87413			413					
	(505) 632-1199				(COCR NO:			
FIELD R	EPORT	: PIT CL	OSURE	E VERIF	ICATIO	ON P	AGE No:	_/ of _/	
LOCATION: NA	AME: JENKW	is com	WELL #:	/ TYPE	: comi	· · · · · · · · · · · · · · · · · · ·	ATE STARTED: _	1/28/04	
QUAD/UNIT: L	SEC: 35	TWP: 290 RNO	G: 1 ZW PM:	WYCNTY: 3	J ST: NM		ATE FINISHED: _		
QTR/FOOTAGE	E:1720'5 10.	26W h	CONT WELWL	RACTOR: LFL	(BLIAN)		NVIRONMENTAL PECIALIST:	NV	
EXCAVATION	1 APPROX	. <u>NA</u> FT. >	(NA FT	. x <u>νΑ</u> FT	DEEP. C	UBIC YA	RDAGE:	NA	
DISPOSAL FACILITY: CN-SITE REMEDIATION METHOD: CLOSE AS 15									
LAND USE:	RANGE		LEASE:	pm099	5702	FORM	ATION:	PC	
FIELD NOTES	& REMAR			XIMATELY8					
DEPTH TO GROUND	OWATER: >10			>1000'		SURFACE V	NATER:>/	000	
NMOCD RANKING S	CORE:	NMOCD TPH	CLOSURE STD:	5000 PI	PM				
SOIL AND E	XCAVATIO	N DESCRIPT	ΓΙΟΝ:		OVM CALIB.				
001271172	7.07.77						@P/pm DATE: 128 54		
SOIL TYPE: SAN			CLAY / CLAY /		ER BEDRO	احد ر21	FLOTEONE	2	
SOIL COLOR:			Y COHESIVE / C(COHESIVE	at Yeu	L. DRONGE		
CONSISTENCY (NON					CONESIVE				
PLASTICITY (CLAYS)	7): NON PLASTIC	/ SLIGHTLY PLAST	TIC / COHESIVE /	MEDIUM PLASTIC	/ HIGHLY PLAST	ric			
DENSITY (COHESIVE MOISTURE: DRY / S		,						COSED	
DISCOLORATION/ST	TAINING OBSERV	ED: YES IND EXP		.N ONTOTOTICE					
HC ODOR DETECTE									
SAMPLE TYPE: GRA	AB COMPOSITE	-# OF PTS SED SAMPLE	FROM BEC	ROCK SWRFA	CE. BEON	wek-	VERY HARD	COMPETENT	
BEDRECK		PH ANDLYS							
- Carrier			FI	ELD 418.1 CALC	I II ATIONIC	-	· · · · · · · · · · · · · · · · · · ·		
SCALE	SAMP. TIM	IE SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	Би ити	ONREADING	CALC. (ppm)	
	OFWITT I I	D 071	- DI ID	,, DIOIII (B)	IIID I ICLOIX	DILCIA	ONKEADING	CALC. (ppin)	
0 FT						<u> </u>			
PITF	PERIMET	ER N	_			PIT	PROFIL	E	
	WELL			MVC					
	HEAD.		READING SAMPLE FIELD HEADSPACE						
	,		10 2.5'	(ppm)	_				
ļ	5	<u>د</u> ا	2@	<u> </u>					
-		6	3 @ 4 @						
s' \.F	7,	m	5@		7	~~ ~	221 - DIF		
1 1	12	P) M	pplicable	•	
1	4	K. (
STEEL TANK	\								
B.G.	1 14 -		LABS	AMPLES					
· · · · · · · · · · · · · · · · · · ·	8.T.B.		SAMPLE	NALYSIS TIME					
	6-1			- 0903	2				
Į									
'.D. = PIT DEPRESSION T.H. = TEST HOLE; ~ =									
TRAVEL NOTES:	CALLOUT:	1 7	AFTER.	ONSITE: _/	128/04-M	DRN.	CECHETAL	<u> </u>	
i					/		7,00,000		