

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP AMERICA PROD. CO.</u> Telephone: <u>(505)-326-9200</u> e-mail address: _____		
Address: <u>200 ENERGY COURT, FARMINGTON, NM 87410</u>		
Facility or well name: <u>CASE B #16</u> API #: <u>30-045- 21116</u> U/L or Qtr/Qtr <u>L</u> Sec <u>8</u> T <u>31N</u> R <u>11W</u>		
County: <u>SAN JUAN</u> Latitude <u>36.90982</u> Longitude <u>108.01995</u> NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> <u>SEPARATOR</u> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) 0
Ranking Score (Total Points)		0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility BP CROUCH MESA LF. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: <u>PIT LOCATED APPROXIMATELY 18 FT. S57E FROM WELL HEAD</u>
<u>PIT EXCAVATION: WIDTH 15 ft., LENGTH 15 ft., DEPTH 5 ft.</u>
<u>PIT REMEDIATION: CLOSE AS IS: <input type="checkbox"/>, LANDFARM: <input type="checkbox"/>, COMPOST: <input type="checkbox"/>, STOCKPILE: <input type="checkbox"/>, OTHER <input checked="" type="checkbox"/> EXCAVATE</u>
Cubic yards: <u>30</u>
<u>BEDROCK BOTTOM</u>

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 12/27/05

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR DIST. 4

Printed Name/Title

Signature W. J. ...

Date: FEB 28 2006

CLIENT: BP
BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199
LOCATION NO: B1732COCR NO: 14604**FIELD REPORT: PIT CLOSURE VERIFICATION**PAGE No: 1 of 1
LOCATION: NAME: CASE B WELL #: 16 TYPE: SEP
QUAD/UNIT: L SEC: 8 TWP: 31N RNG: 11W PM: NM CNTY: SJ ST: NM
QTR/FOOTAGE: 1450 FSL x 800 FWL NW(SW) CONTRACTOR: PXS

DATE STARTED: 12-21-05
DATE FINISHED: 12-21-05
ENVIRONMENTAL SPECIALIST: JUBEXCAVATION APPROX. 15 FT. x 15 FT. x 5 FT. DEEP. CUBIC YARDAGE: 30 ±DISPOSAL FACILITY: BP CROCK MEJA L.F. REMEDIATION METHOD: EXCAVATELAND USE: RANGE - BLM LEASE: SF-078095 FORMATION: PC**FIELD NOTES & REMARKS:**PIT LOCATED APPROXIMATELY 18 FT. S 57 E FROM WELLHEAD.DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >100 NEAREST SURFACE WATER: >1000NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM**SOIL AND EXCAVATION DESCRIPTION:**
OVM CALIB. READ. = 53.2 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 1030 am/pm DATE: 12/21
SOIL TYPE: SAND (SILTY SAND) / SILT / SILTY CLAY / CLAY / GRAVEL (OTHER) BEDROCK SANDSTONE @ 5'

SOIL COLOR: _____

COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY COHESIVE) COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE (FIRM) DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY (SLIGHTLY MOIST) MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: (YES) NO EXPLANATION - GRAY IN REMOVED SOILSHC ODOR DETECTED: (YES) / NO EXPLANATION - IN REMOVED SOILSSAMPLE TYPE: GRAB / (COMPOSITE) # OF PTS. 5ADDITIONAL COMMENTS: 12' x 12' x 2' Deep Earthwork Pit. USE BACKHOEBEDROCK
BOTTOMto Remove Impacted soils to Bedrock S.S. @ 5'CLOSED**SCALE**

0 1 FT

PIT PERIMETER**FIELD 418.1 CALCULATIONS**



SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

PIT PROFILE**OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @	
2 @	
3 @	
4 @	
5 @	
5 - Point	227
Cond. @	
5'	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
5 - Point	TPH	1505
	GFx	
	Cl-	
	<u>ANALYSED</u>	

WELLA15' A'
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:

CALLOUT: _____

ONSITE: 12/21/05

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Composite @ 5'	Date Reported:	12-27-05
Laboratory Number:	35573	Date Sampled:	12-21-05
Chain of Custody No:	14604	Date Received:	12-22-05
Sample Matrix:	Soil	Date Extracted:	12-23-05
Preservative:	Cool	Date Analyzed:	12-27-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	403	0.2
Diesel Range (C10 - C28)	44.0	0.1
Total Petroleum Hydrocarbons	447	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Case B #16 Sep Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Composite @ 5'	Date Reported:	12-27-05
Laboratory Number:	35573	Date Sampled:	12-21-05
Chain of Custody:	14604	Date Received:	12-22-05
Sample Matrix:	Soil	Date Analyzed:	12-27-05
Preservative:	Cool	Date Extracted:	12-23-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	39.6	1.8
Toluene	2,500	1.7
Ethylbenzene	2,230	1.5
p,m-Xylene	13,430	2.2
o-Xylene	1,460	1.0
Total BTEX	19,660	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Case B #16 Sep Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point Composite @ 5'	Date Reported:	12-27-05
Lab ID#:	35573	Date Sampled:	12-21-05
Sample Matrix:	Soil	Date Received:	12-22-05
Preservative:	Cool	Date Analyzed:	12-27-05
Condition:	Cool and Intact	Chain of Custody:	14604


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

58.2

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Case B #16 Sep Pit.


Analyst


Review