District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌 Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔯			
Operator: BP America Production Company Telephor Address: 200 Energy Ct, Farmington, NM 87401	ne: <u>(505)326-9200</u> e-mail address:		
Facility or well name: FLORANCE AA TIYA API#:	30-045-22022 U/L or Qtr/Qtr C	Sec 8 T 30N R 9W	
	Longitude		
Surface Owner: Federal State Private Indian			
Pit	Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover Emergency			
Lined Unlined	Construction material: Double-walled, with leak detection? Yes If not, explain why not.		
	Bouble-Walled, Will leak detection: Tes 111	iot, explain why not.	
Liner type: Synthetic Thicknessmil Clay			
Pit Volumebbl			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)	
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	(0 points)	
W. (1)	Yes	(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)	
water source, or less than 1000 feet from all other water sources.)		(0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)	
	P. I. C. (T. I.P. I.)		
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	s relationship to other equipment and tanks. (2) Ind	icate disposal location: (check the onsite box if	
your are burying in place) onsite [] offsite [] If offsite, name of facility_	(3) Attach a genera	l description of remedial action taken including	
remediation start date and end date. (4) Groundwater encountered: No 🔲	Yes If yes, show depth below ground surface	ft. and attach sample results.	
(5) Attach soil sample results and a diagram of sample locations and excava			
Additional Comments:			
See Attached Documentation			
·			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guidelines 🔀, a general permit 🗌, or an (attached) alternative OCD-approved plan 🗋.			
Date: 11/01/0005	A		
Date: 11/01/2005			
Printed Name/Title Jeffrey C. Blagg, Agent Signature			
Your certification and NMOCD approval of this application/closure does not not otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the opera (of of liability should the conter the operator of its responsibility for compliance with	nts of the pit or tank contaminate ground water or n any other federal, state, or local laws and/or	
Approval: Printed Name/Title Printed Name/Title	Signature Black Defe	DEC 1 6 2005	
The state of the s	Organization of the	Date:	

0 ~	BLAG	G ENGI	NEERING	, INC.	LOCA	ATION NO:	B1259
CLIENT: 3P	P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199			13	R NO:	11239	
FIELD REPOR						E No:	
LOCATION: NAME: FO						STARTED: &	3-11-3 3-11-03
QUAD/UNIT: C SEC: 3	1 /				T ENVIR	ONMENTAL	7 11 0
QTR/FOOTAGE: 870 1					SPECI	ALIST:	203
EXCAVATION APPRO						AGE:	
DISPOSAL FACILITY:	- 8 m		REMEDIA	TION METHO	DD:	/V /-)	MV
FIELD NOTES & REMA						-	
DEPTH TO GROUNDWATER:			5000 PF		JRFACE WAI	ER:	
NMOCD RANKING SCORE:			<u> </u>	OVM CALIB. F	PEAD = 5	- 1 - 1 nom	
SOIL AND EXCAVATI	ON DESCRIPT	ION:		OVM CALIB. (GAS = /	OO ppm	<u>RF = 0.52</u>
				TIME: /5/4	2 am/pm	DATE: 5	3-11-3
SOIL TYPE: SAND SILTY SA	AND / SILT / SILTY C	LAY/CLAY/	GRAVEL/OTH	ER			
COHESION (ALL OTHERS): WON	COHESIVE SLIGHTLY	COHESIVE / CO	HESIVE / HIGHLY	COHESIVE	- 1		
CONSISTENCY (NON COHESIVE S					-		
PLASTICITY (CLAYS): NON PLAST DENSITY (COHESIVE CLAYS & SIL				/ HIGHLY PLASTI	С		
MOISTURE: DRY SLIGHTLY MOIS			R SATURATED			(CL	0260)
DISCOLORATION/STAINING OBSE	RVED YES NO EXP	LANATION		Storeaks			
HC ODOR DETECTED YES NO SAMPLE TYPE: GRAB COMPOSI							. /
SAMPLE TYPE: GRAB COMPOSI ADDITIONAL COMMENTS:	EARTHEN F	₹¥. Us	e Beck	hue to	dis +	est H	ole.
SCALE GALOR T		1	ELD 418.1 CALC				15.15 ()
SAMP. T	IME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 FT							
PIT PERIME	TER	J	1	<u> </u>	PIT F	ROFIL	E
· · · · · · · · · · · · · · · · · · ·	15,		VM ·				·
,	PD		DING	_			!
<u>12'</u>	> / ' ' '	SAMPLE ID	FIELD HEADSPACE (ppm)				!
11/) _	1@ 7'	300	\dashv			
	>	3 @					, /
A . \ 3	77,	4 @ 5 @		9	â		A
A ₁₂	A well	3 6		1 - 1			17
] 3 V 1			/
							1
+ /	,			SRAF	7	-	7
		LAB S	AMPLES	Streaking	\$	=	i
SAMPLE TIL			VALYSIS TIME		L L		
TH			PH/BIEX 150	<u>'9</u>			•
		(BO)H	PRESSED)				
P.D. = PIT DEPRESSION; B.G. = BELO _T.H. = TEST HOLE; ~ = APPROX.; T.B.							
TRAVEL NOTES:			augure.	0/11/	17	1425	
CALLOU	и:	· 	ONSITE:	0/11/6	"	1125	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

	D. 100	-	
Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Comp. #1 @ 7'	Date Reported:	08-14-03
Laboratory Number:	26321	Date Sampled:	08-11-03
Chain of Custody No:	11239	Date Received:	08-12-03
Sample Matrix:	Soil	Date Extracted:	08-12-03
Preservative:	Cool	Date Analyzed:	08-13-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	75.3	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	75.3	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Florance AA 14A.

Analyst C. Carlina

Review Milhetens



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Comp. #1 @ 7'	Date Reported:	08-14-03
Laboratory Number:	26321	Date Sampled:	08-11-03
Chain of Custody:	11239	Date Received:	08-12-03
Sample Matrix:	Soil	Date Analyzed:	08-13-03
Preservative:	Cool	Date Extracted:	08-12-03
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	197	1.8
Toluene	1,590	1.7
Ethylbenzene	806	1.5
p,m-Xylene	1,200	2.2
o-Xylene	1,330	1.0
Total BTEX	5,120	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery		
	Fluorobenzene	95 %		
	1,4-difluorobenzene	95 %		
	Bromochlorobenzene	95 %		

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Florance AA 14A.

Analyst C. Oguru

Misteri M Warters
Review