District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No 🗌 Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure of a pit or below-grade tank \(\subseteq\) BP AMERICA PROD. CO. (505)-326-9200 Telephone: e-mail address: Address: 200 ENERGY COURT. FARMINGTON. NM 87410 Facility or well name: ELLIOTT GC H #1A API#: 30-045- 22681 Sec 26 T 30N R 9W U/L or Otr/Otr Longitude 107.74677 County: SAN JUAN Latitude 36.77770 NAD: 1927 🗌 1983 🛛 Surface Owner Federal 🖾 State 🗌 Private 🗍 Indian 🗍 Pit Below-grade tank Type: Drilling | Production | Disposal | SEPARATOR Volume: Workover Emergency Construction materia Lined Unlined STEEL TANK Double-walled with leak of If het, explain why not. Liner type: Synthetic [] Thickness mil Clay 🔲 Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 0 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic 0 No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) 0 irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) 0 If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite I If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations 200 FT. N87W Additional Comments: PIT LOCATED APPROXIMATELY FROM WELL HEAD. PIT EXCAVATION: WIDTH N/Aft., LENGTH N/Aft., DEPTH N/Aft. PIT REMEDIATION: CLOSE AS IS: ⊠, LANDFARM: □, COMPOST: □, STOCKPILE: □, OTHER □ (explain) Oli. N/A Cubic yards: NO TPH ANALYSIS CONDUCTED I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade has been/will be constructed or closed according to NMOCD guidelines \(\sigma, \) a general permit \(\sigma, \) or an alternative OCD-approved plan \(\sigma. \) 09/12/05 Date Jeff Blagg – P.E. # 11607 Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. CETUTO CL & GAS INSTACTOR, CLST. [3] Approval: Printed Name/Title

ı	
	*
ı	•
1	
1	<u> </u>

CLIENT: BP	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413								
	(505) 632	2-1199			COCR NO:			
FIELD REPORT: PIT CLOSURE VERIFICATION PAGE No: _/_ of _/_									
LOCATION: NAME: EULOT		ATE STARTED: _ ATE FINISHED: _	9/12/05						
	,				3 1 -	NVIRONMENTAL PECIALIST:	NV		
QTR/FOOTAGE: 10 20 5/1590 E SUISE CONTRACTOR: HOT (LYNELL) SPECIALIST: NV EXCAVATION APPROX. NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA									
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS 15									
LAND USE: RANGE - BLM LEASE: NM 073310 FORMATION: MV									
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 200 FT. N87W FROM WELLHEAD.									
DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1,000' NEAREST SURFACE WATER: >1,000'									
NMOCD RANKING SCORE: NMOCD TPH CLOSURE STD: 5,000 PPM									
SOIL AND EXCAVATION DESCRIPTION: OVM CALIB. READ OVM CALIB. GAS:							9/17/05		
SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER									
SOIL COLOR: PALE YELL . BROWN COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE									
CONSISTENCY (NON COHESIVE SOILS): OOSE / FIRM DENSE / VERY DENSE									
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSIFY (GOHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD									
MOISTURE: DRY SLIGHTLY MOIST MOIST / WET / SATURATED / SUPER SATURATED (CCSED)									
DISCOLORATION/STAINING OBSERVED: YES (NO EXPLANATION - HC ODOR DETECTED: YES (NO EXPLANATION -									
SAMPLE TYPE: (CRAR) COMPOSITE . # OF PTS									
ADDITIONAL COMMENTS: NO TPH ANALYSIS WAS CONDUCTED. STEEL TANK REMOVED PRIOR TO BRRIVAL.									
		FI	LD 418.1 CALC	ATIONS					
SCALE SAMP. TIM	ME SAMP. ID	LAB NO.	WEIGHT (g)	T	DILUTI	ONREADING	CALC. (ppm)		
		DIID III	WEIGHT (g)	mb rabon	Dibon		OTIZO: (ppin)		
0 FT	1								
PIT PERIMET	ER ♣N			· · · · · · · · · · · · · · · · · · ·	PIT	PROFIL	.E		
۷,	P.D.		VM \DING				1		
	N 2'	SAMPLE	FIELD HEADSPACE (ppm)						
BERRY	8.6.	1@10'	0.0						
8279	T	3 @							
	20'	4 @ 5 @							
K-QAI					V 1 V-4-	APPLICAC	KLE.		
カーへ	TO				1001	Tre(C)			
	WELL HEAD								
STEEL TANK LAB SAMPLES									
Loe. T.B.	SAMPLE ANALYSIS TIME								
N6' 8.6.	T.B.		- 110	2					
P.D. = PIT DEPRESSION; B.G. = BELOV T.H. = TEST HOLE; ~ = APPROX.; T.B. =									
TRAVEL NOTES: CALLOUT: ONSITE:									