District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes
No

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gra	ade tank 🛛		
Operator: BP AMERICA PROD. CO.	Telephone: (505)-326-9200 e-ma	ail address:		
Address: 200 ENERGY COURT, FARMINGTON.				
Facility or well name: ELLIOTT, A. L. C #4	API#: 30-045- 23346 U/L or Qtr/	Otr. A Sec. 15 T 29N P 9W		
	07.76079 NAD: 1927 ☐ 1983 ☒ Surface O			
County: State Office Latitude 20112540 Longitude 10	NAD: 1927 🔲 1983 🔯 Surface C	Owner rederat 🛭 State 🗀 Private 🗀 Indian 🗀		
Pit	Below-grade tank			
Type: Drilling ☐ Production ☐ Disposal ☒ BLOW	Volume:bbl_Type of fluid:			
Workover Emergency	Construction materia	· · · · · · · · · · · · · · · · · · ·		
Lined \(\sum \) Unlined \(\sum \) STEEL TANK	Double-walled, with leak detection? Yes I If n.t. explain why not.			
	Donote-watted, withhear detection: 1 es 11 11 th	explain why not.		
Liner type: Synthetic Thicknessmil Clay Thic				
Pit Volumebbl				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 0		
	100 feet or more	(0 points)		
W. W. J. and Cook of the Land	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)		
water source, or less than 1000 feet from all other water sources.)				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
inigation canais, diteres, and percinnal and epitemeral watercourses.	1000 feet or more	(0 points)		
	Ranking Score (Total Points)	0		
If this is a pit closure: (1) attach a diagram of the facility showing the pit'	c relationship to other agginment and tanks (2) Indic	enta disposal location: (chark the ensite hav if		
your are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility_				
remediation start date and end date. (4) Groundwater encountered: No 🔀		ft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavation		20 20 30 30		
Additional Comments: PIT LOCATED APPROXIMATEL	<u>y 190 ft. N58E from wi</u>			
PIT EXCAVATION: WIDTH N/Aft., LENGTH	N/A ft., DEPTH N/Aft	AND TO THE WAY		
PIT REMEDIATION: CLOSE AS IS: ⊠, LANDFARM: □, O	COMPOST: □, STOCKPILE: □, OTHER □ (e	explain) FEB 2006		
Cubic yards: N/A		TOWS. DIV. O		
Cubic yaras.		The state of the s		
		DIST. S		
I haraby cortify that the information should be true and complete to the haraby	t of my lenguilodes and halist. I foutbox south, the	<u> </u>		
I hereby certify that the information above is true and complete to the bes has been/will be constructed or closed according to NMOCD guidelin				
Date: 12/13/05				
T (CC TO) TO TO 11 4 4 4 4 4 4	2-11-0	Lean,		
PrintedName/Title Jeff Blagg - P.E. # 11607	Signature			
Your certification and NMOCD approval of this application/closure does	not relieve the operator of liability should the content	s of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve				
regulations.				
		// P* 90 m -		
Approval: ESTUTY CE & GAS INSPECTICA, CUST. CE) COMMINICATION OF LEGISLATION OF				
Printed Name/TitleS	ignature Denny feet	Date:		
	(/			

PRSSED

ONSITE:

12/9/05 - MORN.

TRAVEL NOTES:

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

CALLOUT: 12/8/05-AFTER.

SCHED

S



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / BP Proje	ct #: 94034-010
Sample ID: 1 @ 8' Date	Reported: 12-13-05
Laboratory Number: 35437 Date	Sampled: 12-09-05
Chain of Custody No: 14515 Date	Received: 12-09-05
Sample Matrix: Soil Date	Extracted: 12-12-05
Preservative: Cool Date	Analyzed: 12-13-05
Condition: Cool and Intact Analy	sis Requested: 8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Elliott, A. L. C #4 Blow Pit Grab Sample.

Analyst P. Od

(1 Mistine of Wasters Review



Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	12-13-05
Lab ID#:	35437	Date Sampled:	12-09-05
Sample Matrix:	Soil	Date Received:	12-09-05
Preservative:	Cool	Date Analyzed:	12-12-05
Condition:	Cool and Intact	Chain of Custody:	14515

Parameter

Concentration (mg/Kg)

Total Chloride

20.3

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Elliott, A. L. C #4 Blow Pit Grab Sample.

Analyst m Walter

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865