District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
-1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

1220 South St. Francis Dr. office Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank						
	(505) 326-9841 e-mail address: <u>LH</u>					
Address: 3401 East 30th Street, Farmington, New Mexico, 87402						
Facility or well name: Hedges No. 3 API #:	30045233670000 U/L or Qt	r/Qtr <u>A</u> Sec <u>23</u> T <u>31N</u> R <u>12W</u>				
County: San Juan Latitude	unty: San Juan Latitude <u>36.88872</u> Longitude <u>-108.06145</u> NAD: 1927 ☑ 1983 ☐					
Surface Owner: Federal State Private Indian						
Pit	Below-grade tank					
Type: Drilling Production Disposal	Volume: 95 bbl Type of fluid: Produced Water and Incidental Oil					
Workover ☐ Emergency ☐	Construction material: Steel					
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.					
Liner type: Synthetic Thickness mil Clay	No. Tank in place prior to Rule 50.					
Pit Volume bbl	1.0. 1 was an place prior to fruit 50.					
	Less than 50 feet	(20 points)				
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)				
high water elevation of ground water.)	100 feet or more	(0 points) 0				
	Too leet of more	(o points)				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0				
	Less than 200 feet	(20 points)				
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 10				
	1000 leet of more	,				
	Ranking Score (Total Points)	10				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if				
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility _	(3) Attach a general description of remedial action	n taken including remediation start date and end				
date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo	w ground surfaceft. and attach sample	results.				
(5) Attach soil sample results and a diagram of sample locations and excaval	tions.					
Additional Comments:		\$ 6°				
The soils tested clean and no soil remediation was required.		JUN 2006 02				
A NO SOLID SOLIDO STATE AND TO SOLID						
		ROMEC 1990 IT				
		Par				
		The state of the s				
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that th	se above described ait or below grade tank				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .						
Date: 5/22/06						
5/11/						
- The state of the						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.						
Approval: Printed Name/Title Signature Devry Rect Date: Date:						

CLIENT: Budington Personnes	Ē	ENVIROTE ENVIRONMENTAL SCIENT 5796 U.S. HIGH FARMINGTON, NEW PHONE: (505)	ISTS & ENGINEERS VAY 64-3014 MEXICO 87401		C.D.C. ND:	
FIELD REPOR	CT: CL	OSURE	VERIFIC	CATION	PAGE No: of	
LOCATION: NAME: Hesse QUAD/UNIT: A SEC: QTR/FOOTAGE: 1040' FA	23 TWP: 31N	1 RNG: 12W I	M. NMPM CNT		DATE STARTED: 4 29 06 DATE FINISHED: 4 29 06 ENVIRONMENTAL SPECIALIST: MPM	
EXCAVATION APPROX DISPOSAL FACILITY: LAND USE: FIELD NOTES & REMAR DEPTH TO GROUNDWATER:	KS: PIT LE	LEASE:	REMEDIATI	ON METHO FOF	D:RMATION:	
NMOCD RANKING SCORE: 10 SOIL AND EXCAVATION	NMOCD TPH	CLOSURE STD:			CHECK ONE: PIT ABANDONED STEEL TANK INSTALLED	
No visible signs of contamination present. No soil removed from site. Encoundered sandistance 1' below B6T. FIELD 418.1 CALCULATIONS						
SCALE 0 FT	1015	Schw Bet 1	5	20	J 0. 0024 (L. 7	
PIT PERIMI	S. parctor Bet	RESUI SAMPLE PRE 1 1 Bd. 2 3 4 5	DTS D HEADSPACE PID (apm) O HEM PLES	PIT *= Sarph	PROFILE Sandstone	
TRAVEL NOTES: CALLOUT:			ONSITE:			

.



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-046-077

Sample No.:

1

Date Reported:

5/1/2006

Sample ID:

Discrete, 1' Below BG Tank

Date Sampled: 4

4/28/2006

Sample Matrix:

Soil

Date Analyzed:

4/28/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

16.7

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Hedges No. 3

Analyst

Review