

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: XTO ENERGY INC. Telephone: (505)-324-1090 e-mail address: _____
Address: 2700 FARMINGTON AVE. BLDG. K. SUITE 1. FARMINGTON. NM 87401
Facility or well name: MONTOYA COM #1A API #: 30-045- 24994 U/L or Qtr/Qtr P Sec 25 T 32N R 13W
County: SAN JUAN Latitude 36.95356 Longitude 108.14918 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☐ State ☐ Private ☒ Indian ☐

Pit Type: Drilling <input type="checkbox"/> Production <input checked="" type="checkbox"/> Disposal <input type="checkbox"/> SEP/COMPRESSOR Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 0 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 0 1000 feet or more (0 points)
Ranking Score (Total Points) 0	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility JFJ LANDFARM. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: PIT LOCATED APPROXIMATELY 97 FT. S11W FROM WELL HEAD.

PIT EXCAVATION: WIDTH 17 ft., LENGTH 18 ft., DEPTH 1.5 ft.

PIT REMEDIATION: CLOSE AS IS: ☐, LANDFARM: ☒, COMPOST: ☐, STOCKPILE: ☐, OTHER ☐ (explain)

Cubic yards: 30

STEEL TANK TO BE INSTALLED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 3/10/05

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title _____

Signature Denny Faint

Date: MAY 27 2006

30045 24994

36.95356/108.14918


CLIENT: XTO
BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199
LOCATION NO: CM62COCR NO: 13392**FIELD REPORT: PIT CLOSURE VERIFICATION**PAGE No: 1 of 1LOCATION: NAME: Montoya com WELL #: 1A TYPE: SEP./compr.DATE STARTED: 3/10/05

DATE FINISHED: _____


QUAD/UNIT: P SEC: 25 TWP: 32N RNG: 13W PM: NM CNTY: ST ST: NMQTR/FOOTAGE: 1190'S/990'E SE/SE CONTRACTOR: HDI (HEBER)ENVIRONMENTAL SPECIALIST: NVEXCAVATION APPROX. 17 FT. x 18 FT. x 1.5 FT. DEEP. CUBIC YARDAGE: 30DISPOSAL FACILITY: JFJ LANDFARM - CROWN MESA REMEDIATION METHOD: LANDFARM?LAND USE: RANGE LEASE: FEE FORMATION: NVFIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 97 FT. SW FROM WELLHEAD.DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM**SOIL AND EXCAVATION DESCRIPTION:**
 OVM CALIB. READ. = 53.9 ppm
 OVM CALIB. GAS = 100 ppm RF = 0.52
 TIME: 9:50 am DATE: 3/10/05
SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY GRAVEL / OTHER _____
SOIL COLOR: _____COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - BLACK SAND (5'-8') BLACK SAND/GRAVEL @ 9'HC ODOR DETECTED: YES / NO EXPLANATION - DISCOLORED SOILSAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. _____ADDITIONAL COMMENTS: PIT EXCAVATED TO 6.5' BELOW GRADE PRIOR TO ARRIVAL. STEEL TANK TO BE INSTALLED.**CLOSED****SCALE****FIELD 418.1 CALCULATIONS**


SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

PIT PERIMETER**PIT PROFILE****OVM READING**

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 9 1/2'	912
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
1 @ 9 1/2'	TPH (80158)	0940
"	BTEX (80218)	"

PASSED
 P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
 T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM
TRAVEL NOTES:CALLOUT: 3/10/05 - MORN. ONSITE: 3/10/05 - MORN.

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 9.5'	Date Reported:	03-11-05
Laboratory Number:	32339	Date Sampled:	03-10-05
Chain of Custody No:	13392	Date Received:	03-10-05
Sample Matrix:	Soil	Date Extracted:	03-10-05
Preservative:	Cool	Date Analyzed:	03-11-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	252	0.2
Diesel Range (C10 - C28)	433	0.1
Total Petroleum Hydrocarbons	685	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Montoya Com #1A Separator/Compressor Pit Grab Sample.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / XTO Energy	Project #:	94034-010
Sample ID:	1 @ 9.5'	Date Reported:	03-11-05
Laboratory Number:	32339	Date Sampled:	03-10-05
Chain of Custody:	13392	Date Received:	03-10-05
Sample Matrix:	Soil	Date Analyzed:	03-11-05
Preservative:	Cool	Date Extracted:	03-10-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Def. Limit (ug/Kg)
Benzene	998	2.1
Toluene	1,980	1.8
Ethylbenzene	2,810	1.7
p,m-Xylene	7,360	1.5
o-Xylene	1,730	2.2
Total BTEX	14,880	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Montoya Com #1A Separator/Compressor Pit Grab Sample.


Analyst


Review