<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

Form C-144

June 1, 2004

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐ Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒						
Operator: BP AMERICA PROD. CO. Address: 200 ENERGY COURT. FARMINGTON. Facility or well name: CHILDERS #1E County: SAN JUAN Latitude 36.93165 Longitude 10	NM 87410 API#: 30-045- 25573 U/L or Qtr.		T 31N R 11W			
Pit Type: Drilling ☐ Production ☐ Disposal ☒ SEPARATOR Workover ☐ Emergency ☐ Lined ☐ Unlined ☒	Below-grade tank Volume:bbl_Type of fluid: Construction materia: Double-walled, with teak detection? Yes If 1	t, explain why not.				
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	0			
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	0			
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	0			
	Ranking Score (Total Points)		0			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite □ If offsite, name of facility						
BEDROCK BOTTOM STEEL TANK TO BE INSTALLED, NO TPH ANALYSIS CONDUCTED I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below grade tank						
has been/will be constructed or closed according to NMOCD guidelines \(\text{						
Approval: Printed Name/Title Si	ignature Lewy Fory	9- FEB Date:	28 2006			

BLAGG ENGINEERING, INC. CLIENT: 89 P.O. BOX 87, BLOOMFIELD, NM 87413			LOCATION NO: 80964			
(505) 632-1199			COCR NO:			
FIELD REPORT: PIT CI	LOSURE	VERIF	ICATION			
LOCATION: NAME: CHILDERS	WELL#:	/と TYPE	: 5EP.	DATE STARTED: 7/5/05		
QUAD/UNIT: B SEC: 1 TWP: 31A RN	G: 11W PM: /	CNTY: 5	T ST: NM	DATE FINISHED:		
QTR/FOOTAGE: 1100 N/1750 E	NW/NE CONTR	ACTOR: P+5	(ALLEN)	SPECIALIST:		
EXCAVATION APPROX. NA FT. X NA FT. X NA FT. DEEP. CUBIC YARDAGE: NA						
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS LAND USE: RANGE -BLM LEASE: SF 078040 FORMATION: DR						
DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1,000 NEAREST SURFACE WATER: >1,000						
NMOCD RANKING SCORE: NMOCD TPH CLOSURE STD: 5,000 PPM						
SOIL AND EXCAVATION DESCRIPTION:				D. = <u>59.0</u> ppm = 100 ppm RF = 0.52		
OVW CACIB. GAS				AD DATE: 7/5/05		
SOIL TYPE: SANDI SILT SANDI SILT SILTY	CLAY/CLAY/	GRAVEL / OTH	ER BEDROW	(SHOLE)		
SOIL COLOR: VERY PAR OLDANGE TO QUIVE GRAY SEDROCK - OLIVE GRAY COHESION (ALL OTHERS): NON COHESIVE/SLIGHTLY COHESIVE/ COHESIVE / HIGHLY COHESIVE						
CONSISTENCY (NON COHESIVE SOILS): (LOOSE): FIRM / DENSE / VERY DENSE						
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC CLASSED						
MOISTURE: DRY (SLIGHTLY MOIST (WEZ) SATURATED / SUPER SATURATED						
DISCOLORATION/STAINING OBSERVED: (VEY) NO EXPLANATION - OUVE GRAY TO SLIPEX DOWN TO REDROCK (WET) HC ODOR DETECTED: (YES) NO EXPLANATION - DISCOLORED, WET JOIL ABOUT BEORDICK.						
SAMPLE TYPE: GRABY COMPOSITE - # OF PTS -	,					
ADDITIONAL COMMENTS: COLLECTED SAMPLE FROM BEDROCK SUFFREE, BEORDER - HARD FRIABLE.						
BEDROEL MITTRICTED OPERATOR TO DILLTE / AFRATE IMPROTED SOIL (WET) A LEAGE IN PLATE. BOTTOM STEEL TRAK TO BE INSTALLED. NO TPH ANALYSIS WAS CONDUCTED.						
		LD 418.1 CALC				
SCALE SAMP. TIME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON DII	UTION READING CALC. (ppm)		
0 FT						
				OLT DESCRIPTION		
PIT PERIMETER AN	٦ ،	VM		PIT PROFILE		
18'X18'X3'		DING				
A TEND WIS	SAMPLE ID .	FIELD HEADSPACE (ppm)				
1.08.6	1@ 6	0.0				
SEP	2 @ 3 @		_			
	4@					
Brown	5 @					
- 1 129				T APPLICABLE		
T.H						
~ 4.5' 8.P.O.						
8.7.0	LAB SAMPLES					
1	SAMPLE ANALYSIS TIME					
20'		11 63				
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM						
TRAVEL NOTES: CALLOUT: 7/5/05 - marn. ONSITE: 7/5/05 - marn.						