District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🗵 No 🗆

Type of action: Registration of a pit or below-grade tank 🗆 Closure of a pit or below-grade tank 🖾

Type of action: Registration of a pit or below-grade tank □ Closure of a pit or below-grade tank ☑

		S CANAMOO		
Operator: Burlington Resources Tele	ephone: (505) 326-9841 e-mail a			
Address: 3401 East 30th Street, Farmington, New Mexico, 87402				
Operator: Burlington Resources Telephone: (505) 326-9841 Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Wilmer Canyon #2 API #: 30045234590000 U/L or Qtr/Qtr C Sec 025 T 032N R 008W County San Juan Latitude 36,95735 Longitude -107,62946 NAD: 1927 1983 Surface Owner: Federal State Private Indian				
County San Juan Latitude 36.95735 Longitude	-107.62946 NAD: 1927 ⊠ 1983 🗍	The Charles		
Surface Owner: Federal 🗵 State 🗌 Private 🗍 Indian 🖺				
Surface Switch a State of Figure 2				
<u>Pit</u>	Below-grade tank	The state of the s		
Type: Drilling Production X Disposal	Volume:bbl Type of fluid:	7 may 1.		
Workover □ Emergency □	Construction material:			
Lined □ Unlined X	Double-walled, with leak detection? Yes [] I	f not, explain why not.		
Liner type: Synthetic Thicknessmil Clay Pit Volume400 bbl				
Pit Volume 400 bbl				
Depth to ground water (vertical distance from bottom of pit to	Less than 50 feet	(20 points)		
seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)		
	100 feet or more	(0 points) 0		
		(20 1-44)		
Wellhead protection area: (Less than 200 feet from a private	Yes	(20 points) (0 points) 0		
domestic water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0		
water sources.)				
Distance to surface water: (horizontal distance to all wetlands,	Less than 200 feet	(20 points)		
playas, irrigation canals, ditches, and perennial and ephemeral	200 feet or more, but less than 1000 feet	(10 points)		
watercourses.)	1000 feet or more	(0 points) 0		
	4			
	Ranking Score (Total Points)			
	Ranking Score (Total Tollits)	0		
onsite box if your are burying in place) onsite \square offsite \square If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No \boxtimes Yes \square If yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments:				
Pit Location - 75 feet, 180 degrees from the wellhead. Pit size	– 30' x 30' x 2.5'			
Soil sample collected 3 feet below bottom of pit. Soils tested cle	an and no soil remediation was required. Lab ana	lysis attached. Pit was backfilled w/ clean		
soils.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ⊠, a general permit □, or an (attached) alternative OCD approved plan □.				
Date: 5/22//06				
Printed Name/Title Ed Hasely, Environmental Advisor Signature Tessen				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate				
ground water or otherwise endanger public health or environment. Nor does it relieve the operator of its responsibility for compliance with any other				
federal, state, or local laws and/or regulations.				
	C			
Approval: Cirin Ci & Gas Institute, Cist.	1 10	ANAD 9 2 2000		
and manacher all the	1 Cury;	MAR 2 3 2006		
Printed Name/TitleS	ignature /	Date		



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001-15624
Sample ID:	Wilmen Canyon #2	Date Reported:	04-29-06
Laboratory Number:	36963	Date Sampled:	04-26-06
Chain of Custody No:	15624	Date Received:	04-27-06
Sample Matrix:	Soil	Date Extracted:	04-28-06
Preservative:	Cool	Date Analyzed:	04-29-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.6	0.1
Total Petroleum Hydrocarbons	0.6	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Earth Pit (Area #6)/

PID 3.6

Analyst C. Open

Skink Wall